


Balanced Binary Search Trees



$O(\lg n)$ height \equiv balanced

$O(\lg n)$ time Insert, Delete, Find
(Max, Min, Pred, Succ...)

Red-Black trees, 2-3 trees, Splay trees,
B-trees, AVL trees, \vdots

$E(\# \text{ across maps} / \text{1st})$

≤ 2

$$\begin{aligned} E(\text{Total time}) &= O(\lg n) + 2 \cdot O(\lg n) \\ &= O(\lg n) \end{aligned}$$

On-line hiring

best = $-\infty$

for $i = 1$ to k

if $\text{score}(i) > \text{best}$
best = $\text{score}(i)$

for $i = k+1$ to n

if $\text{score}(i) > \text{best}$

return i

return n

S = hire best applicant
 $Pr(S)$?

S_i = hire best & best is i

$$Pr(S) = \sum Pr(S_i)$$

$$Pr(S_i) = 0 \quad i \leq k$$

$$Pr(S_i) = \frac{1}{n} \cdot \frac{k}{i-1} \quad (i > k)$$

S_i = i is best & max of the first $i-1$ is in $1..k$



$$R(S) = \sum_{i=k+1}^n \frac{k}{n(i-1)} = \frac{k}{n} \sum_{i=k}^{n-1} \frac{1}{i}$$

Choose k to max
 $k = \frac{n}{e} \Rightarrow Pr(S) = \frac{1}{e}$

$$= \frac{k}{n} (\ln n - \ln k - 1)$$