

COMS 4721: Machine Learning for Data Science

Lecture 18, 4/4/2017

Prof. John Paisley

Department of Electrical Engineering
& Data Science Institute
Columbia University

TOPIC MODELING

MODELS FOR TEXT DATA



Given text data we want to:

- ▶ Organize
- ▶ Visualize
- ▶ Summarize
- ▶ Search
- ▶ Predict
- ▶ Understand

Topic models allow us to

1. Discover themes in text
2. Annotate documents
3. Organize, summarize, etc.

BUSINESS DAY

A Digital Shift on Health Data Swells Profits in an Industry


By JULIE CRESWELL FEB. 19, 2013

It was a tantalizing pitch: come get a piece of a \$19 billion government “giveaway.”

The approach came in 2009, in a presentation to doctors by Allscripts Healthcare Solutions of Chicago, a well-connected player in the lucrative business of digital medical records. That February, after years of behind-the-scenes lobbying by Allscripts and others, legislation to promote the use of electronic records was signed into law as part of President Obama’s economic stimulus bill. The rewards, Allscripts suggested, were at hand.

But today, as doctors and hospitals struggle to make new records systems work, the clear winners are big companies like Allscripts that lobbied for that legislation and pushed aside smaller competitors.


TOPIC MODELING



A probabilistic topic model

- ▶ Learns distributions on words called "topics" shared by documents
- ▶ Learns a distribution on topics for each document
- ▶ Assigns every word in a document to a topic

TOPIC MODELING




However, none of these things are known in advance and must be learned

- ▶ Each document is treated as a “bag of words”
- ▶ Need to define (1) a model, and (2) an algorithm to learn it
- ▶ We will review the standard topic model, but won’t cover inference

LATENT DIRICHLET ALLOCATION

There are two essential ingredients to latent Dirichlet allocation (LDA).


1. A collection of distributions on words (topics).
2. A distribution on topics for each document.



LATENT DIRICHLET ALLOCATION

There are two essential ingredients to latent Dirichlet allocation (LDA).


1. A collection of distributions on words (topics).
2. A distribution on topics for each document.



LATENT DIRICHLET ALLOCATION

There are two essential ingredients to latent Dirichlet allocation (LDA).


1. A collection of distributions on words (topics).
2. A distribution on topics for each document.



LATENT DIRICHLET ALLOCATION

There are two essential ingredients to latent Dirichlet allocation (LDA).

1. A collection of distributions on words (topics).
2. A distribution on topics for each document.



LATENT DIRICHLET ALLOCATION

There are two essential ingredients to latent Dirichlet allocation (LDA).

1. A collection of distributions on words (topics).
2. A distribution on topics for each document.

The generative process for LDA is:

1. Generate each topic, which is a distribution on words

$$\beta_k \sim \text{Dirichlet}(\gamma), \quad k = 1, \dots, K$$

2. For each document, generate a distribution on topics

$$\theta_d \sim \text{Dirichlet}(\alpha), \quad d = 1, \dots, D$$

3. For the n th word in the d th document,

- a) Allocate the word to a topic, $c_{dn} \sim \text{Discrete}(\theta_d)$
- b) Generate the word from the selected topic, $x_{dn} \sim \text{Discrete}(\beta_{c_{dn}})$


DIRICHLET DISTRIBUTION

A continuous distribution on discrete probability vectors. Let β_k be a probability vector and γ a positive parameter vector,

$$p(\beta_k|\gamma) = \frac{\Gamma(\sum_v \gamma_v)}{\prod_{v=1}^V \Gamma(\gamma_v)} \prod_{v=1}^V \beta_{k,v}^{\gamma_v-1}$$

This defines the Dirichlet distribution. Some examples of β_k generated from this distribution for a constant value of γ and $V = 10$ are given below.

$\gamma = 1$




DIRICHLET DISTRIBUTION

A continuous distribution on discrete probability vectors. Let β_k be a probability vector and γ a positive parameter vector,

$$p(\beta_k|\gamma) = \frac{\Gamma(\sum_v \gamma_v)}{\prod_{v=1}^V \Gamma(\gamma_v)} \prod_{v=1}^V \beta_{k,v}^{\gamma_v-1}$$

This defines the Dirichlet distribution. Some examples of β_k generated from this distribution for a constant value of γ and $V = 10$ are given below.




DIRICHLET DISTRIBUTION

A continuous distribution on discrete probability vectors. Let β_k be a probability vector and γ a positive parameter vector,

$$p(\beta_k|\gamma) = \frac{\Gamma(\sum_v \gamma_v)}{\prod_{v=1}^V \Gamma(\gamma_v)} \prod_{v=1}^V \beta_{k,v}^{\gamma_v-1}$$

This defines the Dirichlet distribution. Some examples of β_k generated from this distribution for a constant value of γ and $V = 10$ are given below.




DIRICHLET DISTRIBUTION

A continuous distribution on discrete probability vectors. Let β_k be a probability vector and γ a positive parameter vector,

$$p(\beta_k|\gamma) = \frac{\Gamma(\sum_v \gamma_v)}{\prod_{v=1}^V \Gamma(\gamma_v)} \prod_{v=1}^V \beta_{k,v}^{\gamma_v-1}$$

This defines the Dirichlet distribution. Some examples of β_k generated from this distribution for a constant value of γ and $V = 10$ are given below.

$\gamma = 1$




DIRICHLET DISTRIBUTION

A continuous distribution on discrete probability vectors. Let β_k be a probability vector and γ a positive parameter vector,

$$p(\beta_k|\gamma) = \frac{\Gamma(\sum_v \gamma_v)}{\prod_{v=1}^V \Gamma(\gamma_v)} \prod_{v=1}^V \beta_{k,v}^{\gamma_v-1}$$

This defines the Dirichlet distribution. Some examples of β_k generated from this distribution for a constant value of γ and $V = 10$ are given below.




DIRICHLET DISTRIBUTION

A continuous distribution on discrete probability vectors. Let β_k be a probability vector and γ a positive parameter vector,

$$p(\beta_k|\gamma) = \frac{\Gamma(\sum_v \gamma_v)}{\prod_{v=1}^V \Gamma(\gamma_v)} \prod_{v=1}^V \beta_{k,v}^{\gamma_v - 1}$$

This defines the Dirichlet distribution. Some examples of β_k generated from this distribution for a constant value of γ and $V = 10$ are given below.



LDA OUTPUT

The New York Times

music band songs rock album jazz pop song singer night	book life novel story books man stories love children family	art museum show exhibition artist artists paintings painting century works	game knicks nets points team season play games night coach	show film television movie series says life man character know
theater play production show stage street broadway director musical directed	clinton bush campaign gore political republican dole presidential senator house	stock market percent fund investors funds companies stocks investment trading	restaurant sauce menu food dishes street dining dinner chicken served	budget tax governor county mayor billion taxes plan legislature fiscal

LDA outputs two main things:

1. A set of distributions on words (topics). Shown above are ten topics from NYT data. We list the ten words with the highest probability.
2. A distribution on topics for each document (not shown). This indicates its thematic breakdown and provides a compact representation.

LDA AND MATRIX FACTORIZATION

Q: For a particular document, what is $P(x_{dn} = i | \beta, \theta_d)$?

A: Find this by integrating out the cluster assignment,

$$\begin{aligned} P(x_{dn} = i | \beta, \theta) &= \sum_{k=1}^K P(x_{dn} = i, c_{dn} = k | \beta, \theta_d) \\ &= \sum_{k=1}^K \underbrace{P(x_{dn} = i, | \beta, c_{dn} = k)}_{= \beta_{ki}} \underbrace{P(c_{dn} = k | \theta_d)}_{= \theta_{dk}} \end{aligned}$$

Let $B = [\beta_1, \dots, \beta_K]$ and $\Theta = [\theta_1, \dots, \theta_D]$, then $P(x_{dn} = i | \beta, \theta) = (B\Theta)_{id}$

In other words, we can read the probabilities from a matrix formed by taking the product of two matrices that have nonnegative entries.

NONNEGATIVE MATRIX FACTORIZATION

NONNEGATIVE MATRIX FACTORIZATION


LDA can be thought of as an instance of nonnegative matrix factorization.

- ▶ It is a probabilistic model.
- ▶ Inference involves techniques not taught in this course.

We will discuss two other related models and their algorithms. These two models are called *nonnegative matrix factorization* (NMF)

- ▶ They can be used for the same tasks as LDA
- ▶ Though “nonnegative matrix factorization” is a general technique, “NMF” usually just refers to the following two methods.

NONNEGATIVE MATRIX FACTORIZATION



We use notation and think about the problem slightly differently from PMF

- ▶ Data X has nonnegative entries. None missing, but likely many zeros.
- ▶ The learned factorization W and H also have nonnegative entries.
- ▶ The value $X_{ij} \approx \sum_k W_{ik}H_{kj}$, but we won't write this with vector notation
- ▶ Later we interpret the output in terms of columns of W and H .

NONNEGATIVE MATRIX FACTORIZATION

What are some data modeling problems that can constitute X ?

- ▶ Text data:
 - ▶ Word term frequencies
 - ▶ X_{ij} contains the number of times word i appears in document j .
- ▶ Image data:
 - ▶ Face identification data sets
 - ▶ Put each *vectorized* $N \times M$ image of a face on a *column* of X .
- ▶ Other discrete grouped data:
 - ▶ Quantize *continuous* sets of features using K-means
 - ▶ X_{ij} counts how many times group j uses cluster i .
 - ▶ For example: group = song, features = $d \times n$ spectral information matrix

TWO OBJECTIVE FUNCTIONS

NMF minimizes one of the following two objective functions over W and H .

Choice 1: Squared error objective

$$\|X - WH\|^2 = \sum_i \sum_j (X_{ij} - (WH)_{ij})^2$$

Choice 2: Divergence objective

$$D(X \| WH) = - \sum_i \sum_j [X_{ij} \ln(WH)_{ij} - (WH)_{ij}]$$

- ▶ Both have the constraint that W and H contain nonnegative values.
- ▶ NMF uses a fast, simple algorithm for optimizing these two objectives.

MINIMIZATION AND MULTIPLICATIVE ALGORITHMS¹

Recall what we should look for in minimizing an objective “ $\min_h F(h)$ ”:


1. A way to generate a sequence of values h^1, h^2, \dots , such that

$$F(h^1) \geq F(h^2) \geq F(h^3) \geq \dots$$

2. Convergence of the sequence to a local minimum of F

The following algorithms fulfill these requirements. In this case:

- ▶ Minimization is done via an “auxiliary function.”
- ▶ Leads to a “multiplicative algorithm” for W and H .
- ▶ We’ll skip details (see reference).



¹For details, see D.D. Lee and H.S. Seung (2001). “Algorithms for non-negative matrix factorization.” *Advances in Neural Information Processing Systems*.

MULTIPLICATIVE UPDATE FOR $\|X - WH\|^2$

Problem

$$\min \sum_{ij} (X_{ij} - (WH)_{ij})^2 \quad \text{subject to } W_{ik} \geq 0, H_{kj} \geq 0.$$

Algorithm

- ▶ Randomly initialize H and W with nonnegative values.
- ▶ Iterate the following, first for all values in H , then all in W :


$$H_{kj} \leftarrow H_{kj} \frac{(W^T X)_{kj}}{(W^T W H)_{kj}},$$

$$W_{ik} \leftarrow W_{ik} \frac{(X H^T)_{ik}}{(W H H^T)_{ik}},$$

until the change in $\|X - WH\|^2$ is “small.”

A visualization that may be helpful. Use the color-coded definition above.

- ▶ Use element-wise multiplication/division across three columns below.
- ▶ Use matrix multiplication within each outlined box.



Probabilistically, the squared error penalty implies a Gaussian distribution,

$$X_{ij} \sim N(\sum_k W_{ik} H_{kj}, \sigma^2)$$

Since $X_{ij} \geq 0$ (and often isn't continuous), we are making an incorrect modeling assumption. Nevertheless, as with PMF it still works well.

MULTIPLICATIVE UPDATE FOR $D(X||WH)$

Problem

$$\min \sum_{ij} \left[X_{ij} \ln \frac{1}{(WH)_{ij}} + (WH)_{ij} \right] \quad \text{subject to } W_{ik} \geq 0, H_{kj} \geq 0.$$

Algorithm


- ▶ Randomly initialize H and W with nonnegative values.
- ▶ Iterate the following, first for all values in H , then all in W :

$$H_{kj} \leftarrow H_{kj} \frac{\sum_i W_{ik} X_{ij} / (WH)_{ij}}{\sum_i W_{ik}},$$

$$W_{ik} \leftarrow W_{ik} \frac{\sum_j H_{kj} X_{ij} / (WH)_{ij}}{\sum_j H_{kj}},$$


until the change in $D(X||WH)$ is “small.”

VISUALIZATION



Visualizing the update for the divergence penalty is more complicated.

- ▶ Use the color-coded definition above.
- ▶ “Purple” is the data matrix “dot-divided” by the approximation of it.



MAXIMUM LIKELIHOOD

The maximum likelihood interpretation of the divergence penalty is more interesting than for the squared error penalty.

If we model the data as independent Poisson random variables

$$X_{ij} \sim \text{Pois}((WH)_{ij}), \quad \text{Pois}(x|\lambda) = \frac{\lambda^x}{x!} e^{-\lambda}, \quad x \in \{0, 1, 2, \dots\},$$

then the negative divergence penalty is maximum likelihood for W and H .

$$\begin{aligned} -D(X||WH) &= \sum_{ij} [X_{ij} \ln(WH)_{ij} - (WH)_{ij}] \\ &= \sum_{ij} \ln P(X_{ij}|W, H) + \text{constant} \end{aligned}$$

We use: $P(X|W, H) = \prod_{ij} P(X_{ij}|W, H) = \prod_{ij} \text{Pois}(X_{ij}|(WH)_{ij})$.

NMF AND TOPIC MODELING

As discussed, NMF can be used for topic modeling. In fact, one can show that the divergence penalty is closely related mathematically to LDA.

Step 1. Form the term-frequency matrix X . ($X_{ij} = \#$ times word i in doc j)

Step 2. Run NMF to learn W and H using $D(X||WH)$ penalty

Step 3. As an added step, after Step 2 is complete, for $k = 1, \dots, K$

1. Set $a_k = \sum_i W_{ik}$
2. Divide W_{ik} by a_k for all i
3. Multiply H_{kj} by a_k for all j


Notice that this does not change the matrix multiplication WH .

Interpretation: The k th *column* of W can be interpreted as the k th *topic*. The j th *column* of H can be interpreted as how much document j uses each topic.

NMF AND FACE MODELING

For face modeling, put the face images along the columns of X and factorize. Show columns of W as image. Compare this with K-means and SVD.

VQ




K-means (i.e., VQ): Equivalent to each column of H having a single 1.
K-means learns averages of full faces.

NMF AND FACE MODELING

For face modeling, put the face images along the columns of X and factorize. Show columns of W as image. Compare this with K-means and SVD.

SVD




SVD: Finds the singular value decomposition of X .

Results not interpretable because of \pm values and orthogonality constraint

NMF AND FACE MODELING

For face modeling, put the face images along the columns of X and factorize. Show columns of W as image. Compare this with K-means and SVD.

NMF



NMF learns a “parts-based” representation. Each column captures something interpretable. This is a result of the nonnegativity constraint.