

# Chapter 16

# Bibliography



# Bibliography

- [1] Abate, J., Choudhury, G. L., Lucantoni, D. M. and Whitt, W. (1995) Asymptotic analysis of tail probabilities based on the computation of moments. *Ann. Appl. Prob.* 5, 983–1007.
- [2] Abate, J., Choudhury, G. L. and Whitt, W. (1993) Calculation of the GI/G/1 steady-state waiting-time distribution and its cumulants from Pollaczek's formula. *Archiv für Elektronik und Übertragungstechnik (Special Issue in memory of F. Pollaczek)* 47, 311–321.
- [3] Abate, J., Choudhury, G. L. and Whitt, W. (1994a) Waiting-time tail probabilities in queues with long-tail service-time distributions. *Queueing Systems* 16, 311–338.
- [4] Abate, J., Choudhury, G. L. and Whitt, W. (1994b) Asymptotics for steady-state tail probabilities in structured Markovian queueing models. *Stochastic Models* 10, 99–143.
- [5] Abate, J., Choudhury, G. L. and Whitt, W. (1995) Exponential approximations for tail probabilities in queues, I: waiting times. *Operations Res.* 43, 885–901.
- [6] Abate, J., Choudhury, G. L. and Whitt, W. (1999) An introduction to numerical transform inversion and its application to probability models. *Computational Probability*, W. Grassman (ed.), Kluwer, Boston, 257–323.
- [7] Abate, J. and Whitt, W. (1987a) Transient behavior of regulated Brownian motion, I: starting at the origin. *Adv. Appl. Prob.* 19, 560–598.
- [8] Abate, J. and Whitt, W. (1987b) Transient behavior of regulated Brownian motion, II: non-zero initial conditions. *Adv. Appl. Prob.* 19, 599–631.

- [9] Abate, J. and Whitt, W. (1988a) Transient behavior of the M/M/1 queue via Laplace transform. *Adv. Appl. Prob.* 20, 145–178.
- [10] Abate, J. and Whitt, W. (1988b) Simple spectral representations for the M/M/1 queue. *Queueing Systems* 3, 321–346.
- [11] Abate, J. and Whitt, W. (1988c) The correlation functions of RBM and M/M/1. *Stochastic Models* 4, 315–359.
- [12] Abate, J. and Whitt, W. (1988d) Approximations for the M/M/1 busy-period distribution. *Queueing Theory and its Applications – Liber Americorum for J. W. Cohen*, North Holland, Amsterdam, 149–191.
- [13] Abate, J. and Whitt, W. (1992a) The Fourier-series method for inverting transforms of probability distributions. *Queueing Systems* 10, 5–88.
- [14] Abate, J. and Whitt, W. (1992b) Solving probability transform functional equations for numerical inversion. *Operations Res. Letters* 12, 275–281.
- [15] Abate, J. and Whitt, W. (1994a) Transient behavior of the M/G/1 workload process. *Operations Res.* 42, 750–764.
- [16] Abate, J. and Whitt, W. (1994b) A heavy-traffic expansion for the asymptotic decay rates of tail probabilities in multi-channel queues. *Operations Res. Letters* 15, 223–230.
- [17] Abate, J. and Whitt, W. (1995a) Numerical inversion of Laplace transforms of probability distributions. *ORSA J. Computing* 7, 36–43.
- [18] Abate, J. and Whitt, W. (1995b) Limits and approximations for the busy-period distribution in single-server queues. *Prob. Eng. Inf. Sci.* 9, 581–602.
- [19] Abate, J. and Whitt, W. (1996) An operational calculus for probability distributions via Laplace transforms. *Adv. Appl. Prob.* 28, 75–113.
- [20] Abate, J. and Whitt, W. (1997a) Limits and approximations for the  $M/G/1$  LIFO waiting-time distribution. *Operations Res. Letters* 20, 199–206.
- [21] Abate, J. and Whitt, W. (1997b) Asymptotics for  $M/G/1$  low-priority waiting-time tail probabilities. *Queueing Systems* 25, 173–233.

- [22] Abate, J. and Whitt, W. (1998) Explicit M/G/1 waiting-time distributions for a class of long-tail service-time distributions. *Operations Res. Letters* 25, 25–31.
- [23] Abate, J. and Whitt, W. (1999a) Computing Laplace transforms for numerical inversion via continued fractions. *INFORMS J. Computing* 11, 394–405.
- [24] Abate, J. and Whitt, W. (1999b) Modelling service-time distributions with non-exponential tails: Beta mixtures of exponentials. *Stochastic Models* 15, 517–546.
- [25] Abate, J. and Whitt, W. (1999c) Infinite-series representations of Laplace transforms of probability density functions. *J. Operations Res. Society Japan* 42, 268–285.
- [26] Abbott, E. A. (1952) *Flatland*, Dover, New York.
- [27] Abramowitz, M. and Stegun, I. A. (1972) *Handbook of Mathematical Functions*, National Bureau of Standards, Washington, D.C.
- [28] Addie, R. G. and Zukerman, M. (1994) An approximation for performance evaluation of stationary single server queues. *IEEE Trans. Commun.* 42, 3150–3160.
- [29] Adler, R. J., Feldman, R. E. and Taqqu, M. S. (1998) *A Practical Guide to Heavy Tails: Statistical Techniques and Applications*, Birkhauser, Boston.
- [30] Albin, S. L. (1982) On Poisson approximations for superposition arrival processes in queues. *Management Sci.* 28, 126–137.
- [31] Albin, S. L. (1984) Approximating a point process by a renewal process, II: superposition arrival processes. *Operations Res.* 32, 1133–1162.
- [32] Aldous, D. (1989) *Probability Approximations via the Poisson Clumping Heuristic*, Springer, New York.
- [33] Amdahl, G. (1967) Validity of the single processor approach to achieving large scale computing capabilities. *AFIPS Conference Proceedings, Atlantic City* 30, 483–485.
- [34] Anantharam, V. (1999) Scheduling strategies and long-range dependence. *Queueing Systems* 33, 73–89.

- [35] Anick, D., Mitra, D. and Sondhi, M. M. (1982) Stochastic theory of a data handling system with multiple sources. *Bell System Tech. J.* 61, 1871–1894.
- [36] Anisimov, V. V. (1993) The averaging principle for switching processes. *Theor. Prob. Math. Stat.* 46, 1–10.
- [37] Araujo, A. and Giné, E. (1980) *The Central Limit Theorem for Real and Banach valued Random Variables*, Wiley, New York.
- [38] Arvidsson, A. and Karlsson, P. (1999) On traffic models for TCP/IP. *Traffic Engineering in a Competitive World, Proceedings 16<sup>th</sup> Int. Teletraffic Congress*, P. Key and D. Smith (eds.), North-Holland, Amsterdam, 457–466.
- [39] Asmussen, S. (1987) *Applied Probability and Queues*, Wiley, New York.
- [40] Asmussen, S. (1992) Queueing simulation in heavy traffic. *Math. Oper. Res.* 17, 84–111.
- [41] Asmussen, S. (2000) *Ruin Probabilities*, World Scientific, Singapore.
- [42] Asmussen, S. and Teugels, J. (1996) Convergence rates for M/G/1 queues and ruin problems with heavy tails. *J. Appl. Prob.* 33, 1181–1190.
- [43] Aastrauskas, A. (1983) Limit theorems for sums of linearly generated random variables. *Lithuanian Math. J.* 23, 127–134.
- [44] Avram, F. and Taqqu, M. S. (1987) Noncentral limit theorems and Appell polynomials. *Ann. Probab.* 15, 767–775.
- [45] Avram, F. and Taqqu, M. S. (1989) Probability bounds for  $M$ -Skorohod oscillations. *Stoch. Proc. Appl.* 33, 63–72.
- [46] Avram, F. and Taqqu, M. S. (1992) Weak convergence of sums of moving averages in the  $\alpha$ -stable domain of attraction. *Ann. Probab.* 20, 483–503.
- [47] Azar, Y., Broder, A., Karlin, A. and Upfal, E. (1994) Balanced allocations. *Proceedings 26<sup>th</sup> ACM Symposium on the Theory of Computing*, 593–602.
- [48] Baccelli, F. and Brémaud, P. (1994) *Elements of Queueing Theory*, Springer, New York.

- [49] Baccelli, F. and Foss, S. (1994) Ergodicity of Jackson-type queueing networks. *Queueing Systems* 17, 5–72.
- [50] Barford, P. and Crovella, M. (1998) Generating representative web workloads for network and server performance evaluation. *Proc. 1998 ACM Sigmetrics*, 151–160.
- [51] Bass, F. R. and Pyke, R. (1987) A central limit theorem for  $D(A)$ -valued processes. *Stochastic Proc. Appl.* 24, 109–131.
- [52] Becker, R. A., Chambers, J. M. and Wilks, A. R. (1988) *The New S Language*, Chapman and Hall, New York.
- [53] Bell, S. L. and Williams, R. J. (2001) Dynamic scheduling of a system with two parallel servers in heavy traffic with complete resource pooling: asymptotic optimality of a threshold policy. *Ann. Appl. Prob.* 11.
- [54] Bender, C. M. and Orszag, S. A. (1978) *Advanced Mathematical Methods for Scientists and Engineers*, McGraw-Hill, New York.
- [55] Beneš, V. E. (1963) *General Stochastic Processes in the Theory of Queues*, Addison-Wesley, Reading, MA.
- [56] Beran, J. (1994) *Statistics for Long-Memory Processes*, Chapman and Hall, New York.
- [57] Berger, A. W. and Whitt, W. (1992a) The impact of a job buffer in a token-bank rate-control throttle. *Stochastic Models* 8, 685–717.
- [58] Berger, A. W. and Whitt, W. (1992b) The Brownian approximation for rate-control throttles and the G/G/1/C queue. *J. Discrete Event Dynamic Systems* 2, 7–60.
- [59] Berger, A. W. and Whitt, W. (1994) The pros and cons of a job buffer in a token-bank rate-control throttle. *IEEE Trans. Commun.* 42, 857–861.
- [60] Berger, A. W. and Whitt, W. (1995a) Maximum values in queueing processes. *Prob. Eng. Inf. Sci.* 9, 375–409.
- [61] Berger, A. W. and Whitt, W. (1995b) A comparison of the sliding window and the leaky bucket. *Queueing Systems* 20, 117–138.
- [62] Berger, A. W. and Whitt, W. (1998a) Effective bandwidths with priorities. *IEEE/ACM Trans. Networking*, 6, 447–460.

- [63] Berger, A. W. and Whitt, W. (1998b) Extending the effective bandwidth concept to networks with priority classes. *IEEE Communications Magazine* 36, August, 78–83.
- [64] Bertoin, J. (1996) *Lévy Processes*, Cambridge University Press, Cambridge, UK.
- [65] Bertsekas, D. P. and Gallager, R. G. (1992) *Data Networks*, second ed., Prentice-Hall, Enlewood Cliffs, NJ.
- [66] Billingsley, P. (1968) *Convergence of Probability Measures*, Wiley, New York.
- [67] Billingsley, P. (1999) *Convergence of Probability Measures*, second edition, Wiley, New York.
- [68] Bingham, N. H., Goldie, C. M. and Teugels, J. L. (1989) *Regular Variation*, Cambridge University Press, Cambridge, UK.
- [69] Bitran, G. and Tirupati, D. (1988) Multiproduct queueing networks with deterministic routing: decomposition approach and the notion of interference. *Management Sci.* 34, 75–100.
- [70] Bleistein, N. and Handelsman, R. A. (1986) *Asymptotic Expansions of Integrals*, Dover, New York.
- [71] Bloznelis, M. (1996) Central limit theorem for stochastically continuous processes. convergence to stable limit. *J. Theor. Probab.* 9, 541–560.
- [72] Bloznelis, M. and Paulauskas, V. (2000) Central limit theorem in  $D[0, 1]$ . *Skorohod's Ideas in Probability Theory*, V. Korolyuk, N. Portenko and H. Syta (eds.), institute of Mathematics of the National Acafdemy of Sciences of the Ukraine, Kyiv, Ukraine, 99–110.
- [73] Bondi, A. B. and Whitt, W. (1986) The influence of service-time variability in a closed network of queues. *Performance Evaluation* 6, 219–234.
- [74] Borodin, A. N. and Salminen, P. (1996) *Handbook of Brownian Motion – Facts and Formulae*, Birkhäuser, Boston.
- [75] Borovkov, A. A. (1967) On limit laws for service processes in multi-channel systems. *Siberian Math. J.* 8, 746–763.

- [76] Borovkov, A. A. (1976) *Stochastic Processes in Queueing Theory*, Springer, New York.
- [77] Borovkov, A. A. (1984) *Asymptotic Methods in Queueing Theory*, Wiley, New York.
- [78] Borovkov, A. A. (1998) *Ergodicity and Stability of Stochastic Processes*, Wiley, New York.
- [79] Borst, S. C., Boxma, O. J. and Jelenković, P. R. (2000) Asymptotic behavior of generalized processor sharing with long-tailed traffic sources. *Proceedings IEEE INFOCOM 2000*, 912–921.
- [80] Botvich, D. D. and Duffield, N. G. (1995) Large deviations, the shape of the loss curve, and economies of scale in large multiplexers. *Queueing Systems* 20, 293–320.
- [81] Box, G. E. P., Jenkins, G. M. and Reinsel, G. C. (1994) *Time Series Analysis, Forecasting and Control*, third edition, Prentice Hall, NJ.
- [82] Boxma, O. J. and Cohen, J. W. (1998) The M/G/1 queue with heavy-tailed service time distribution. *IEEE J. Sel. Areas Commun.* 16, 749–763.
- [83] Boxma, O. J. and Cohen, J. W. (1999) Heavy-traffic analysis for the GI/G/1 queue with heavy-tailed distributions. *Queueing Systems* 33, 177–204.
- [84] Boxma, O. J. and Cohen, J. W. (2000) The single server queue: heavy tails and heavy traffic. In *Self-Similar Network Traffic and Performance Evaluation*, K. Park and W. Willinger (eds.), Wiley, New York, 143–169.
- [85] Boxma, O. J., Cohen, J. W. and Deng, Q. (1999) Heavy-traffic analysis of the M/G/1 queue with priority classes. *Traffic Engineering in a Competitive World, Proceedings of the 16<sup>th</sup> Int. Teletraffic Congress*, P. Key and D. Smith (eds.), North-Holland, Amsterdam, 1157–1167.
- [86] Boxma, O. J. and Dumas, V. (1998) Fluid queues with long-tailed activity period distributions. *Comput. Commun.* 21, 1509–1529.
- [87] Boxma, O. J. and Takagi, H. (1992) Editors: Special issue on polling systems. *Queueing Systems* 11, 1 and 2.

- [88] Bramson, M. (1994a) Instability of FIFO queueing networks. *Ann. Appl. Prob.* 4, 414–431. (Correction p. 952)
- [89] Bramson, M. (1994b) Instability of FIFO queueing networks with quick service times. *Ann. Appl. Prob.* 4, 693–718.
- [90] Bramson, M. (1998) State space collapse with application to heavy traffic limits for multiclass queueing networks. *Queueing Systems* 30, 89–148.
- [91] Bratley, P., Fox, B. L. and Schrage, L. E. (1987) *A Guide to Simulation*, second edition, Springer, New York.
- [92] Breiman, L. (1968) *Probability*, Addison-Wesley, Reading, MA.
- [93] Brichet, F., Roberts, J. W., Simonian, A. and Veitch, D. (1996) Heavy traffic analysis of a storage model with long-range dependent on/off sources. *Queueing Systems* 23, 197–215.
- [94] Brichet, F., Simonian, A. Massoulié, L. and Veitch, D. (2000) Heavy load queueing analysis with LRD on/off sources. In *Self-Similar Network Traffic and Performance Evaluation*, K. Park and W. Willinger (eds.), Wiley, New York, 115–141.
- [95] Browne, S. and Whitt, W. (1995) Piecewise-linear diffusion processes. *Advances in Queueing*, J. Dshalalow, ed., CRC Press, Boca raton, FL, 463–480.
- [96] Bu, T. and Towsley, D. (2001) Fixed point approximations for TCP behavior in an AQN network. *Proceedings ACM SIGMETRICS '01*.
- [97] Burman, D. Y. and Smith, D. R. (1983) Asymptotic analysis of a queueing model with bursty traffic. *Bell System Tech. J.* 62, 1433–1453.
- [98] Burman, D. Y. and Smith, D. R. (1986) An asymptotic analysis of a queueing system with Markov-modulated arrivals. *Operations Res.* 34, 105–119.
- [99] Buzacott, J. A. and Shanthikumar, J. G. (1993) *Stochastic Models of Manufacturing Systems*, Prentice-Hall, Englewood Cliffs, NJ.
- [100] Carslaw, H. S. (1930) *Introduction to the Theory of Fourier's Series and integrals*, third ed., Dover, New York.

- [101] Chang, K.-H. (1997) Extreme and high-level sojourns of the single server queue in heavy traffic. *Queueing Systems* 27, 17–35.
- [102] Chang, C. S. and Thomas, J. A. (1995) Effective bandwidths in high-speed digital networks. *IEEE J. Sel. Areas Commun.* 13, 1091–1100.
- [103] Chen, H. and Mandelbaum, A. (1991a) Discrete flow networks: bottleneck analysis and fluid approximation. *Math. Oper. Res.* 16, 408–446.
- [104] Chen, H. and Mandelbaum, A. (1991b) Discrete flow networks: diffusion approximations and bottlenecks. *Ann. Prob.* 19, 1463–1519.
- [105] Chen, H. and Mandelbaum, A. (1991c) Leontief systems, RBV's and RBM's. In *Proc. Imperial College Workshop on Applied Stochastic Processes*, eds. M. H. A. Davis and R. J. Elliot, Gordon and Breach, London.
- [106] Chen, H. and Mandelbaum, A. (1994a) Heirarchical modeling of stochastic networks, part I: fluid models. *Stochastic Modeling and Analysis of Manufacturing Systems*, D. D. Yao, ed., Springer-Verlag, New York, 47–105.
- [107] Chen, H. and Mandelbaum, A. (1994b) Heirarchical modeling of stochastic networks, part II: strong approximations. *Stochastic Modeling and Analysis of Manufacturing Systems*, D. D. Yao, ed., Springer-Verlag, New York, 107–131.
- [108] Chen, H. and Shen, X. (2000) Strong approximations for multiclass feedforward queueing networks. *Ann. Appl. Prob.* 10, 828–876.
- [109] Chen, H. and Shanthikumar, J. G. (1994) Fluid limits and diffusion approximations for networks of multi-server queues in heavy traffic. *J. Disc. Event Dyn. Systems* 4, 269–291.
- [110] Chen, H. and Whitt, W. (1993) Diffusion approximations for open queueing networks with service interruptions. *Queueing Systems* 13, 335–359.
- [111] Chen, H. and Yao, D. D. (2001) *Fundamentals of Queueing Networks: Performance, Asymptotics and Optimization*, Springer, New York.
- [112] Choe, J. and Shroff, N. B. (1998) A central limit theorem based approach for analyzing queue behavior in high-speed networks. *IEEE/ACM Trans. Networking* 6, 659–671.

- [113] Choe, J. and Shroff, N. B. (1999) On the supremum distribution of integrated stationary Gaussian processes with negative linear drift. *Adv. Appl. Prob.* 31, 135–157.
- [114] Choudhury, G. L., Lucantoni, D. M. and Whitt, W. (1994) Multi-dimensional transform inversion with application to the transient  $M/G/1$  queue. *Ann. Appl. Prob.* 4, 719–740.
- [115] Choudhury, G. L., Lucantoni, D. M. and Whitt, W. (1996) Squeezing the most out of ATM. *IEEE Trans. Commun.* 44, 203–217.
- [116] Choudhury, G. L., Mandelbaum, A., Reiman, M. I. and Whitt, W. (1997) Fluid and diffusion limits for queues in slowly changing environments. *Stochastic Models* 13, 121–146.
- [117] Choudhury, G. L. and Whitt, W. (1994) Heavy-traffic asymptotic expansions for the asymptotic decay rates in the BMAP/G/1 queue. *Stochastic Models* 10, 453–498.
- [118] Choudhury, G. L. and Whitt, W. (1996) Computing distributions and moments in polling models by numerical transform inversion. *Performance Evaluation* 25, 267–292.
- [119] Choudhury, G. L. and Whitt, W. (1997) Long-tail buffer-content distributions in broadband networks. *Performance Evaluation* 30, 177–190.
- [120] Chung, K. L. (1974) *A Course in Probability Theory*, second ed., Academic Press, New York.
- [121] Cinlar, E. (1972) Superposition of point processes. In *Stochastic Point Processes, Statistical Analysis, Theory and Applications*, P.A.W. Lewis, ed., Wiley New York, pp. 549–606.
- [122] Coffman, E. G., Jr., Puhalskii, A. A. and Reiman, M. I. (1995) Polling systems with zero switchover times: a heavy-traffic averaging principle. *Ann. Appl. Prob.* 5, 681–719.
- [123] Coffman, E. G., Jr., Puhalskii, A. A. and Reiman, M. I. (1998) Polling systems in heavy-traffic: a Bessel process limit. *Math. Oper. Res.* 23, 257–304.
- [124] Cohen, J. W. (1982) *The Single Server Queue*, revised edition, North-Holland, Amsterdam.

- [125] Cohen, J. W. (1998) A heavy-traffic theorem for the GI/G/1 queue with a Pareto-type service time distribution. *J. Applied Math. Stoch. Analysis*, special issue dedicated to R. Syski, 11, 247–254.
- [126] Cooper, R. B. (1982) *Introduction to Queueing Theory*, second ed., North-Holland, Amsterdam.
- [127] Cottle, R. W., Pang, J.-S., and Stone, R. E. (1992) *The Linear Complementarity Problem*, Academic Press, New York.
- [128] Courtois, P. (1977) *Decomposability*, Academic Press, New York.
- [129] Cox, D. R. (1962) *Renewal Theory*, Methuen, London.
- [130] Cox, J. T. and Grimmett, G. (1984) Central limit theorems for associated random variables and the precolation model. *Ann. Probab.* 12, 514–528.
- [131] Crovella, M. and Bestavros, A. (1996) Self-similarity in world wide web traffic: evidence and possible causes. *Proceedings 1996 ACM Sigmetrics*
- [132] Crovella, M., Bestavros, A. and Taqqu, M. (1998) Heavy-tailed distributions in the world wide web. *A Practical Guide to Heavy Tails: Statistical Techniques and Applications*, R. J. Adler, R. E., Feldman and M. S. Taqqu (eds.), Birkhauser, Boston.
- [133] Csörgő, M. and Horvath, L. (1993) *Weighted Approximations in Probability and Statistics*, Wiley, New York.
- [134] Dabrowski, A. R. and Jakubowski, A. (1994) Stable limits for associated random variables. *Ann. Probab.* 22, 1–16.
- [135] Dai, J. G. (1990) *Steady-State Analysis of Reflected Brownian Motions: Characterization, Numerical Methods and Queueing Applications*, Ph.D. dissertation, Department of Mathematics, Stanford University.
- [136] Dai, J. G. (1994) On positive Harris recurrence of multiclass queueing networks: a unified approach via fluid limit models. *Ann. Appl. Prob.* 4, 49–77.
- [137] Dai, J. G. (1998) *Diffusion Approximations of Queueing Networks*, special issue, *Queueing Systems* 30.

- [138] Dai, J. G., Nguyen, V. and Reiman, M. I. (1994) Sequential bottleneck decomposition: an approximation method for generalized Jackson networks. *Operations Res.* 42, 119–136.
- [139] Dai, J. G. and Harrison, J. M. (1991) Steady-state analysis of RBM in a rectangle: numerical methods and a queueing application. *Ann. Applied Prob.* 1, 16–35.
- [140] Dai, J. G. and Harrison, J. M. (1992) Reflected Brownian motion in the orthant: numerical methods for steady-state analysis. *Ann. Applied Prob.* 2, 65–86.
- [141] Dai, J. G., Yeh, D. H. and Zhou, C. (1997) The QNET method for reentrant queueing networks with priority disciplines. *Operations Res.* 45, 610–623.
- [142] Daley, D. J. and Vere-Jones, D. (1988) *An Introduction to the Theory of Point Processes*, Springer-Verlag, New York.
- [143] Damerdji, H. (1994) Strong consistency of the variance estimator in steady-state simulation output analysis. *Math. Oper. Res.* 19, 494–512.
- [144] Damerdji, H. (1995) Mean-square consistency of the variance estimator in steady-state simulation output analysis. *Operations Res.* 43, 282–291.
- [145] Das, A. and Srikant, R. (2000) Diffusion approximations for a single node accessed by congestion controlled sources. *IEEE Trans. Aut. Control* 45, 1783–1799.
- [146] Davis, R. and Resnick, S. (1985) Limit theory for moving averages of random variables with regularly varying tails. *Ann. Probab.* 13, 179–185.
- [147] Davydov, Yu. A. (1970) The invariance principle for stationary processes. *Theor. Probability Appl.* 15, 487–498.
- [148] Demers, A., Keshav, S. and Shenker, S. (1989) Design and analysis of a fair queueing system. *Proceedings ACM SIGCOMM 89*.
- [149] de Meyer, A. and Teugels, J. L. (1980) On the asymptotic behavior of the distribution of the busy period and the service time in M/G/1. *Adv. Appl. Prob.* 17, 802–813.

- [150] de Veciana, G., Kesidis, G. and Walrand, J. (1995) Resource management in wide-area ATM networks using effective bandwidths. *IEEE J. Sel. Areas Commun.* 13, 1081–1090.
- [151] Devroye, L. (1997) *A Course in Density Estimation*, Birkhauser, Boston.
- [152] Dobrushin, R. L. and Major, P. (1979) Noncentral limit theorems for nonlinear functions of Gaussian fields. *Zeitschrift für Wahrscheinlichkeitstheorie verw. Gebiete* 50, 27–52.
- [153] Doetsch, G. (1974) *Introduction to the Theory and Application of the Laplace Transformation*, Springer-Verlag, New York.
- [154] Donsker, M. (1951) An invariance principle for certain probability limit theorems. *Mem. Amer. Math. Soc.* 6.
- [155] Donsker, M. (1952) Justification and extension of Doob's heuristic approach to the Kolmogorov-Smirnov theorems. *Ann. Math. Statist.* 23, 277–281.
- [156] Doob, J. L. (1949) Heuristic approach to the Kolmogorov-Smirnov theorems. *Ann. Math. Statist.* 20, 393–403.
- [157] Doytchinov, B., Lehoczky, J. and Shreve, S. (2001) Real-time queues in heavy traffic with earliest-deadline-first queue discipline. *Ann. Appl. Prob.* 11.
- [158] Dudley, R. M. (1966) Weak convergence of probabilities on non-separable metric spaces and empirical measures on Euclidean spaces. *Ill. J. Math.* 10, 109–126.
- [159] Dudley, R. M. (1967) Measures on non-separable metric spaces. *Ill. J. Math.* 11, 449–453.
- [160] Dudley, R. M. (1968) Distances of probability measures and random variables. *Ann. Math. Statist.* 39, 1563–1572.
- [161] Duffield, N. G. (1997) Exponents for the tails of distributions in some polling models. *Queueing Systems* 26, 105–119.
- [162] Duffield, N. G., Massey, W. A. and Whitt, W. (2001) A nonstationary offered-load model for packet networks. *Telecommunication Systems* 16, 271–296.

- [163] Duffield, N. G. and O'Connell (1995) Large deviations and overflow probabilities for the general single-server queue, with applications. *Math. Proc. Camb. Phil. Soc.* 118, 363–374.
- [164] Duffield, N. G. and Whitt, W. (1997) Control and recovery from rare congestion events in a large multi-server system. *Queueing Systems* 26, 69–104.
- [165] Duffield, N. G. and Whitt, W. (1998) A source traffic model and its transient analysis for network control. *Stochastic Models* 14, 51–78.
- [166] Duffield, N. G. and Whitt, W. (2000) Network design and control using on-off and multi-level source traffic models with heavy-tailed distributions. *Self-Similar Network Traffic and Performance Evaluation*, K. Park and W. Willinger (eds.), Wiley, Boston, 421–445.
- [167] Dugundji, J. (1966) *Topology*, Allyn and Bacon, Boston.
- [168] Dupuis, P. and Ishii, H. (1991) On when the solution to the Skorohod problem is Lipschitz continuous with applications. *Stochastics* 35, 31–62.
- [169] Dupuis, P. and Ramanan, K. (1999) Convex duality and the Skorohod problem - I. *Prob. Theor. Rel. Fields*, 115, 153–195.
- [170] Dupuis, P. and Ramanan, K. (1999) Convex duality and the Skorohod problem - II. *Prob. Theor. Rel. Fields*, 115, 197–236.
- [171] Eberlein, E. and Taqqu, M. S. (1986) *Dependence in Probability and Statistics*, Birkhauser, Boston.
- [172] Eckberg, A. E. (1983) Generalized peakedness of teletraffic processes. *Proceedings of the Tenth Intern. Teletraffic Congress*, Montreal, Canada, June 1983, paper 4.4b.3.
- [173] Eckberg, A. E. (1985) Approximations for bursty (and smooth) arrival queueing delays based on generalized peakedness. *Proceedings Eleventh Int. Teletraffic Congress*, Kyoto, Japan.
- [174] Edwards, R. E. (1965) *Functional Analysis*, Holt, Rinehart and Winston, New York.
- [175] Eick, S. G., Massey, W. A. and Whitt, W. (1993) The physics of the  $M_t/G/\infty$  queue. *Operations Res.* 41, 731–742.

- [176] El-Taha, M. and Stidham, S., Jr. (1999) *Sample-Path Analysis of Queueing Systems*, Kluwer, Boston.
- [177] Embrechts, P., Klüppelberg, C. and Mikosch, T. (1997) *Modelling Extremal Events*, Springer, New York.
- [178] Erdős, P. and Kac, M. (1946) On certain limit theorems in the theory of probability. *Bull. Amer. Math. Soc.* 52, 292–302.
- [179] Erdős, P. and Kac, M. (1947) On the number of positive sums of independent random variables. *Bull. Amer. Math. Soc.* 53, 1011–1020.
- [180] Ethier, S. N. and Kurtz, T. G. (1986) *Markov Processes, Characterization and Convergence*, Wiley, New York.
- [181] Feldmann, A., Greenberg, A. G., Lund, C. Reingold, N. and Rexford, J. (Netscope: traffic engineering for IP networks. *IEEE Network Magazine*, special issue on Internet traffic engineering, March-April, 11–19.
- [182] Feldmann, A., Greenberg, A. G., Lund, C. Reingold, N., Rexford, J. and True, F. (2001) Deriving traffic demands for operational IP networks: methodology and experience. *IEEE/ACM Trans. Networking* 9, to appear.
- [183] Feldmann, A. and Whitt, W. (1998) Fitting mixtures of exponentials to long-tail distributions to analyze network performance models. *Performance Evaluation* 31, 245–279.
- [184] Feller, W. (1968) An Introduction to Probability Theory and its Applications, vol. I, third edition, Wiley, New York.
- [185] Feller, W. (1971) *An Introduction to Probability Theory and its Applications*, vol. II, second edition, Wiley, New York.
- [186] Fendick, K. W. and Rodrigues, M. A. (1991) A heavy traffic comparison of shared and segregated buffer schemes for queues with head-of-the-line processor sharing discipline. *Queueing Systems* 9, 163–190.
- [187] Fendick, K. W., Saksena, V. R. and Whitt, W. (1989) Dependence in packet queues. *IEEE Trans. Commun.* 37, 1173–1183.
- [188] Fendick, K. W., Saksena, V. R. and Whitt, W. (1991) Investigating dependence in packet queues with the index of dispersion for work. *IEEE Trans. Commun.* 39, 1231–1243.

- [189] Fendick, K. W. and Whitt, W. (1989) Measurements and approximations to describe the offered traffic and predict the average workload in a single-server queue. *Proceedings IEEE* 77, 171–194.
- [190] Fendick, K. W. and Whitt, W. (1998) Verifying cell loss requirements in high-speed communication networks. *J. Appl. Math. Stoch. Anal.* 11, 319–338.
- [191] Flatto, L. (1997) The waiting time distribution for the random order of service  $M/M/1$  queue. *Ann. Appl. Prob.* 7, 382–409.
- [192] Fleming, P. J. and Simon, B. (1999) Heavy traffic approximations for a system of infinite servers with load balancing. *Prob. Eng. Inf. Sci.* 13, 251–273.
- [193] Foschini, G. J. and Salz, J. (1978) A basic dynamic routing problem and diffusion. *IEEE Trans. Commun.* 26, 320–327.
- [194] Freidlin, M. I. and Wentzell, A. D. (1993) Diffusion processes on graphs and the averaging principle. *Ann. Probab.* 21, 2215–2245.
- [195] Furrer, H., Michna, Z. and Weron, A. (1997) Stable Lévy motion approximation in collective risk theory. *Insurance: Math and Econ.*, 20, 97–114.
- [196] Garnett, O., Mandelbaum, A. and Reiman, M. I. (2000) Designing a call center with impatient customers. Bell Laboratories, Murray Hill, NJ.
- [197] Garrett, M. W. and Willinger, W. (1994) Analysis, modeling and generation of self-similar v.b.r. video traffic. *Proceedings ACM SIGCOMM*, London, 269–280.
- [198] Glasserman, P. and Yao, D. D. (1994) *Monotone Structure in Discrete-Event Systems*, Wiley, New York.
- [199] Glynn, P. W. (1990) Diffusion Approximations, Chapter 4 in *Stochastic Models*, D. P. Heyman and M. J. Sobel (eds.), North-Holland, Amsterdam, 145–198.
- [200] Glynn, P. W. and Whitt, W. (1988) Ordinary CLT and WLLN versions of  $L = \lambda W$ . *Math. Oper. Res.* 13, 674–692.
- [201] Glynn, P. W. and Whitt, W. (1989) Indirect estimation via  $L = \lambda W$ . *Operations Res.* 37, 82–103.

- [202] Glynn, P. W. and Whitt, W. (1991) A new view of the heavy-traffic limit theorem for the infinite-server queue. *Adv. Appl. Prob.* 23, 188–209.
- [203] Glynn, P. W. and Whitt, W. (1994) Logarithmic asymptotics for steady-state tail probabilities in a single-server queue. *Studies in Applied Probability, Papers in honor of Lajos Takács*, J. Galambos and J. Gani (eds.), Applied Probability Trust, Sheffield, U.K., 131–156.
- [204] Glynn, P. W. and Whitt, W. (1995) Heavy-traffic extreme-value limits for queues. *Operations Res. Letters* 18, 107–111.
- [205] Gnedenko, B. V. and Kolmogorov, A. N. (1968) *Limit Distributions for Sums of Independent Random Variables*, revised edition, Addison Wesley, Reading, MA.
- [206] González-Arévalo, B. and Samorodnitsky, G. (2001) Buffer content of a leaky bucket system with long-range dependent input traffic. School of Operations Research and Industrial Engineering, Cornell University, Ithaca, New York.
- [207] Greenberg, A. G. and Madras, N. (1992) How fair is fair queueing? *Journal of ACM* 39, 568–598.
- [208] Greenberg, A. G., Srikant, R. and Whitt, W. (1999) Resource sharing for book-ahead and instantaneous-request calls. *IEEE/ACM Trans. Networking* 7, 10–22.
- [209] Grishechkin, S. (1994) GI/G/1 processor sharing queue in heavy traffic. *Adv. Appl. Prob.* 26, 539–555.
- [210] Grossglauser, M. and Bolot, J.-C. (1999) On the relevance of long-range dependence in network traffic. *IEEE/ACM Trans. Networking* 7, 629–640.
- [211] Grossglauser, M. and Tse, D. N. C. (1999) A time-scale decomposition approach to measurement-based admission control. *Proceedings IEEE INFOCOM '99*.
- [212] Guerin, C. A., Nyberg, H., Perrin, O., Resnick, S., Rootzen, H. and Stărică, C. (2000) Empirical testing of the infinite source Poisson data traffic model. Technical Report 1257, School of ORIE, Cornell University, Ithaca, NY.

- [213] Gunther, N. J. (1998) *The Practical Performance Analyst*, McGraw-Hill, New York.
- [214] Gut, A. (1988) *Stopped Random Walks*, Springer-Verlag, New York.
- [215] Hahn, M. G. (1978) Central limit theorems in  $D[0, 1]$ . *Zeitschrift für Wahrscheinlichkeitstheorie verw. Gebiete* 44, 89–101.
- [216] Halfin, S. and Whitt, W. (1981) Heavy-traffic limits for queues with many exponential servers. *Operations Res.* 29, 567–588.
- [217] Hall, R. W. (1991) *Queueing Methods for Services and Manufacturing*, Prentice Hall, Englewood Cliffs, New Jersey.
- [218] Harchol-Balter, M. and Downey, A. (1997) Exploiting process lifetime distributions for dynamic load balancing. *ACM Transactions on Computer Systems* 15, 253–285.
- [219] Harrison, J. M. (1985) *Brownian Motion and Stochastic Flow Systems*, Wiley, New York.
- [220] Harrison, J. M. (1988) Brownian models of queueing networks with heterogeneous populations. In *Stochastic Differential Systems, Stochastic Control Theory and Applications*, W. Fleming and P. L. Lions (eds.), Springer, New York, 147–186.
- [221] Harrison, J. M. (2000) Brownian models of open processing networks: canonical representation of workload. *Ann. Appl. Prob.* 10, 75–103.
- [222] Harrison, J. M. (2001a) A broader view of Brownian networks. *Ann. Appl. Prob.*, to appear.
- [223] Harrison, J. M. (2001b) Stochastic networks and activity analysis. Graduate School of Business, Stanford University.
- [224] Harrison, J. M. and Lopez, M. J. (1999) Heavy traffic resource pooling in parallel server systems. *Queueing Systems* 33, 339–368.
- [225] Harrison, J. M. and Nguyen, V. (1990) The QNET method for two-moment analysis of open queueing networks. *Queueing Systems* 6, 1–32.
- [226] Harrison, J. M. and Reiman, M. I. (1981a) Reflected Brownian motion in an orthant. *Ann. Probab.* 9, 302–308.

- [227] Harrison, J. M. and Reiman, M. I. (1981b) On the distribution of multidimensional reflected Brownian motion. *SIAM J. Appl. Math.* 41, 345–361.
- [228] Harrison, J. M. and van Mieghem, J. A. (1997) Dynamic control of Brownian networks: state space collapse and equivalent workload formulations. *Ann. Appl. Prob.* 7, 747–771.
- [229] Harrison, J. M. and Williams, R. J. (1987) Brownian models of open queueing networks with homogeneous customer population. *Stochastics* 22, 77–115.
- [230] Harrison, J. M. and Williams, R. J. (1996) A multiclass closed queueing network with unconventional heavy traffic behavior. *Ann. Appl. Prob.* 6, 1–47.
- [231] Harrison, J. M., Williams, R. J. and Chen, H. (1990) Brownian models of closed queueing network with homogeneous customer populations. *Stochastics and Stochastic Reports* 29, 37–74.
- [232] Heyman, D. P. and Lakshman, T. V. (1996) What are the implications of long-range dependence for traffic engineering? *IEEE/ACM Trans. Networking* 4, 310–317.
- [233] Heyman, D. P. and Lakshman, T. V. (2000) Long-range dependence and queueing effects for VBR video. Chapter 12 in *Self-Similar Network Traffic and Performance Evaluation*, K. Park and W. Willinger (eds.), Wiley, New York, 285–318.
- [234] Hida, T. and Hitsuda, M. (1976) *Gaussian Processes*, American Math Society, Providence, RI.
- [235] Hjálmtýsson, G. and Whitt, W. (1998) Periodic load balancing. *Queueing Systems* 30, 203–250.
- [236] Hopp, W. J. and Spearman, M. L. (1996) *Factory Physics*, Irwin, Chicago.
- [237] Hsing, T. (1999) On the asymptotic distributions of partial sums of functionals of infinite-variance moving averages. *Ann. Probab.* 27, 1579–1599.
- [238] Hunt, P. J. and Kelly, F. P. (1989) On critically loaded loss networks. *Adv. Appl. Prob.* 21, 831–841.

- [239] Hurst, H. E. (1951) Long-term storage capacity of reservoirs. *Trans. Am. Soc. Civil Engineers* 116, 770–799.
- [240] Hurst, H. E. (1955) Methods of using long-term storage in reservoirs. *Proc. Inst. Civil Engr.*, Part I, 519–577.
- [241] Hüsler, J. and Piterbarg, V. (1999) Extremes of a certain class of Gaussian processes. *Stoch. Proc. Appl.* 83, 257–271.
- [242] Iglehart, D. L. (1965) Limit diffusion approximations for the many server queue and the repairman problem. *J. Appl. Prob.* 2, 429–441.
- [243] Iglehart, D. L. and W. Whitt (1970a) Multiple channel queues in heavy traffic, I. *Adv. Appl. Prob.* 2, 150–177.
- [244] Iglehart, D. L. and W. Whitt (1970b) Multiple channel queues in heavy traffic, II. *Adv. Appl. Prob.* 2, 355–369.
- [245] Iglehart, D. L. and W. Whitt (1971) The equivalence of functional central limit theorems for counting processes and associated partial sums. *Ann. Math. Statist.* 42, 1372–1378.
- [246] Ivanoff, B. G. and Merzbach, E. (2000) A Skorohod topology for a class of set-indexed functions. *Skorohod's Ideas in Probability Theory*, V. Korolyuk, N. Portenko and H. Syta (eds.), Institute of Mathematics of the National Academy of Sciences of the Ukraine, Kyiv, Ukraine, 172–178.
- [247] Jackson, J. R. (1957) Networks of waiting lines. *Operations Res.* 5, 518–521.
- [248] Jackson, J. R. (1963) Jobshop-like queueing systems. *Management Sci.* 10, 131–142.
- [249] Jacod, J. and Shiryaev, A. N. (1987) *Limit Theorems for Stochastic Processes*, Springer-Verlag, New York.
- [250] Jagerman, D. L. (1974) Some properties of the Erlang loss function. *Bell System tech. J.* 53, 525–551.
- [251] Jain, R. (1991) *The Art of Computer System Performance Analysis: Techniques for Experimental Design, Measurement, Simulation and Modeling*, Wiley, New York.

- [252] Jakubowski, A. (1996) Convergence in various topologies for stochastic integrals driven by semimartingales. *Ann. Probab.* 24, 2141–2153.
- [253] Janicki, A. and Weron, A. (1993) *Simulation and Chaotic Behavior of  $\alpha$ -Stable Stochastic Processes*, Marcel Dekker, New York.
- [254] Jelenković, P. (1999) Subexponential loss rates in a  $GI/GI/1$  queue with applications. *Queueing Systems* 33, 91–123.
- [255] Jelenković, P. (2000) Asymptotic results for queues with subexponential arrivals. Chapter 6 in *Self-Similar Network Traffic and Performance Evaluation*, K. Park and W. Willinger (eds.), Wiley, New York.
- [256] Jelenković, P. R., Lazar, A. A. and Semret, N. (1997) The effect of multiple time scales and subexponentiality in MPEG video streams on queue behavior. *IEEE J. Selected Areas Commun.* 15, 1052–1071.
- [257] Jennings, O. B., Mandelbaum, A., Massey, W. A. and Whitt, W. (1996) Server staffing to meet time varying demand. *Management Sci.* 42, 1383–1394.
- [258] Johnson, N. L. and Kotz, S. (1969) *Distributions in Statistics – Discrete Distributions*, Wiley, New York.
- [259] Johnson, N. L. and Kotz, S. (1970) *Distributions in Statistics – Continuous Univariate Distributions – I*, Wiley, New York.
- [260] Karatzas, I. and Shreve, S. E. (1988) *Brownian Motion and Stochastic Calculus*, Springer-Verlag, New York.
- [261] Karlin, S. and Taylor, H. M. (1981) *A Second Course in Stochastic Processes*, Academic Press, New York.
- [262] Karpelovich, F. I. and Kreinin, A. Ya. (1994) *Heavy Traffic Limits for Multiphase Queues*, American Math. Society, Providence, RI.
- [263] Kasahara, Y. and Maejima, M. (1986) Functional limit theorems for weighted sums of i.i.d. random variables. *Prob. Th. Rel. Fields* 72, 161–183.
- [264] Kella, O. (1993) Parallel and tandem fluid networks with dependent Lévy inputs. *Ann. Appl. Prob.* 3, 682–695.
- [265] Kella, O. (1996) Stability and non-product form of stochastic fluid networks with Lévy inputs. *Ann. Appl. Prob.* 6, 186–199.

- [266] Kella, O. and Whitt, W. (1990) Diffusion approximations for queues with server vacations. *Adv. Appl. Prob.* 22, 706–729.
- [267] Kella, O. and Whitt, W. (1991) Queues with server vacations and Lévy processes with secondary jump input. *Ann. Appl. Prob.* 1, 104–117.
- [268] Kella, O. and Whitt, W. (1992a) A tandem fluid network with Lévy input. In *Queues and Related Models*, I. Basawa and N. V. Bhat (eds.), Oxford University Press, Oxford, 112–128.
- [269] Kella, O. and Whitt, W. (1992b) A storage model with a two-state random environment. *Operations Res.* 40 (Supplement 2), S257–S262.
- [270] Kella, O. and Whitt, W. (1992c) Useful martingales for stochastic storage processes with Lévy input, *J. Appl. Prob.* 29, 396–403.
- [271] Kella, O. and Whitt, W. (1996) Stability and structural properties of stochastic storage networks. *J. Appl. Prob.* 33, 1169–1180.
- [272] Kelly, F. P. (1979) *Reversibility and Stochastic Networks*, Wiley, Chichester, U. K.
- [273] Kelly, F. P. (1991) Loss networks. *Ann. Appl. Prob.* 1, 319–378.
- [274] Kelly, F. P. (1996) Notes on effective bandwidths. *Stochastic Networks, Theory and Applications*, Clarendon Press, Oxford, U.K., 141–168.
- [275] Kelly, F. P. and Laws, C. N. (1993) Dynamic routing in open queueing networks: Brownian models, cut constraints and resource pooling. *Queueing Systems* 13, 47–86.
- [276] Kelly, F. P. and Williams, R. J. (1995) *Stochastic Networks*, IMA Volumes in Mathematics and its Applications 71, Springer-Verlag, New York.
- [277] Kelly, F. P., Zachary, S. and Ziedins, I. (1996) *Stochastic Networks, Theory and Application*, Clarendon Press, Oxford, U.K.
- [278] Kemeny, J. G. and Snell, J. L. (1960) *Finite Markov Chains*, Van Nostrand, Princeton.
- [279] Kennedy, D. (1973) Limit theorems for finite dams. *Stoch. Process Appl.* 1, 269–278.

- [280] Kingman, J. F. C. (1961) The single server queue in heavy traffic. *Proc. Camb. Phil. Soc.* 57, 902–904.
- [281] Kingman, J. F. C. (1962) On queues in heavy traffic. *J. Roy. Statist. Soc. Ser B*, 24, 383–392.
- [282] Kingman, J. F. C. (1965) The heavy traffic approximation in the theory of queues. In *Proceedings of the Symposium on Congestion Theory*, W. L. Smith and W. E. Wilkinson (eds.), University of North Carolina Press, Chapter 6, 137–159.
- [283] Kingman, J. F. C. (1982) Queue disciplines in heavy traffic. *Math. Oper. Res.* 7, 262–271.
- [284] Kleinrock, L. (1975) *Queueing Systems, I*, Wiley, new York.
- [285] Kleinrock, L. (1976) *Queueing Systems, II: Computer Applications*, Wiley, new York.
- [286] Klincewicz, J. G. and Whitt, W. (1984) On approximations for queues, II: shape constraints. *AT&T Bell Labs. Tech. J.* 63, 139–161.
- [287] Knessl, C. (1999) A new heavy traffic limit for the asymmetric shortest queue problem. *Eur. J. Appl. Math.* 10, 497–509.
- [288] Knessl, C. and Morrison, J. A. (1991) Heavy traffic analysis of data handling system with multiple sources. *SIAM J. Appl. Math.* 51, 187–213.
- [289] Knessl, C. and Tier, C. (1995) Applications of singular perturbation methods in queueing. Chapter 12 in *Advances in Queueing*, J. H. Dshalalow (ed.), CRC Press, Boca Raton, FL, 311–336.
- [290] Knessl, C. and Tier, C. (1998) Heavy traffic analysis of a Markov-modulated queue with finite capacity and general service times. *SIAM J. Appl. Math.* 58, 257–323.
- [291] Kokoszka, P. and Taqqu, M. S. (1995) Fractional ARIMA with stable innovations. *Stoch. Proc. Appl.* 60, 19–47.
- [292] Kokoszka, P. and Taqqu, M. S. (1996a) Parameter estimation for infinite variance fractional ARIMA. *Ann. Statist.* 24, 1880–1913.
- [293] Kokoszka, P. and Taqqu, M. S. (1996b) Infinite variance stable moving averages with long memory. *J. Econometrics* 73, 79–99.

- [294] Kolmogorov, A. N. (1950) *Foundations of the Theory of Probability*, second English edition of 1933 German original, Chelsea, New York.
- [295] Kolmogorov, A. N. (1956) On Skorohod convergence. *Theor. Probability Appl.* 1, 213–222. (also republished in *Skorohod's Ideas in Probability Theory*, V. Korolyuk, N. Portenko and H. Syta (eds.), institute of Mathematics of the National Academy of Sciences of the Ukraine, Kyiv, Ukraine, 99–110.
- [296] Konstantopoulos, T. (1999) The Skorohod reflection problem for functions with discontinuities (contractive case). University of Texas at Austin.
- [297] Konstantopoulos, T. and S.-J. Lin (1996) Fractional Brownian motion as limits of stochastic traffic models. *Proc. 34th Allerton Conference on Communication, Control and Computing*, University of Illinois, 913–922.
- [298] Konstantopoulos, T. and S.-J. Lin (1998) Macroscopic models for long-range dependent network traffic. *Queueing Systems* 28, 215–243.
- [299] Konstantopoulos, T., Last, G. and Lin, S.-J. (1999) On stationary reflected Lévy processes. University of Texas at Austin.
- [300] Korolyuk, V., Portenko, N. and Syta, H. (2000) *Skorohod's Ideas in Probability Theory*, Proceedings of the Institute of Mathematics of the National Academy of Sciences of Ukraine, vol. 32, Kyiv, Ukraine.
- [301] Kraemer, W. and Langenbach-Belz, M. (1976) Approximate formulae for the delay in the queueing system  $GI/G/1$ . *Proceedings Eighth Int. Teletraffic Congress, Melbourne*, 235, 1–8.
- [302] Krichagina, E. V. and Puhalskii, A. A. (1997) A heavy-traffic analysis of a closed queueing system with a  $GI/\infty$  service center. *Queueing Systems* 25, 235–280.
- [303] Krishnamurthy, B. and Rexford, J. (2001) *Web Protocols and Practice*, Addison-Wesley, Boston.
- [304] Kruk, L., Lehoczky, J., Shreve, S. and Yeung, S.-N. (2000) Multiple-input heavy-traffic real-time queues. Carnegie Mellon University.
- [305] Kuehn, P. J. (1979) Approximate analysis of general queueing networks by decomposition. *IEEE Trans. Commun.* 27, 113–126.

- [306] Kumar, S. (2000) Two-server closed networks in heavy traffic: diffusion limits and asymptotic optimality. *Ann. Appl. Prob.* 10, 930–961.
- [307] Kurtz, T. G. (1996) Limit theorems for workload input models. In *Stochastic Networks: Theory and Applications*, F. P. Kelly, S. Zachary and I. Ziedins (eds.) Oxford University Press, Oxford, U.K., 119–139.
- [308] Kurtz, T. G. and Protter, P. (1991) Weak limit theorems for stochastic integrals and stochastic difference equations. *Ann. Probab.* 19, 1035–1070.
- [309] Kushner, H. J. (2001) *Heavy Traffic Analysis of Controlled and Uncontrolled Queueing and Communication Networks*, Springer, New York.
- [310] Kushner, H. J. and Dupuis, P. G. (2000) *Numerical Methods for Stochastic Control Problems in Continuous Time*, second edition, Springer, New York.
- [311] Kushner, H. J. and Martins, L. F. (1993) Heavy traffic analysis of a data transmission system with many independent sources. *SIAM J. Appl. Math.* 53, 1095–1122.
- [312] Kushner, H. J. and Martins, L. F. (1994) Numerical methods for controlled and uncontrolled multiplexing and queueing systems. *Queueing Systems* 16, 241–285.
- [313] Kushner, H. J., Yang, J. and Jarvis, D. (1995) Controlled and optimally controlled multiplexing systems: a numerical exploration. *Queueing Systems* 20, 255–291.
- [314] Lamperti, J. W. (1962) Semi-stable stochastic processes. *Trans. Amer. Math. Soc.* 104, 62–78.
- [315] Laws, C. N. (1992) Resource pooling in queueing networks with dynamic routing. *Adv. Appl. Prob.* 24, 699–726.
- [316] L'Ecuyer, P. (1998a) Random number generation. Chapter 4 in *The Handbook of Simulation*, J. Banks, ed., Wiley, New York, Chapter 4, 93–137.
- [317] L'Ecuyer, P. (1998b) Uniform random number generation. *Encyclopedia of Operations Research and Management Science*, S. I. Gass and C. M. Harris, eds., Kluwer, Boston, 323–339.

- [318] Leland, W. E., Taqqu, M. S., Willinger, W. and Wilson, D. V. (1994) On the self-similar nature of Ethernet traffic. *IEEE/ACM Trans. Networking* 2, 1-15.
- [319] Leung, K. K., Massey, W. A. and Whitt, W. (1994) Traffic models for wireless communication networks. *IEEE J. Sel. Areas Commun.* 12, 1353-1364.
- [320] Lévy, P. (1939) Sur certaines processus stochastiques homogènes. *Compos. Math.* 7, 283-339.
- [321] Levy, J. and Taqqu, M. S. (1987) On renewal processes having stable inter-renewal intervals and stable rewards. *Ann. Sci. Math. Québec* 11, 95-110.
- [322] Levy, J. B. and Taqqu, M. S. (2000) Renewal reward processes with heavy-tailed inter-renewal times and heavy-tailed rewards. *Bernoulli* 6, 23-44.
- [323] Likhanov, N. and Mazumdar, R. R. (2000) Loss asymptotics in large buffers fed by heterogeneous long-tailed sources. *Adv. Appl. Prob.* 32, 1168-1189.
- [324] Limic, V. (1999) A LIFO queue in heavy traffic. Dept. Math., University of California at San Diego.
- [325] Lindvall, T. (1973) Weak convergence in the function space  $D[0, \infty)$ . *J. Appl. Prob.* 10, 109-121.
- [326] Lions, P.-L. and Sznitman, A.-S. (1984) Stochastic differential equations with reflecting boundary conditions. *Commun. Pure Appl. Math.* 37, 511-553.
- [327] Loulou, R. (1973) Multi-channel queues in heavy traffic. *J. Appl. Prob.* 10, 769-777.
- [328] Mairesse, J. and Prabhakar, B. (2000) On the existence of fixed points for the  $\cdot/GI/1/\infty$  queue. Stanford University.
- [329] Malkiel, B. G. (1996) *A Random Walk Down Wall Street*, W. W. Norton, New York.
- [330] Majewski, K. (2000) Path-wise heavy traffic convergence of single class queueing networks and consequences. Siemens, Germany.

- [331] Mandelbaum, A. and Massey, W. A. (1995) Strong approximations for time-dependent queues. *Math. Oper. Res.* 20, 33–64.
- [332] Mandelbaum, A., Massey, W. A. and Reiman, M. I. (1998) Strong approximations for Markovian service networks. *Queueing Systems* 30, 149–201.
- [333] Mandelbaum, A., Massey, W. A., Reiman, M. I. and Stolyar, A. (1999) Waiting time asymptotics for time varying multiserver queues with abandonments and retrials. Proceedings of 37<sup>th</sup> Allerton Conference on Communication, Control and Computing, September 1999, 1095–1104.
- [334] Mandelbaum, A. and Pats, G. (1995) State-dependent queues: approximations and applications. *Stochastic Networks*, IMA Volumes in Mathematics and its Applications, F. P. Kelly and R. J. Williams, eds., Springer, Berlin, 239—282.
- [335] Mandelbaum, A. and Pats, G. (1998) State-dependent stochastic networks, Part I: approximations and applications with continuous diffusion limits. *Ann. Appl. Prob.* 8, 569–646.
- [336] Mandelbrot, B. B. (1977) *Fractals: Form, Chance and Dimension*, W. H. Freeman and Co., San Francisco.
- [337] Mandelbrot, B. B. (1982) *The Fractal Geometry of Nature*. W. H. Freeman and Co., San Francisco.
- [338] Mandelbrot, B. B. and Wallis, J. R. (1968) Noah, Joseph and operational hydrology. *Water Resources Research* 4, 909–918.
- [339] Markowitz, D. M. and Wein, L. M. (2001) Heavy traffic analysis of dynamic cyclic policies: a unified treatment of the single machine scheduling problem. *Operations Res.* 49, 246–270.
- [340] Markowitz, D. M., Reiman, M. I. and Wein, L. M. (2000) The stochastic economic lot scheduling problem: heavy traffic analysis of dynamic cyclic policies. *Operations Res.* 48, 136–154.
- [341] Massey, W. A. and Whitt, W. (1993) Networks of infinite-server queues with nonstationary Poisson input. *Queueing Systems* 13, 183–250.
- [342] Massey, W. A. and Whitt, W. (1994a) Unstable asymptotics for non-stationary queues. *Math. Oper. Res.* 19, 267–291.

- [343] Massey, W. A. and Whitt, W. (1994b) A stochastic model to capture space and time dynamics in wireless communication systems. *Prob. Eng. Inf. Sci.* 8, 541–569.
- [344] Massey, W. A. and Whitt, W. (1994c) An analysis of the modified offered load approximation for the nonstationary Erlang loss model. *Ann. Appl. Prob.* 4, 1145–1160.
- [345] Massoulie, L. and Simonian, A. (1999) Large buffer asymptotics for the queue with fractional Brownian input. *J. Appl. Prob.* 36, 894–906.
- [346] Matheron, G. (1975) *Random Sets and Integral Geometry*, Wiley, New York.
- [347] McDonald, D. R. and Turner, S. R. E. (2000) *Analysis of Communication Networks: Call Centres, Traffic and Performance*, Fields Institute Communications 28, The American Math. Soc., Providence, RI.
- [348] Meyn, S. P. and Down, D. (1994) Stability of generalized Jackson networks. *Ann. Appl. Prob.* 4, 124–148.
- [349] Mikosch, T. and Nagaev, A. V. (2001) Rates in approximations to ruin probabilities for heavy-tailed distributions. *Extremes*, to appear.
- [350] Mikosch, T. and Samorodnitsky, G. (2000) The supremum of a negative drift random walk with dependent heavy-tailed steps. *Ann. Appl. Prob.* 10, 1025–1064.
- [351] Mikosch, T., Resnick, S. I., Rootzén, H. and Stegeman, A. (2001) Is network traffic approximated by stable Lévy motion or fractional Brownian motion? *Ann. Appl. Prob.* 11, to appear.
- [352] Mitzenmacher, M. (1996) *The Power of Two Choices in Randomized Load Balancing*, Ph.D. dissertation, University of California, Berkeley.
- [353] Mitzenmacher, M. (1997) How useful is old information? *Proceedings of 16<sup>th</sup> ACM Symposium on Principles of Distributed Computing*, 83–91.
- [354] Mitzenmacher, M. and Vöcking, B. (1999) The asymptotics of selecting the shortest of two, improved. *Proceedings of 1999 Allerton Conference on Communication, Control and Computing*, University of Illinois.

- [355] Montanari, A., Rosso, R. and Taqqu, M. S. (1997) Fractionally differenced ARIMA models applied to hydrologic time series: identification, estimation and simulation. *Water Resources Research* 33, 1035–1044.
- [356] Moran, P. A. P. (1959) *The Theory of Storage*, Methuen, London.
- [357] Mountford, T. and Prabhakar, B. (1995) On the weak convergence of departures from an infinite sequence of  $\cdot/M/1$  queues. *Ann. Appl. Prob.* 5, 121–127.
- [358] Müller, D. W. (1968) Verteilungs-Invarianzprinzipien für das starke Gesetz der grossen Zahl. *Zeitschrift Wahrscheinlichkeitstheorie verw. Gebiete* 10, 173–192.
- [359] Narayan, O. (1998) Exact asymptotic queue length distribution from fractional Brownian motion traffic. *Adv. Performance Anal.* 1, 39–64.
- [360] Nelson, B. L. and Taaffe, M. R. (2001) The  $Ph_t/Ph_t/\infty$  queueing system. *INFORMS J. Computing*, to appear.
- [361] Neuts, M. F. (1989) *Structured Stochastic Matrices of  $M/G/1$  Type and Their Applications*, Marcel Dekker, New York.
- [362] Neveu, J. (1965) *Mathematical Foundations of the Calculus of Probability*, Holden-Day, San Francisco.
- [363] Newell, G. F. (1982) *Applications of Queueing Theory*, second ed., Chapman and Hall, London.
- [364] Newman, C. M. and Wright, A. L. (1981) An invariance principle for certain dependent sequences. *Ann. Probab.* 9, 671–675.
- [365] Norros, I. (1994) A storage model with self-similar input. *Queueing Systems* 16 (1994) 387–396.
- [366] Norros, I. (2000) Queueing behavior under fractional Brownian motion. Chapter 4 in *Self-Similar Network Traffic and Performance Evaluation*, K. Park and W. Willinger (eds.), Wiley, New York.
- [367] O'Brien, G. L. (2000) An application of Skorohod's  $M_1$  topology. *Skorohod's Ideas in Probability Theory*, V. Korolyuk, N. Portenko and H. Syta (eds.), Institute of Mathematics of the National Academy of Sciences of the Ukraine, Kyiv, Ukraine, 111–118.

- [368] O'Brien, G. L. and Vervaat, W. (1985) Self-similar processes with stationary increments generated by point processes. *Ann. Probab.* 13, 28–52.
- [369] Oliver, R. M. and Samuel, A. H. (1962) Reducing letter delays in post offices. *Operations Res.* 10, 839–892.
- [370] Olver, F. W. J. (1974) *Asymptotics and Special Functions*, Academic, New York.
- [371] Parekh, A. K. and Gallager, R. G. (1993) A generalized processor sharing approach to flow control in integrated services networks: the single node case. *IEEE/ACM Trans. Networking* 1, 344–357.
- [372] Parekh, A. K. and Gallager, R. G. (1994) A generalized processor sharing approach to flow control in integrated services networks: the multiple node case. *IEEE/ACM Trans. Networking* 2, 137–150.
- [373] Park, K. and Willinger, W. (2000) *Self-Similar Network Traffic and Performance Evaluation*, Wiley, New York.
- [374] Parthasarathy, K. R. (1967) *Probability Measures on Metric Spaces*, Academic, New York.
- [375] Pats, G. (1994) *State-Dependent Queueing Networks: Approximations and Applications*, Ph.D. thesis, Faculty of Industrial Engineering and Management, Technion, Haifa, Israel.
- [376] Paxson, V. and Floyd, S. (1995) Wide area traffic: the failure of Poisson modeling. *IEEE/ACM Trans. Networking* 3, 226–244.
- [377] Padhye, J., Firoiu, V., Towsley, D. and Kurose, J. (2000) Modeling TCP Reno throughput: a simple model and its empirical validation. *IEEE/ACM Trans. Networking* 8, 133–145.
- [378] Philipp, W. and Stout, W. (1975) *Almost Sure Invariance Principles for Partial Sums of Weakly Dependent Random Variables*, Mem. Amer. Math. Soc. **161**, Providence, RI.
- [379] Pollard, D. (1984) *Convergence of Stochastic Processes*, Springer-Verlag, New York.
- [380] Pomareda, J. L. (1976) *A Unified Approach Via Graphs to Skorohod's Topologies on the Function Space D*, Ph.D. dissertation, Department of Statistics, Yale University.

- [381] Prabhu, N. U. (1998) *Stochastic Storage Processes*, second ed. Springer, New York.
- [382] Prohorov, Yu. V. (1956) Convergence of random processes and limit theorems in probability. *Theor. Probability Appl.* 1, 157–214.
- [383] Protter, P. (1992) *Stochastic Integration and Differential Equations*, Springer, New York.
- [384] Puhalskii, A. A. (1994) On the invariance principle for the first passage time. *Math. Oper. Res.* 19, 946–954.
- [385] Puhalskii, A. A. (1999) Moderate deviations for queues in critical loading. *Queueing Systems* 31, 359–392.
- [386] Puhalskii, A. A. and Reiman, M. I. (2000) The multiclass  $GI/PH/N$  queue in the Halfin-Whitt regime. *Adv. Appl. Prob.* 32, 564–595.
- [387] Puhalskii, A. A. and Whitt, W. (1997) Functional large deviation principles for first-passage-time processes. *Ann. Appl. Prob.* 7, 362–381.
- [388] Puhalskii, A. A. and Whitt, W. (1998) Functional large deviation principles for waiting and departure processes. *Prob. Eng. Inf. Sci.* 12, 479–507.
- [389] Puterman, M. L. (1994) *Markov Decision Processes: Discrete Stochastic Dynamic Programming*, Wiley, New York.
- [390] Reiman, M. I. (1982) The heavy traffic diffusion approximation for sojourn times in Jackson networks. In *Applied Probability – Computer Science, the Interface, II*, R. L. Disney and T. J. Ott (eds.), Birkhauser, Boston, 409–422.
- [391] Reiman, M. I. (1984a) Open queueing networks in heavy traffic. *Math. Oper. Res.* 9, 441–458.
- [392] Reiman, M. I. (1984b) Some diffusion approximations with state space collapse. In *Modeling and Performance Evaluation Methodology*, F. Baccelli and G. Fayolle (eds.), INRIA Lecture Notes in Control and Information Sciences, 60, Springer, New York, 209–240.
- [393] Reiman, M. I. (1989) Asymptotically optimal trunk reservation for large trunk groups. *Proc. 28<sup>th</sup> IEEE Conf. Decision and Control*, 2536–2541.

- [394] Reiman, M. I. (1990a) Asymptotically exact decomposition approximations for open queueing networks. *Operations Res. Letters* 9, 363–370.
- [395] Reiman, M. I. (1990b) Some allocation problems for critically loaded loss systems with independent links. *Proc. Performance '90*, Edinburgh, Scotland, 145–158.
- [396] Reiman, M. I. and Simon, B. (1988) An interpolation approximation for queue systems with Poisson input. *Operations Res.* 36, 454–469.
- [397] Reiman, M. I. and Simon, B. (1989) Open queueing systems in light traffic. *Math. Oper. Res.* 14, 26–59.
- [398] Reiman, M. I. and Wein, L. M. (1998) Dynamic scheduling of a two-class queue with setups. *Operations Res.* 46, 532–547.
- [399] Reiman, M. I. and Weiss, A. (1989) Light traffic derivatives via likelihood ratios. *IEEE Trans. Inf. Thy.* 35, 648–654.
- [400] Reiser, M. and Kobayashi, H. (1974) Accuracy of the diffusion approximation for some queueing systems. *IBM J. Res. Dev.* 18, 110–124.
- [401] Resnick, S. I. (1986) Point processes, regular variation and weak convergence. *Adv. Appl. Prob.* 18, 66–138.
- [402] Resnick, S. I. (1987) *Extreme Values, Regular Variation and Point Processes*, Springer-Verlag, New York.
- [403] Resnick, S. I. (1997) Heavy tail modeling and teletraffic data. *Ann. Statist.* 25, 1805–1869.
- [404] Resnick, S. I. and Rootzén, H. (2000) Self-similar communication models and very heavy tails, *Ann. Appl. Prob.* 10, 753–778.
- [405] Resnick, S. and Samorodnitsky, G. (2000) A heavy traffic approximation for workload processes with heavy tailed service requirements. *Management Sci.* 46, 1236–1248.
- [406] Resnick, S. and van der Berg, E. (2000) Weak convergence of high-speed network traffic models. *J. Appl. Prob.* 37, 575–597.
- [407] Roberts, J. (1992) *Performance Evaluation and Design of Multiservice Networks*, COST 224 Final Report, Commission of the European Communities, Luxembourg.

- [408] Rogers, L. C. G. (2000) Evaluating first-passage probabilities for spectrally one-sided Lévy processes. *J. Appl. Prob.* 37, 1173–1180.
- [409] Ross, S. M. (1993) *Introduction to Probability Models*, fifth edition, Academic, New York.
- [410] Ryu, B. and Elwalid, A. I. (1996) The importance of long-range dependence of VBR video traffic in ATM traffic engineering: myths and realities. *Computer Communications Review* 13, 1017–1027.
- [411] Samorodnitsky, G. and Taqqu, M. S. (1994) *Stable Non-Gaussian Random Processes*, Chapman-Hall, New York.
- [412] Schwartz, L. (1973) *Radon Measures on Arbitrary Topological Spaces and Cylindrical Measures*, Tata Institute of Fundamental Research, Bombay.
- [413] Segal, M. and Whitt, W. (1989) A queueing network analyzer for manufacturing. *Traffic Science for New Cost-Effective Systems, Networks and Services, Proceedings of ITC 12* (ed. M. Bonatti), North-Holland, Amsterdam, 1146–1152.
- [414] Seneta, E. (1981) *Non-negative Matrices and Markov Chains*, Springer, New York.
- [415] Sengupta, B. (1992) An approximation for the sojourn-time distribution for the GI/G/1 processor-sharing queue. *Stochastic Models* 8, 35–57.
- [416] Serfozo, R. F. (1973) Weak convergence of superpositions of randomly selected partial sums. *Ann. Probab.* 1, 1044–1056.
- [417] Serfozo, R. F. (1975) Functional limit theorems for stochastic processes based on embedded processes. *Adv. Appl. Prob.* 7, 123–139.
- [418] Serfozo, R. F. (1999) *Introduction to Stochastic Networks*, Springer, New York.
- [419] Sevcik, K. C., Levy, A. I., Tripathi, S. K. and Zahorjan, J. L. (1977) Improving approximations of aggregated queueing network subsystems. *Computer Performance*, K. M. Chandy and M. Reiser (eds.), North Holland, Amsterdam, 1–22.
- [420] Shorack, G. R. and Wellner, J. A. (1986) *Empirical Processes with Applications to Statistics*, Wiley, New York.

- [421] Shwartz, A. and Weiss, A. (1995) *Large Deviations for Performance Analysis*, Chapman and Hall, New York.
- [422] Sigman, K. (1999) *Queues with Heavy-Tailed Distributions*, *Queueing Systems* 33.
- [423] Silvestrov, D. S. (2000) Convergence in Skorohod topology for compositions of stochastic processes. *Skorohod's Ideas in Probability Theory*, V. Korolyuk, N. Portenko and H. Syta (eds.), institute of Mathematics of the National Acafdemy of Sciences of the Ukraine, Kyiv, Ukraine, 298–306.
- [424] Simmons, G. F. (1963) *Topology and Modern Analysis*, McGraw-Hill, New York.
- [425] Skorohod, A. V. (1956) Limit theorems for stochastic processes. *Theor. Probability Appl.* 1, 261–290. (also republished in *Skorohod's Ideas in Probability Theory*, V. Korolyuk, N. Portenko and H. Syta (eds.), institute of Mathematics of the National Acafdemy of Sciences of the Ukraine, Kyiv, Ukraine, 23–52.)
- [426] Skorohod, A. V. (1957) Limit theorems for stochastic processes with independent increments. *Theor. Probability Appl.* 2, 138–171.
- [427] Skorohod, A. V. (1961) Stochastic equations for a diffusion process in a bounded region. *Theor. Probability Appl.* 6, 264–274.
- [428] Skorohod, A. V. (1962) Stochastic equations for a diffusion process in a bounded region. II. *Theor. Probability Appl.* 7, 3–23.
- [429] Smith, D. R. and Whitt, W. (1981) Resource sharing for efficiency in traffic systems. *Bell System Tech. J.* 60, 39–55.
- [430] Srikant, R. and Whitt, W. (1996) Simulation run lengths to estimate blocking probabilities. *ACM Trans. Modeling and Computer Simulation* 6, 7–52.
- [431] Srikant, R. and Whitt, W. (1999) Variance reduction in simulations of loss models. *Operations Res.* 47, 509–523.
- [432] Srikant, R. and Whitt, W. (2001) Resource sharing for book-ahead and instantaneous-request calls using a CLT approximation. *Telecommunication Systems* 16, 235–255.

- [433] Sriram, K. and Whitt, W. (1986) Characterizing superposition arrival processes in packet multiplexers for voice and data. *IEEE J. Sel. Areas Commun.* SAC-4, 833–846.
- [434] Stewart, W. J. (1994) *Introduction to the Numerical Solution of Markov Chains*, Princeton University Press, Princeton, NJ.
- [435] Stone, C. (1963) Weak convergence of stochastic processes defined on semi-infinite time intervals. *Proc. Amer. Math. Soc.* 14, 694–696.
- [436] Strassen, V. (1965) The existence of probability measures with given marginals. *Ann. Math. Statist.* 36, 423–439.
- [437] Suresh, S. and Whitt, W. (1990a) The heavy-traffic bottleneck phenomenon in open queueing networks. *Operations Res. Letters* 9, 355–362.
- [438] Suresh, S. and Whitt, W. (1990b) Arranging queues in series: a simulation experiment. *Management Sci.* 36, 1080–1091.
- [439] Szczotka, W. (1986) Stationary representation of queues II. *Adv. Appl. Prob.* 18, 849–859.
- [440] Szczotka, W. (1990) Exponential approximation of waiting time and queue size for queues in heavy traffic. *Adv. Appl. Prob.* 22, 230–240.
- [441] Szczotka, W. (1999) Tightness of the stationary waiting time in heavy traffic. *Adv. Appl. Prob.* 31, 788–794.
- [442] Takács, L. (1967) *Combinatorial Methods in the Theory of Stochastic Processes*, Wiley, New York.
- [443] Takagi, H. (1986) *Analysis of Polling Systems*, MIT Press, Cambridge, MA.
- [444] Tanaka, H. (1979) Stochastic differential equations with reflecting boundary conditions in convex regions. *Hiroshima Math. J.* 9, 163–177.
- [445] Taqqu, M. S. (1975) Weak convergence to fractional Brownian motion and to the Rosenblatt process. *Zeitschrift für Wahrscheinlichkeitstheorie verw. Gebiete* 31, 287–302.
- [446] Taqqu, M. S. (1979) Convergence of iterated processes of arbitrary Hermite rank. *Zeitschrift für Wahrscheinlichkeitstheorie verw. Gebiete* 50, 53–83.

- [447] Taqqu, M. S. (1986) A bibliographic guide to self-similar processes and long-range dependence. *Dependence in Probability and Statistics*, E. Eberlein and M. S. Taqqu (eds.), Birkhäuser, Boston.
- [448] Taqqu, M. S. and Levy, J. (1986) Using renewal processes to generate long-range dependence and high variability. *Dependence in Probability and Statistics*, E. Eberlein and M. S. Taqqu (eds.), Birkhäuser, Boston, 73–89.
- [449] Taqqu, M. S., Willinger, W. and Sherman, R. (1997) Proof of a fundamental result in self-similar traffic modeling. *Computer Communications Review* 27, 5–23.
- [450] Tse, D. N. C., Gallager, R. G. and Tsitsiklis, J. N. (1995) Statistical multiplexing of multiple time-scale Markov streams. *IEEE J. Selected Areas Commun.* 13, 1028–1038.
- [451] Tsoukatos, K. P. and Makowski, A. M. (1997) Heavy-traffic analysis of a multiplexer driven by  $M/G/\infty$  input processes. *Teletraffic Contributions for the Information Age, Proceedings of ITC 15*, V. Ramaswami and P. E. Wirth (eds.), Elsevier, Amsterdam, 497–506.
- [452] Tsoukatos, K. P. and Makowski, A. M. (2000) Heavy traffic limits associated with  $M/G/\infty$  input processes. *Queueing Systems*, 34, 101–130.
- [453] Turner, S. R. E. (1996) *Resource Pooling in Stochastic Networks*, Ph.D. dissertation, University of Cambridge.
- [454] Turner, S. R. E. (1998) The effect of increasing routing choice on resource pooling. *Prob. Eng. Inf. Sci.* 12, 109–124.
- [455] Turner, S. R. E. (2000) A join the shorter queue model in heavy traffic. *J. Appl. Prob.* 37, 212–223.
- [456] Vamvakos, S. and Anantharam, V. (1998) On the departure process of a leaky bucket system with long-range dependent input traffic. *Queueing Systems* 28, 191–214.
- [457] van der Mei, R. D. (2000) Polling systems with switch-over times under heavy load: moments of the delay. *Queueing Systems* 36, 381–404.
- [458] van der Mei, R. D. and Levy, H. (1997) Polling systems in heavy traffic: exhaustiveness of service policies. *Queueing Systems* 27, 227–250.

- [459] van der Waart, A. W. and Wellner, J. A. (1996) *Weak Convergence and Empirical Processes*, Springer, New York.
- [460] Venables, W. N. and Ripley, B. D. (1994) *Modern Applied Statistics with S-Plus*, Springer, New York.
- [461] Vvedenskaya, N. D., Dobrushin, R. L. and Karpelovich, F. I. (1996) Queueing systems with selection of the shortest of two queues: an asymptotic approach. *Problems of Information Transmission* 32, 15–27.
- [462] Vervaat, W. (1972) FCLT's for processes with positive drift and their inverses. *Zeitschrift für Wahrscheinlichkeitstheorie verw. Gebiete* 23, 245–253.
- [463] Vervaat, W. (1985) Sample path properties of self-similar processes with stationary increments. *Ann. Probab.* 13, 1–27.
- [464] Ward, A. R. and Glynn, P. W. (2001) A diffusion approximation for a Markovian queue with reneging. Stanford University.
- [465] Ward, A. R. and Whitt, W. (2000) Predicting response times in processor-sharing queues. In *Analysis of Communication Networks: Call Centres, Traffic and Performance*, D. R. McDonald and S. R. E. Turner (eds.), Fields Institute Communications 28, American Math. Society, Providence, R. I., 1–29.
- [466] Whitt, W. (1971a) Weak convergence theorems for priority queues: preemptive-resume discipline. *J. Appl. Prob.* 8, 74–94.
- [467] Whitt, W. (1971b) Weak convergence of first passage time processes. *J. Appl. Prob.* 8, 417–422.
- [468] Whitt, W. (1972) Stochastic Abelian and Tauberian theorems. *Zeitschrift für Wahrscheinlichkeitstheorie verw. Gebiete* 22, 251–267.
- [469] Whitt, W. (1974a) Preservation of rates of convergence under mappings. *Zeitschrift für Wahrscheinlichkeitstheorie verw. Gebiete* 29, 39–44.
- [470] Whitt, W. (1974b) Heavy traffic limits for queues: a survey. *Mathematical Methods in Queueing Theory*, Proceedings of a Conference at Western Michigan University, ed. A. B. Clarke, Lecture Notes in Econ. and Math. Systems 98, Springer-Verlag, New York, 1974, 307–350.

- [471] Whitt, W. (1980) Some useful functions for functional limit theorems. *Math. Oper. Res.* 5, 67–85.
- [472] Whitt, W. (1981) Approximating a point process by a renewal process: the view through a queue, an indirect approach. *Management Sci.* 27, 619–636.
- [473] Whitt, W. (1982a) Approximating a point process by a renewal process: two basic methods. *Operations Res.* 30, 125–147.
- [474] Whitt, W. (1982b) Refining diffusion approximations for queues. *Operations Res. Letters* 1, 165–169.
- [475] Whitt, W. (1982c) On the heavy-traffic limit theorem for  $GI/G/\infty$  queues. *Adv. Appl. Prob.* 14, 171–190.
- [476] Whitt, W. (1983a) The queueing network analyzer. *Bell System Tech. J.* 62, 2779–2815.
- [477] Whitt, W. (1983b) Performance of the queueing network analyzer. *Bell System Tech. J.* 62, 2817–2843.
- [478] Whitt, W. (1983c) Queue tests for renewal processes. *Operations Res. Letters* 2, 7–12.
- [479] Whitt, W. (1984a) Heavy-traffic approximations for service systems with blocking. *AT&T Bell Lab. Tech. J.* 63, 689–708.
- [480] Whitt, W. (1984b) On approximations for queues, I: extremal distributions. *AT&T Bell Lab. Tech. J.* 63, 115–138.
- [481] Whitt, W. (1984c) On approximations for queues, III: mixtures of exponential distributions. *AT&T Bell Lab. Tech. J.* 63, 163–175.
- [482] Whitt, W. (1984d) Approximations for departure processes and queues in series. *Naval Res. Logistics Qtrly.* 31, 499–521.
- [483] Whitt, W. (1984e) Open and closed models for networks of queues. *AT&T Bell Lab. Tech. J.* 63, 1911–1979.
- [484] Whitt, W. (1984f) Departures from a queue with many busy servers. *Math. Oper. Res.* 9, 534–544.
- [485] Whitt, W. (1985a) Queues with superposition arrival processes in heavy traffic. *Stoch. Proc. Appl.* 21, 81–91.

- [486] Whitt, W. (1985b) The best order for queues in series. *Management Sci.* 31, 475–487.
- [487] Whitt, W. (1985c) Blocking when service is required from several facilities simultaneously. *AT&T Tech. J.* 64, 1807–1856.
- [488] Whitt, W. (1988) A light-traffic approximation for single-class departure processes from multi-class queues. *Management Sci.* 34, 1333–1346.
- [489] Whitt, W. (1989a) Planning queueing simulations. *Management Sci.* 35, 1341–1366.
- [490] Whitt, W. (1989b) An interpolation approximation for the mean workload in a GI/G/1 queue. *Operations Res.* 37, 936–952.
- [491] Whitt, W. (1990) Queues with service times and interarrival times depending linearly and randomly upon waiting times. *Queueing Systems* 6, 335–351.
- [492] Whitt, W. (1992) Understanding the efficiency of multi-server service systems. *Management Sci.* 38, 708–723.
- [493] Whitt, W. (1993a) Approximations for the GI/G/m queue. *Production and Operations Management* 2, 114–161.
- [494] Whitt, W. (1993b) Tail probabilities with statistical multiplexing and effective bandwidths in multi-class queues. *Telecommunication Systems* 2, 71–107.
- [495] Whitt, W. (1994) Towards better multi-class parametric-decomposition approximations for open queueing networks. *Annals Operations Res.* 48, 221–248.
- [496] Whitt, W. (1995) Variability functions for parametric decomposition approximations for queueing networks. *Management Sci.* 41, 1704–1715.
- [497] Whitt, W. (1999a) Predicting queueing delays. *Management Sci.* 45, 870–888.
- [498] Whitt, W. (1999b) Dynamic staffing in a telephone call center aiming to immediately answer all calls. *Operations Res. Letters* 24, 205–212.
- [499] Whitt, W. (2000a) An overview of Brownian and non-Brownian FCLTs for the single-server queue. *Queueing Systems* 36, 39–70.

- [500] Whitt, W. (2000b) Limits for cumulative input processes to queues. *Prob. Eng. Inf. Sci.* 14, 123–150.
- [501] Whitt, W. (2000c) The impact of a heavy-tailed service-time distribution upon the  $M/GI/s$  waiting-time distribution. *Queueing Systems* 36, 71–88.
- [502] Whitt, W. (2001) The reflection map with discontinuities. *Math. Oper. Res.*, to appear.
- [503] Whittle, P. (1986) *Systems in Stochastic Equilibrium* Wiley, New York.
- [504] Wichura, M. J. (1974) Functional laws of the iterated logarithm for the partial sums of i.i.d. random variables in the domain of attraction of a completely asymmetric stable law. *Ann. Probab.* 2, 1108–1138.
- [505] Williams, R. J. (1987) Reflected Brownian motion with skew symmetric data in a polyhedral domain. *Prob. Rel. Fields* 75, 459–485.
- [506] Williams, R. J. (1992) Asymptotic variance parameters for the boundary local times of reflected Brownian motion on a compact interval. *J. Appl. Prob.* 29, 996–1002.
- [507] Williams, R. J. (1995) Semimartingale reflecting Brownian motions in the orthant. In *Stochastic Networks*, F. P. Kelly and R. J. Williams (eds.), Springer-Verlag, New York, 125–137.
- [508] Williams, R. J. (1996) On the approximation of queueing networks in heavy traffic. *Stochastic Networks: Theory and Applications*, F. P. Kelly, S. Zachary and I. Ziedins (eds.), Clarendon Press, Oxford, U.K., 35–56.
- [509] Williams, R. J. (1998a) An invariance principle for semimartingale reflecting Brownian motions in an orthant. *Queueing Systems* 30, 5–25.
- [510] Williams, R. J. (1998b) Diffusion approximations for open multiclass queueing networks: sufficient conditions involving state space collapse. *Queueing Systems* 30, 27–88.
- [511] Willinger, W., Taqqu, M. S. and Erramilli, A. (1996) A bibliographic guide to self-similar traffic and performance modeling for modern high-speed networks. In *Stochastic Networks, Theory and Application*, F. P. Kelly, S. Zachary and I. Ziedins (eds.), Clarendon press, Oxford, U.K., 339–366.

- [512] Willinger, W., Taqqu, M. S., Leland, M. and Wilson, D. (1995) Self-similarity in high-speed packet traffic: analysis and modeling of ethernet traffic measurements. *Statistical Science* 10, 67–85.
- [513] Willinger, W., Taqqu, M. S., Sherman, R. and Wilson, D. V. (1997) Self-similarity through high-variability: statistical analysis of Ethernet LAN traffic at the source level. *IEEE/ACM Trans. Networking* 5, 71–96.
- [514] Wischik, D. (2001a) Sample path large deviations for queues with many inputs. *Ann Appl. Prob.* 11, to appear.
- [515] Wischik, D. (2001b) Moderate deviations in queueing theory. Statistical Laboratory, Cambridge.
- [516] Wolff, R. W. (1977) An upper bound for multi-channel queues. *J. Appl. Prob.* 14, 884–888.
- [517] Wolff, R. W. (1989) *Stochastic Modeling and the Theory of Queues*, Prentice-Hall, Englewood Cliffs, NJ.
- [518] Yao, D. D. (1994) *Stochastic Modeling and Analysis of Manufacturing Systems*, Springer, New York.
- [519] Yashkov, S. F. (1993) On a heavy-traffic limit theorem for the  $M/G/1$  processor-sharing queue. *Stochastic Models* 9, 467–471.
- [520] Zeevi, A. J. and Glynn, P. W. (2000) On the maximum workload of a queue fed by fractional Brownian motion. *Ann. Appl. Prob.* 10, 1084–1099.
- [521] Zolotarev, V. M. (1986) *One-dimensional Stable Distributions*, Amer. Math. Soc., 65, Providence, RI.
- [522] Zwart, A. P. (2000) A fluid queue with a finite buffer and subexponential input. *Adv. Appl. Prob.* 32, 221–243.
- [523] Zwart, A. P. (2001) *Queueing Systems with Heavy Tails*, Ph.D. dissertation, Department of Mathematics and Computer Science, Eindhoven University of Technology.
- [524] Zwart, A. P. and Boxma, O. J. (2000) Sojourn time asymptotics in the  $M/G/1$  processor sharing queue. *Queueing Systems* 35, 141–166.

