

- There are 8 single purchase T-Bar counterweight linesets.
- Each General-Purpose lineset has a safe working load of **1280 lbs.** distributed along its length.
- Each Electrics lineset has a safe working load of **1440 lbs.** distributed along its length.

Typical Travel:

- General Purpose Linesets: 27'-6"
- Electrics: 26'-6"

Motorized Linesets:

- There are 2 Motorized Lineshaft Hoists that control 3rd and 4th Electrics.
- Hoists are controlled by the starter cabinet located stage right.
- Typical Travel: Electrics: 18'-6"

Dead Hung Battens:

- There are 13 Dead Hung Pipe Battens
- Dead Hung Battens: 24'-0" " above stage floor

Please see rigging schedule for details

Additional rigging is only to be done by a qualified rigging company. Please see Assistant Director of Technical Services for reference. Technical Services must approve any rigging.

Lighting

Dimmers:

- There are 298 ETC Sensor 2.4kw dimmers

Control:

- ETC Insight 3

Patch:

- All dimmers are patched and are to remain in a 1:1 (Dimmer: Circuit) configuration.

Lighting positions include 4 overhead stage electrics, 6 stage booms, 2 side slots (House Right and House Left), 2 Balcony positions and 2 catwalks. A house light plot is in place in the house. Plot and standard hookup are available on request. Note: all events come with the House Plot.

Additional Lighting Equipment

- 50° (6 x 12) Ellipsoidal Spotlight
ETC Source Four (Lamped at 575w.)
- 36° Ellipsoidal Spotlight
ETC Source Four (Lamped at 575w.)
- 26° Ellipsoidal Spotlight
ETC Source Four (Lamped at 575w.)
- 10° Ellipsoidal Spotlight
ETC Source Four (Lamped at 575w.)
- 8" Fresnel Spotlight
Lamped at 1000w.
- 6" Fresnel Spotlight
Lamped at 1000w.
- Cyc-Light 3 light
- Strip Lamped at 500w.
- Strip Lights 12 Light, 4 Color (R, B, G, & A)
6' Long. Lamped at 250 PAR 38FL
- Follow Spots Super Trooper III
Lamped at 1000w. FEL

Accessories

- Lighting Cable SO 12/3
 - 5' Cables

- 10' Cables
- 25' Cables
- Color Changers Color Ram
- Side Arms 12" w/ Single Tee
- Hi Hats for Ellipsoidals
- Barn Doors 8" Fresnels
- Barn Doors 6" Fresnels

See attached for stage lighting circuit distribution

Additional Electrical Service

There is (1) 400 amp 3 phase disconnect stage left. Disconnect has Cam lock connectors. Users provide tails. No tie-ins are to be made without prior approval of the DirectorTech Manager and Director of Lerner Hall.

Audio Equipment

The Roone Arledge Auditorium is equipped with stereo sound reinforcement, headset communication, dressing room page and program monitor and infrared system for the hearing impaired.

Consoles

- (1) Mixing Console Crest Century TC 52x8 w/48 Mono Input Modules; 2 Stereo Input Modules
- (1) Mixing Console Allen and Heath GS2200 24x4 w/ 2 Stereo Input Modules,
- (1) Mixing Console Mackie 1604 VLZ 16x4 (Part of smaller independent Auditorium System)
- (1) Mixing Console YAMAHA 01V 24 Channel Digital Console

Digital Controllers/Speaker Management

- Balcony Cluster
- Turbosound LMSD26
- 2 in/6 Out (1)
- Center Cluster
- Turbosound LMSD26
- 2 in/6 Out (1)
- DBX Drive Rack 4800
- 4 in/8Out (1)

House Right and House Left

- Turbosound Aspect Series
- TA500 (2)

Cluster (2x2)

- Turbosound Aspect Series
- TA500 (4)

Subs

- Turbosound TSB Series
- TSB 118 (4)

Under Balcony Fill

- Turbosound TCS Series
- TCS-30 (3)

Front Fill

- Turbosound TCS Series
- TCS-30 (3)

Amplifiers

- Lab Gruppen (1)
C 16:4
1600 W output delivered at 8 ohms loads
- Lab Gruppen (1)
C 28:4
2800 W output into 4 ohms loads
- Lab Gruppen (1)
C 48:4
4800 W into 4 ohms loads
- Lab Gruppen (1)
C 68:4
6800 W into 4 ohms loads

Monitors

- EAW SM400 (Wedge) (2)
- EAW SM260iV (4)

Mics

- Shure Beta 58
- Sure Beta 57
- AKG SE300B
- AKG CK91
- AKG CK92
- Sennheiser 421U
- Crown PCC-160

Wireless

- Sennheiser
- Shure UHF
- U14D /84 (Lav)
- U24D /Beta58 (Hand Held)
- U24D /Beta57 (Hand Held)

Stands

- Boom Beyer GST 400
- Straight Beyer ST400

Direct Boxes

- Country Man Type 85

Clear Com

- Single Muff (6)
- Double Muff (2)
- Belt Pac's (8)

Standard event set up is as follows:

- Up to 5 Channel Mix
- 16 Mackie 1604 VLZ 16 Channel Mixer
- 2 EAW FR253 Speakers House Right and House Left
- Duel Tape and CD Playback
- Up to 2 DI Boxes

Please see Assistant Director of Technical Services for additional audio needs.