

Section K

This section begins 12 rods northeast of section H where a lane turns up the hill leading to the residence of Mr William Balmos.

K1 Uppermost *Manlius* immediately below the *Favosites* bed.....2 feet

K2 Unexposed strata. *Favosites* bed to Lower New Scotland.....50 feet

K3 Very finely grained, cherty, blue limestone. Lower New Scotland.....6 feet

The following fossils were identified from this locality:

- 41 *Delthyris perlamellosa* Hall c
- 42 *Eatonia medialis* (Vanuxem)
- 47 *Leptaena rhomboidalis* (Wilck ens)
- 50 *Lingula* sp.
- 52 *Meristella laevis* (Vanuxem)
- 113 *Diaphorostoma ventricosum* (Conrad) R
- 140 *Phacops logani* Hall r

K4 Thin bedded, dark gray shale. One foot from the base is a half inch band of light gray sandstone. Lower New Scotland.....

2 feet, 4 inches

- 42 *Eatonia medialis* (Vanuxem) C
- 43 *E. singularis* (Vanuxem) r
- 50 *Lingula* sp.
- 52 *Meristella laevis* (Vanuxem) r
- Orbiculoidea* sp.
- 88 *Stropheodonta becki* Hall
- 92 *Strophonella headleyana* Hall
- 132 *Orthoceras* sp.

K5 Dense, dark blue limestone. Lower New Scotland.....15 inches

- 5 *Enterolasma strictum* Hall c
- 8 *Favosites* sp.
- 40 *Dalmanella subcarinata* Hall
- 41 *Delthyris perlamellosa* Hall r

