

Lecture 7 – September 3, 2003

What explains obtaining dental care?

ohcd7030829

1

Objectives

- To recognize some of the limitations of current explanations of dental utilization
- To become familiar with premises to guide the development of a model of the dental care process
- To understand the components of a model of the dental care process
- To recognize the four blocks that influence the probability of beginning an episode of care
- To be familiar with the contents (variables) within each of the four blocks
- To understand the assigned reading and how its findings relate to the model of the dental care process

ohcd7030829

2

What explains obtaining dental care?

- Recent review of the literature –
- (Journal of Dental Research, April 2002)
 - Dutch government (1995) reformed the public health insurance system
 - Evaluation study was planned to study the effects of insurance reform

ohcd7030829

3

What explains obtaining dental care?

- Evaluation study - the role of dental insurance in dental utilization
 - required a variable list comprised of independent explanatory variables
- No forceful theoretical argument
 - for restricting the potential explanatory variables

ohcd7030829

4

What explains obtaining dental care?

- 144 articles met the study criteria
- 143 were surveys
 - 1 controlled trial
- **Resulted in a list of 538 explanatory variables**
 - Grouped into patient, dentist, and system variables

ohcd7030829

5

What explains obtaining dental care?

- Comprehensive behavioral model
 - explaining dental utilization
 - has not emerged
- Knowledge of dental use is fragmented
 - across variety of health behavior models
 - many empirical investigations of dental use

ohcd7030829

6

Limitations to existing studies of dental use

- Few studies have used a multidisciplinary approach
- Narrow focus of previous studies fragments understanding of dental care process
 - Economic studies have rarely considered measures of values
 - Psychologists often have failed to measure social status and have ignored economic variables

ohcd7030829

7

Limitations to existing studies of dental use

- Another limitation is the descriptive nature of many past studies
 - Have repeatedly shown that use of dental services highly correlated with income, education, age, sex, perceived need, and other personal characteristics
 - Have also often reported inconsistent results

ohcd7030829

8

Limitations to existing studies of dental use

- Factors important to explaining use of dental services *receive minor attention or ignored altogether*
- Perhaps most prominent neglected factor is the *provider*
 - Patients generally ignorant of their clinical oral health status
 - Providers and characteristics of their practice may have substantial influence on dental use

ohcd7030829

9

Limitations to existing studies of dental use

- Another lacking element is *consumer search*
 - Unclear:
 - whether individuals search for lower fees or for providers with certain characteristics e.g., reputation for quality, or painless dentistry, a comfortable office, or other considerations

ohcd7030829

10

Limitations to existing studies of dental use

Consumer search (cont.)

- Some evidence that influenced by individual's *social network*
 - The notion of “shopping” (the seeking of care from different providers) among group-approved providers
 - Others have described the role of the “lay referral system” in locating a usual source of care

ohcd7030829

11

Premises to guide development of model of dental care process

- Empirically supported causal models of obtaining dental care are rare
- 1) Must reflect fundamental choices regarding use of professional dental care
 - asymptomatic individuals
 - symptomatic individuals
- 2) For those who visit the DDS
 - episode of care becomes the basic unit of analysis (a sequence of dental services in a period for health maintenance)

ohcd7030829

12

Premises to guide development of model of dental care process (cont.)

- 3) Use of dental services regarded not just as outcome
 - rather as a decision-making process
- 4) Provider can influence individual's use of dental services
 - throughout the decision-making process

ohcd7030829

13


Premises to guide development of model of dental care process (cont.)

- 5) Dental care processes take place within a larger social structure
 - Can place constraints on that process
- 6) Main reason for dental visits
 - Maintain or improve oral health and quality of life
 - Not to purchase dental services

ohcd7030829

14

FIGURE 1 The Dental Care Process



ohcd7030829

16

Model of dental care process

- A social process
 - Includes
 - the dentist
 - the patient
 - sometimes other family members
 - insurers as well

ohcd7030829

16

Model of dental care process

- Initiated by some form of stimulus
 - Asymptomatic cues
 - Symptomatic – e.g., toothache
- Patients influence future treatment
 - Self-diagnosis
 - Search for DDS capable of providing services that patient desires

ohcd7030829

17


Probability of beginning episode of care

- Organized into 4 interrelated blocks:
 - Structure
 - History
 - Cognition
 - Expectation

ohcd7030829

18

Probability of beginning an episode of dental care



ohcd7030829

19

Probability of beginning episode of care Block 1 - Structure

Sociodemographic Characteristics
Age, Gender, Race/ethnicity

Social class
Income, occupation, education, SES

Insurance

Environment
Geographic, Community vars

ohcd7030829

20

Probability of beginning episode of care – Structural - sociodemographic variables

■ Age

- Used as an explanatory variable in a large number of studies
- Studies typically report utilization patterns falling in an inverted U-shaped curve
 - With the very young and the very old seldom using dental services
 - Adolescents and young adults having the highest use of services
 - Moderate decline in use observed in middle age

ohcd7030829

21

Probability of beginning episode of care – Structural - sociodemographic variables

■ Gender

- Used as an explanatory variable in a large number of studies
- Studies typically report a larger portion of females than males saw a dentist during past year
- These findings have not been considered in a theoretical perspective

ohcd7030829

22

Probability of beginning episode of care – Structural - sociodemographic variables

■ Race and ethnicity

- Used as an explanatory variable in a large number of studies
- The most consistent finding is that a larger proportion of whites than non-whites use dental services
- Studies have found differences according to ethnicity as well

ohcd7030829

23

Probability of beginning episode of care Block 1 - Structure

Sociodemographic Characteristics
Age, Gender, Race/ethnicity

Social class
Income, occupation, education, SES

Insurance

Environment
Geographic, Community vars

ohcd7030829

24

Probability of beginning episode of care – Structural – social class variables

■ Income

Perhaps the most frequently reported explanatory variable

Considered a primary barrier to seeking care

Initially thought to be the key variable associated with utilization

- on assumption that if income equalized by providing financial assistance, barriers to utilization diminished

This finding not confirmed

- has led to considerably more investigation of other social/demographic/ psychological factors affecting utilization

ohcd7030829

25

Probability of beginning episode of care – Structural – social class variables

Occupation

- One of the most measurable dimensions of SES – has received considerable study in utilization research
- Available findings indicate:
- lower use among the unskilled and semi-skilled population than among those in higher level populations..
- with highest utilization rate found among professional/ exec level occupations

ohcd7030829

26

Probability of beginning episode of care – Structural – social class variables

Education

- Another SES variable frequently used in studies of dental utilization
- Generally utilization increases as the level of education increases
 - Gaps in utilization between the very poorly educated and those with moderate education larger..
 - than differences in utilization among other educational groups such as hs and college graduates

ohcd7030829

27

Probability of beginning episode of care – Structural – social class variables

SES (socioeconomic status)

- SES as composite measure of income, occupation, and education hypothesized to be related to use
- Not frequently used in research because is difficult to measure
- Numerous studies have found that utilization of dental services increases as social status increases

ohcd7030829

28

Probability of beginning episode of care Block 1 - Structure

Sociodemographic Characteristics
Age, Gender, Race/ethnicity
Social class
Income, occupation, education, SES
Insurance
Environment
Geographic, Community vars

ohcd7030829

29

Probability of beginning episode of care – Structural - insurance variable(s)

Insurance

- Private dental insurance
 - By reducing the cost of care, increases the probability of visiting the dentist
- Medicaid dental insurance has not reduced disparities in dental care use

ohcd7030829

30

Probability of beginning episode of care Block 1 - Structure

Sociodemographic Characteristics
Age, Gender, Race/ethnicity

Social class
Income, occupation, education, SES

Insurance

Environment
Geographic, Community vars

ohcd7030829

31

Probability of beginning episode of care – Structural - environment variables

Geographic location

- Frequently studied variable in utilization research
- Proportion of persons visiting the dentist varies in different regions
- Other factors: urban vs. rural, inner city vs. other urban, large vs. small towns, density of population influence patient utilization

ohcd7030829

32

Probability of beginning episode of care – Structural – environment variables

■ Community variables

- Several variables, other than size, influence dental service utilization:
 - among the most significant of these is community water fluoridation
- Utilization found to be lower in those areas where water is fluoridated
 - Healthier teeth?
 - Indicator of the preventive orientation of the comty?

ohcd7030829

33

Probability of beginning episode of care Block 1 – Structure – (In reading) (Noting signif vars. in bivariate analyses)


Child
Age, Gender

Mother
Marital status
Race** (p<.01)
Educational level
Years lived in the US* (p<.05)
Number of children & adults in family
Family income

ohcd7030829

34

Probability of Beginning an Episode of Dental Care



ohcd7030829

35

History block Usual source of care

- Having a usual source of care eliminates the cost of search
 - Thereby increasing the probability of entering an episode of care
- Having a regular provider also has direct effects on the cognition block
 - by increasing the saliency of dental care

ohcd7030829

36

History block

Past preventive behavior

- 1) Continuity of care
 - Places past experience on a continuum ranging from regular preventive visits to avoidance of dental care over an extended period
 - There is evidence that dental behavior determines dental attitudes and not *vice versa*
- 2) Oral self-care
 - Similarly dental values are formed by experience with health behaviors, such as brushing and flossing

ohcd7030829

37

History block

Quality of care/oral health stock

- Quality of care
 - Assessment of past outcomes –physiological, functional, quality of life, economic, durability
 - Can influence cognition and expectation blocks
- Oral health stock
 - Individuals inherit an initial “stock” of oral health that depreciates over a lifetime
 - Person’s oral health shapes perceptions about the salience of dental care and expected rewards and costs (e.g., in terms of pain necessary to restore oral health)

ohcd7030829

38

Probability of beginning episode of care

Block 2 – History – (In reading)


(Noting signif vars. in bivariate analyses)

School absence due to family problems** (p<=.01)
Physician visit for preventive checkup (p<=.001)
Child visits to the physician (e.g, for regular checkup, illness, accident)
Recent child medical problems
Mother's oral health excellent (mother's estimate) (p=.001)
Child's oral health status (oral exam)

ohcd7030829

39

Probability of beginning an episode of dental care



ohcd7030829

40

Cognition block

- Dental knowledge
- Dental satisfaction with past episodes of dental care
- Perceived salience of dental care
 - Perceived symptoms
 - Valuation of oral health

ohcd7030829

41

Cognition block (cont.)

Perceived norms

- Expectations about health behavior - such as the frequency considered acceptable for seeing a health provider
- Perceived norms may be influenced by the social environment – the family can be important
- Perceived norms may be influenced by the dentist
 - use of recall systems
 - ways DDS signal expectations to patients regarding appropriate preventive behavior

ohcd7030829

42

Probability of beginning episode of care Block 3 – Cognition – (In reading) (Noting signif vars. in bivariate analyses)

Child oral health beliefs
 Regular dental checkups for children important**
 Importance of fluoride treatment for children
 Treat baby teeth only when they hurt *


Mother's satisfaction with dental care
 Dental care accessible **
 Availability of dental care
 Expense of dental care
 Continuity of dental care important *
 Overall satisfaction with dental care **
 Pain control in dental care
 Quality of dental care
 Overall access to dental care (access, availability, expense)

Mother's dental fear **
 Child behavior problems (p=.09)

ohcd7030829

43

Probability of beginning an episode of dental care



ohcd7030829

44

Expected rewards and costs

■ Expected rewards

For the symptomatic individual

- associated with belief or faith that services will result in eliminating or reducing the symptom
- Also the reward of "having done the right thing" and social approval of family and friends

For the asymptomatic individual making a preventive visit

- Expected rewards defined mainly by the individual's belief that regular checkups will prevent future problems from occurring
- If motivated by esthetics, belief that services will improve appearance

ohcd7030829

45

Expected rewards and costs

■ Expected costs

Time, money

Perceived ability to afford an episode of care in terms of fees and time

Social costs

- *Anxiety* about the dental episode – expected pain, fear, anxiety
- *Self-esteem* – the perceived "social distance" between provider and patient
- *Cost of search* – especially for individuals without a usual source of care
- Level of uncertainty associated with any of the above:
 - greater uncertainty about the costs/more confidence in the rewards...
 - could lead to increased probability of beginning an episode

ohcd7030829

46

Probability of beginning episode of care Block 4 – Expectations – (In reading) (Noting signif vars. in bivariate analyses)

Dental insurance (mother and child)
 Child covered by dental insurance**
 Child dental fear
 Child dental fear – (child estimate)**
 Child's oral health excellent (mother estimate)*
 Child needs a dental visit (mother estimate) (p=.08)
 Regular source of dental care (mother) *
 Child care
 Time costs
 Travel time
 Time delay
 Waiting time

ohcd7030829

47

Summary

- Based on the close association of income and patterns of utilization
 - might predict that cost is the leading barrier in not seeking care
- Has seldom, if ever, been the predominant self-reported reasons given
 - When cost barriers removed in low income groups
 - the utilization rate does not necessarily rise unless some other form of motivation, such as dental health ed given

ohcd7030829

48

Summary (cont.)

- There is a clear need for more research to determine
 - how actual dental need influences perceived need
 - and how both of these affect action
- In order to increase utilization of dental services results of research suggest need to direct attention at both beliefs and actions
 - The belief system needs to be one that incorporates concept that oral disease has consequences and that taking action alters these consequences
 - Interventions need to be based on an UNDERSTANDING OF THE MULTIPLE FACTORS influencing utilization

ohcd7030829

49

Model for dental utilization for any reason - Block 1- Structure- (In reading)

Child
Age, Gender

Mother
Marital status
Race
Educational level
Years lived in the US
Number of children & adults in family
Family income

ohcd7030829

50

Model for dental utilization for any reason - Block 2 - History- (In reading)

School absence due to family problems

Physician visit for preventive checkup (OR=2.23)

Child visits to the physician (e.g, for regular checkup, illness, accident)

Recent child medical problems

Mother's oral health excellent (OR=3.04)

Child's oral health status (oral exam)

ohcd7030829

51

Model for dental utilization for any reason-Block 3-Cognition- (In reading)

Child oral health beliefs
Regular dental checkups for children important
Importance of fluoride treatment for children
Treat baby teeth only when they hurt

Mother's satisfaction with dental care
Dental care accessible
Availability of dental care
Expense of dental care
Continuity of dental care important
Overall satisfaction with dental care
Pain control in dental care
Quality of dental care
Overall access to dental care (access, availability, expense)

Mother's dental fear
Child anxiety
Child behavior problems

ohcd7030829

52

Model for dental utilization-Block4- Expectations- (In reading)

Dental insurance (mother and child)
Child covered by dental insurance
Child dental fear
Child dental fear - (child estimate)
Child's oral health (mother estimate)
Child needs a dental visit (mother estimate)
Regular source of dental care (mother)
Child care
Time costs
Travel time
Time delay
Waiting time

ohcd7030829

53