

STD Surveillance 2001

Adapted from CDC
by Jill Gallin, CPNP
Assistant Professor of Clinical Nursing



*The number of disease reported
does not equal the incidence*



Factors affecting report data

- Reporting systems
 - Laboratories
 - Providers
 - Information systems
- Increase or decrease in screening
- Sensitivity of diagnostic tests/ Ability to diagnose disease




Chlamydia

Sexually Transmitted Disease Surveillance 2001

Division of STD Prevention







Chlamydia — Number of states that require reporting of *Chlamydia trachomatis* infections: United States, 1987–2001



Chlamydia — Reported rates: United States, 1984–2001












Gonorrhea

Sexually Transmitted Disease Surveillance 2001

Division of STD Prevention

Division of STD Prevention CDC














Syphilis

Sexually Transmitted Disease Surveillance 2001

Division of STD Prevention

Division of STD Prevention CDC






Other Sexually Transmitted Diseases

Sexually Transmitted Disease Surveillance 2001

Division of STD Prevention



Chancroid — Reported cases: United States, 1981–2001




Genital herpes — Initial visits to physicians' offices: United States, 1966–2001



SOURCE: National Disease and Therapeutic Index (IMS America, Ltd.)



Genital herpes simplex virus type 2 infections — Percent seroprevalence according to age in NHANES* II (1976-1980) and NHANES III (1988-1994)



Note: Bars indicate 95% confidence intervals.

*National Health and Nutrition Examination Survey



Genital warts — Initial visits to physicians' offices: United States, 1966–2001



SOURCE: National Disease and Therapeutic Index (IMS America, Ltd.)




Nonspecific urethritis — Initial visits to physicians' offices by men: United States, 1966–2001



SOURCE: National Disease and Therapeutic Index (IMS America, Ltd.)



Trichomonal and other vaginal infections — Initial visits to physicians' offices: United States, 1966–2001



SOURCE: National Disease and Therapeutic Index (MS America, Ltd.)

