

# Unimodularity

**Definition** A **basis matrix** of a  $p$  by  $q$  matrix of rank  $p$  is a square  $p$  by  $p$  submatrix with linearly independent columns.

**Definition** A matrix  $A$  is **unimodular** if every basis matrix  $B$  of  $A$  has  $\det(B)$  equal to  $1$  or  $-1$ .

**Theorem** Let  $A$  be an integer matrix with linearly independent rows. Then the following 3 conditions are equivalent:

1.  $A$  is unimodular
2. For any integer vector  $b$ , every basic feasible solution to  $Ax = b, x \geq 0$  is integral.
3. Every basis matrix  $B$  has an integer inverse  $B^{-1}$ .

**Definition** A matrix is **totally unimodular** if each square submatrix has determinant equal to  $-1, 0$  or  $1$ .

Totally unimodular is a subclass of unimodular.

# Totally unimodular

**Theorem** The node-arc incidence matrix of a directed network is totally unimodular.

# Non-bipartite matching

$$\max \sum_{(i,j) \in E} x_{ij} \tag{1}$$

$$\text{s.t.} \tag{2}$$

$$\sum_{(i,j) \in E} x_{ij} \leq 1 \quad \forall i \in V \tag{3}$$

$$x_{ij} \in \{0, 1\} \tag{4}$$

$$\tag{5}$$

This program is not totally unimodular.

We can give a graph for which the optimal fraction matching and the optimal integral matching have different values.

# Ideas for non-bipartite matching algorithm

- Emulate the bipartite algorithm, and fix it when it breaks.
- **unique label property:** In the search algorithm for augmenting paths, label nodes as even or odd, given their distance from the first free vertex. If the label of a node is independent of the choices of the search algorithm, then the unique label property holds.
- (redefinition) An augmenting path is an alternating path starting at a free vertex, ending at a free vertex, and the end is labelled odd.

**Lemma** For two matchings  $M$  and  $M'$ , let  $A = M \oplus M'$ . Then the connected components of  $A$  are of six types:

- empty
- alternating cycle
- alternating path (with four choices for endpoints)

**Augmenting Path Lemma:** If  $p$  is unmatched in a matching  $M$ , and there is no augmenting path starting at  $p$ , then there is a maximum matching in which  $p$  is unmatched.

# Augmenting Path

- Augmenting path lemma implies that if a matching is not optimal, an augmenting path exists
- Finding it may be difficult.

## Ideas

- A **stem** is an even length alternating path starting at a root  $p$  and ending at a vertex  $w$  ( $p = w$  is possible).
- A **blossom** is an odd length alternating cycle starting and ending at  $w$ .
- **Claim:** Every node in a blossom is reachable by both an odd length and an even length alternating path.
- Idea: Label the whole blossom as “even.”
- Implementation of idea: Contract the blossom.
- **contract**( $v_1, v_2$ ) - replace  $v_1$  and  $v_2$  by a new vertex  $v'$  where  $v'$  has an edge to any neighbor of  $v_1$  or  $v_2$

# Correctness of Algorithm

- Let  $G^C$  be  $G$  with a contracted blossom.
- If there is an augmenting path in  $G^C$  then there is an augmenting path in  $G$
- If there is an augmenting path in  $G$  then there is an augmenting path in  $G^C$

## Running time

- At most  $n$  augmenting paths
- Each search takes  $O(m)$  time to either find a path, or contract a blossom, for a total of  $O(nm)$  time per path.
- Total time of  $O(n^2m)$  .
- Running time of  $O(\sqrt{nm})$  is possible.