



CHIS 2009 DATA DICTIONARY

Public Use File

Adult Survey

April 2011



CHIS 2009 DATA DICTIONARY

Adult Survey

Public Use File

April 2011

adult.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2011 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2009 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: April 2011.

TABLE OF CONTENTS

| | |
|---|-----------|
| 1. Introduction | 3 |
| 1.1 CHIS 2009 Adult Survey Data File | 3 |
| 1.2 Accompanying Files | 3 |
| 2. CHIS 2009 Design and Methodology Summary..... | 3 |
| 2.1 Overview | 3 |
| 2.2 Sample Design Objectives..... | 4 |
| 2.3 Data Collection | 6 |
| 2.4 Response Rates | 7 |
| 2.5 Weighting the Sample | 8 |
| 2.6 Imputation Methods..... | 9 |
| 3. How to Use the Data Dictionary..... | 11 |
| 4. Sample Code Using Sample Design Information | 12 |
| 4.1 Mean Calculation..... | 13 |
| 4.2 Frequency Calculation | 14 |
| 4.3 Linear Regression | 15 |
| 4.4 Logistic Regression | 16 |
| 5. Data Dictionary Variable Listings | 17 |
| A. Variable Name (alphabetical) | 17 |
| B. Variable name (by Location in CHIS 2009 Adult Questionnaire) | 30 |
| C. Restricted Variables..... | 43 |
| 6. Data Dictionary..... | 44 |
| Section Q: Screening Information | 44 |
| Section A: Demographic Information, Part I..... | 46 |
| Section B: Health Conditions | 58 |
| Section C: Health Behaviors..... | 101 |
| Section D: General Health, Disability, and Sexual Health..... | 132 |
| Section E: Women's Health | 140 |
| Section F: Mental Health..... | 154 |
| Section G: Demographic Information, Part II | 167 |
| Section H: Health Insurance | 186 |
| Section J: Health Care Utilization and Access, Violence..... | 217 |
| Section K: Employment, Income, Poverty Status, Food Security..... | 237 |
| Section L: Public Program Participation | 248 |

| | |
|---|-----|
| Section M: Housing and Social Cohesion | 253 |
| Section N: Demographic Information, Part III | 261 |
| Section O: Full Design and Replicate Weight Series 0-80 | 265 |

1. Introduction

1.1 CHIS 2009 Adult Survey Data File

The 2009 California Health Interview Survey (CHIS 2009) Adult Data File consists of individual records from the Adult component of CHIS 2009.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (09-05-103-02) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data sharing agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data sharing agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center located at UCLA-CHPR. If researchers would like access to the latitude and longitude data in the CHIS 2009 data file by special request, or require access to other highly sensitive variables, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu

1.2 Accompanying Files

The following describes multiple files included in the package along with the data file. Some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** adult.sas7bdat, adult.sav, adult.dta
- b. **Proc format file:** ADULT_PROC_FORMAT.SAS
- c. **Format file:** ADULT_FORMAT.SAS
- d. **Label file:** ADULT_LABEL.SAS
For sample codes using Proc format, format and label files, see Section 4.
- e. **Imputation flag file:** adultf.sas7bdat, adultf.sav, adultf.dta
See Section 2.6 for descriptions of imputation flag variables and values.
- f. **Others:** ADULT.XPT, ADULTF.XPT

2. CHIS 2009 Design and Methodology Summary

2.1 Overview

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001. CHIS is the largest health survey conducted in any state and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, California Department of Mental Health, First 5 California, The California Endowment, the National Cancer Institute, and Kaiser Permanente. CHIS collects extensive

information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues. Within each household, separate interviews are conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2009 is the fifth CHIS data collection cycle and was conducted between September 2009 and April 2010.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. The data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: <http://www.chis.ucla.edu/rc>).

2.2 Sample Design Objectives

The CHIS sample is designed to meet two sampling objectives: (1) provide estimates for most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. The random-digit-dial (RDD) sample included telephone numbers assigned to both landline and cellular service. For the landline RDD sample, the state was divided into 56 geographic sampling strata, including 2 counties with sub-county strata (8 Service Planning Areas in Los Angeles County and 6 Health Service Regions in San Diego County), 41 single-county strata (including Los Angeles and San Diego counties), and three multi-county strata comprised of the 17 remaining counties. Within each geographic stratum, residential telephone numbers were selected, and within each household, one adult (age 18 and over) respondent was randomly selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child were randomly selected; the adolescent was interviewed directly, and the adult most knowledgeable about the child's health completed the child interview.

Table 1-1 shows the 56 sampling strata, which include 41 independent county strata. A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective—to provide health estimates for adults at the local level. The geographic stratification of the state was the same as that used since CHIS 2005. In the first two CHIS cycles there were 47 total sampling strata, including 33 individual counties and one county with sub-county strata (Los Angeles). The CHIS 2009 samples in Humboldt, Marin, and San Diego Counties were enhanced with additional funding.

The main landline RDD CHIS sample size is sufficient to accomplish the second objective. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates. These geographically targeted oversamples were supplemented by telephone numbers associated with group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese. CHIS 2009 included additional Korean and Vietnamese oversamples conducted on behalf of the National Cancer Institute.

To help compensate for the increasing number of households without landline telephone service, a separate RDD sample was drawn of telephone numbers assigned to cellular service. In CHIS 2009, the goal was to complete approximately 2,500 interviews statewide with adults from the cell phone sample. The CHIS 2009 cell phone sample differed from the CHIS 2007 cell phone sample in two significant ways. First, all cell phone sample numbers used by adults for non-business purposes were eligible for the extended interview regardless of the presence of a landline phone. The landline and cell samples, therefore, overlap and contrast to CHIS 2007 when cell phone cases with a landline telephone were screened out to limit the cell phone sample to “cell phone only” cases. This change was made due to the large number and potentially unique characteristics of telephone users who possess both a landline and cell phone, but rely principally on their cell phone for communication and would otherwise be under-represented in the sample. The second change to the cell phone sample was the inclusion of child and adolescent extended interviews. About 200 teen interviews and nearly 500 child interviews were completed from the cell phone sample in CHIS 2009. Because data are not available for numbers assigned to cellular service to support the same level of geographic stratification as the landline sample, the cell RDD sample was stratified by area code. If the sampled number was shared by two or more adult members of a cell-only household, one household member was selected for the adult interview. Otherwise, the adult owner of the sampled number was selected.

Table 1-1. California county and county group strata used in the CHIS 2009 sample design

| | | |
|-------------------------|---------------------|--|
| 1. Los Angeles | 7. Alameda | 27. Shasta |
| 1.1 Antelope Valley | 8. Sacramento | 28. Yolo |
| 1.2 San Fernando Valley | 9. Contra Costa | 29. El Dorado |
| 1.3 San Gabriel Valley | 10. Fresno | 30. Imperial |
| 1.4 Metro | 11. San Francisco | 31. Napa |
| 1.5 West | 12. Ventura | 32. Kings |
| 1.6 South | 13. San Mateo | 33. Madera |
| 1.7 East | 14. Kern | 34. Monterey |
| 1.8 South Bay | 15. San Joaquin | 35. Humboldt |
| 2. San Diego | 16. Sonoma | 36. Nevada |
| 2.1 N. Coastal | 17. Stanislaus | 37. Mendocino |
| 2.2 N. Central | 18. Santa Barbara | 38. Sutter |
| 2.3 Central | 19. Solano | 39. Yuba |
| 2.4 South | 20. Tulare | 40. Lake |
| 2.5 East | 21. Santa Cruz | 41. San Benito |
| 2.6 N. Inland | 22. Marin | 42. Colusa, Glen, Tehama |
| 3. Orange | 23. San Luis Obispo | 43. Plumas, Sierra, Siskiyou, Lassen, Lassen, Modoc, Trinity, Del Norte |
| 4. Santa Clara | 24. Placer | 44. Mariposa, Mono, Tuolumne, Alpine, Amador, Calaveras, Inyo |
| 5. San Bernardino | 25. Merced | |
| 6. Riverside | 26. Butte | |

Source: UCLA Center for Health Policy Research, 2009 California Health Interview Survey.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2009 data collection under contract with the UCLA Center for Health Policy Research. For the landline and cell RDD samples, Westat staff interviewed one randomly selected adult in each sampled household, and sampled one adolescent and one child if present in the household and the sampled adult was the parent or legal guardian. Up to three interviews could have been completed in each household. In landline sample households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and has been continued in subsequent CHIS cycles; this procedure substantially increases the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were completed child and/or adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2009 by the type of sample (landline RDD, surname list, and cell RDD).

Table 1-2. Number of completed CHIS 2009 interviews by type of sample and instrument

| Type of sample | Adult | Child | Adolescent |
|-------------------|--------|-------|------------|
| Total all samples | 47,614 | 8,945 | 3,379 |
| Landline RDD | 42,682 | 7,918 | 3,002 |
| Surname list | 1,885 | 545 | 178 |
| Cell RDD | 3,047 | 482 | 199 |

Source: UCLA Center for Health Policy Research, 2009 California Health Interview Survey.

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took about 40 minutes to complete. The average child and adolescent interviews took about 16 minutes and 18 minutes, respectively. For “child-first” interviews, additional household information asked as part of the child interview averaged about 9 minutes. Interviews in non-English languages generally took longer to complete. More than 12 percent of the adult interviews were completed in a language other than English, as were about 24 percent of all child (parent proxy) interviews and 8 percent of all adolescent interviews.

2.4 Response Rates

The overall response rate for CHIS 2009 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). To maximize the response rate, especially at the screener stage, an advance letter in five languages was mailed to all landline sampled telephone numbers for which an address could be obtained from reverse directory services. An advance letter was mailed for approximately 58 percent of the landline RDD sample telephone numbers, and 82 percent of list sample numbers. Addresses were not available for the cell sample. As in CHIS 2005 and 2007, a \$2 bill was included with the advance letter to promote cooperation.

The CHIS 2009 screener completion rate for the landline and samples was 36.1 percent, and was higher for households that were sent the advance letter. For the cell phone sample, the screener completion rate was 19.7 percent in all households. The extended interview completion rate for the landline sample varied across the adult (49.0 percent), child (72.9 percent) and adolescent (42.8 percent) interviews. The adolescent rate includes getting permission from a parent or guardian. The adult interview completion rate for the cell sample was 56.7 percent. Multiplying the screener and extended rates gives an overall response rate for each type of interview. The percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) is a useful summary of the overall performance of the landline sample. For CHIS 2009, the landline sample household response rate was 19.7 percent (the product of the screener response rate and the completion rate at the household level of 54.7 percent). All of the household and person level response rates vary by sampling stratum. For more information about the CHIS 2009 response rates, please see *CHIS 2009 Methodology Series: Report 4 – Response Rates*.

Historically, the CHIS response rates are comparable to response rates of other scientific telephone surveys in California, such as the California Behavioral Risk Factor Surveillance System (BRFSS) Survey. It has become increasingly difficult, however, to compare the CHIS and BRFSS response rates due to changes in the BRFSS response rate calculation methods. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. The 2009 BRFSS, for example, shows the refusal rate for the California (32.2%) is the highest in the nation and more than twice the national median (15.7%).¹ Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California. Further information about CHIS data quality and nonresponse bias is available at <http://www.chis.ucla.edu/dataquality.html>.

Adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K (on employment, income, poverty status, and food security), after all follow-up attempts were exhausted to complete the full questionnaire, were counted as "complete." At least some items in the employment and income series or public program eligibility and food insecurity series are missing from those cases that did not complete the entire interview.

¹ As reported in the Behavioral Risk Factor Surveillance System 2009 Summary Data Quality Report (Version #1 – Revised: 04/27/2010, available online at ftp://ftp.cdc.gov/pub/Data/Brfss/2009_Summary_Data_Quality_Report.pdf)

Proxy interviews were allowed for frail and ill persons over the age of 65 who were unable to complete the extended adult interview in order to avoid biases for health estimates of elderly persons that might otherwise result. Eligible selected persons were recontacted and offered a proxy option. For 283 elderly adults, a proxy interview was completed by either a spouse/partner or adult child. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered. (Note: questions not administered in proxy interviews are given a value of “-2” in the data files.)

2.5 Weighting the Sample

To produce population estimates from the CHIS data, weights are applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample is weighted to represent the non-institutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2009 accomplish the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the telephone number) and a variety of adjustment factors. The household weight is used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and nonresponse. The final step is to adjust the person-level weight using a raking method so that the CHIS estimates are consistent with population control totals. Raking is an iterative procedure that forces the CHIS weights to sum to known population control totals from an independent data source (see below). The procedure requires iteration to make sure all the control totals, or raking dimensions, are simultaneously satisfied within a specified tolerance.

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2009 were created primarily from the California Department of Finance’s 2009 Population Estimates and 2009 Population Projections. The raking procedure used 11 raking dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area in Los Angeles County, and Health Region in San Diego County), household composition (presence of children and adolescents in the household), and socio-economic variables (home ownership and education). The socio-economic variables are included to reduce biases associated with excluding households without landline telephones from the sample frame. One limitation of using Department of Finance data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons). These persons were excluded from the CHIS target population and as a result, the number of persons living in group quarters was estimated and removed from the Department of Finance control totals prior to raking.

2.6 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a massive task designed to enhance the analytic utility of the files. Westat imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly all other variables.

Two different imputation procedures were used by Westat to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to a survey item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003, CHIS 2005, CHIS 2007, and CHIS 2009 (i.e., race, ethnicity, home ownership, and education).

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2009 were low, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model is corresponding to the nature of the variable being imputed, e.g. linear regression for continuous variables, logistic regression for binary variables, etc. The donors and recipients are grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational attainment, and region. Other control variables were also used depending on the nature of the imputed variable. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. UCLA-CHPR then imputed household income and educational attainment in order to impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process is performed once again to ensure consistency between the imputed and nonimputed values on a case-by-case basis.

In addition to the main data file, a data file including variables flagging the imputation status of all variables subject to imputation provided. CHIS data users who wish to exclude imputed values may apply the imputation flags to the main data. This is done by merging the main data file with the imputation flag file.

Imputation flag variables starting with **I** followed by variable names are flags for weighting variables (e.g., **ISRAGE**). The remainder of imputation flag variables begin with variable names and end with **X** (e.g., **AB1_X**). For both types of imputation flag variables, the value of “**-10**” in the imputation flag file indicates that there was no imputation done on the corresponding variable for that respondent. For the weighting variable imputation flags, “**-9**” indicates that the value in the data file was imputed but does not provide the original value. The values in the imputation flags for non-weighting variables (other than “**-10**” indicating no imputation) represent the original responses. In most cases, the values of the original responses are: Don't Know (**-8**), Refused (**-7**), or Not Ascertained (**-9**). In a few cases, the values of the original responses have been edited; the imputation flag file contains the original positive value.

A series of five methodology reports are available with more detail about the methods used in CHIS 2009:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu/designs-methods.html>.

3. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2009 data file. The index of the data dictionary lists variables by the alphabetical order and by the order in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007 and CHIS 2009 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at <http://www.chis.ucla.edu/questionnaires.html>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME09:** The names of the 2009 survey items. A blank/NA field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QPAGENUM:** Location of the question in the CHIS 2009 questionnaire.
- **QNAME07:** The names of 2007 survey items identical or similar to the 2009 items.
- **QNAME05:** The names of 2005 survey items identical or similar to the 2009 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

4. Sample Code Using Sample Design Information

The California Health Interview Survey (CHIS) employs a two-stage geographically stratified random digit-dial (RDD) sample design. This complex design requires proper weighting and variance (or its square root– standard error) calculation of the estimates. Most statistical software packages calculate variance assuming that the data are from a simple random sample; this underestimates the variance of estimates produced from the CHIS complex sample design. In order to accurately estimate variance without jeopardizing data confidentiality and respondent privacy, CHIS Public Use Files (PUFs) provide 80 replicate weights (rakedw1, ..., rakedw80) in addition to the final weight (rakedw0).

These weights fulfill different functions. The final weight (rakedw0) accounts for the sample selection probabilities and statistical adjustments for potential undercoverage and nonresponse biases. When this weight is applied, it ensures that estimates from the CHIS sample are an unbiased representation of the California population. The replicate weights (rakedw1, ..., rakedw80) are specially designed for valid variance estimation in the absence of the geographical sample design information (excluded from the CHIS PUFs). These 80 different weights provide variance estimates computed with 80 replications.

When using replicate weights in conjunction with the final weight, the estimates and their variance estimation are unbiased. When analyzing data from the CHIS PUFs, if the final weight is applied without the replicate weights unbiased estimates will be produced, but their variability will be underestimated due to the incorrect assumption that the sample is a simple random sample.

This document illustrates how the CHIS PUFs can be analyzed to produce valid variance estimates using SAS/STAT 9.2 or higher, SUDAAN, and Stata V.9 or higher. (Note SAS/STAT 9.2 is a new version that was released in 2009.) These are three main software packages capable of incorporating replicate weights. The main difference in operating these software packages is that the sample design information is specified within each procedure for SAS/STAT and SUDAAN, whereas Stata requires sample design specification in a separate step preceding the analyses.

For SAS users, the following code can be used to apply PROC FORMAT, FORMAT and LABEL files described in Section 1.2.

SAS:

```
LIBNAME libraryname "folder location";
%INC "folder location/PROCFORMATfilename.sas";

DATA data;
SET libraryname.datafilename;
%INC "folder location/FORMATfilename.sas";a
%INC "folder location/LABELfilename.sas";
RUN;
```

^a. Unless the PROCFORMAT file is commanded beforehand, the FORMAT file will not function properly.

This section illustrates sample codes for a number of different types of analyses: for continuous variables, we present calculation of means and linear regression analysis; and for categorical

variables, we demonstrate calculation of frequencies and logistic regression analysis. Sample codes for all four software packages are provided for each analysis. Throughout all analyses, we find that the estimates and their standard errors are identical across all software packages examined in this document.

For illustration purposes, Body Mass Index (bmi_p) is presented as a continuous dependent variable and current asthma status (astcur) as a categorical dependent variable. These variables are examined in relation to race (racehpr2), sex (srsex) and age (srage_p). CHIS data users who wish to replicate the analysis presented here may copy the sample codes and generate the same results.

4.1 Mean Calculation

In the sample code that follows, the distribution of BMI (bmi_p) is examined by race (racehpr2) and by the interaction between race and sex (racehpr2*srsex).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR bmi_p;
BY racehpr2 srsex; a
RUN;
```

^a This produces just racehpr2*srsex grouping.

SUDAAN:

```
PROC DESCRIPT DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
VAR bmi_p;
TABLES racehpr2 racehpr2*srsex;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
RUN;
```

Stata:

***Sample design specification step* ^a**

```
use "DATASET LOCATION"
svyset [pw=rakedw0], jkrw(rakedw1-rakedw80, multiplier(1)) vce(jack) mse
```

Analysis

```
svy: mean bmi_p, over(racehpr2)
svy: mean bmi_p, over(srsex racehpr2)
```

^a **Sample design specification step** should be included before any analysis in SPSS and Stata.

4.2 Frequency Calculation

In the following sample code, the percentage of people who have asthma currently (astcur) is examined by race (racehpr2) and by the interaction between race and sex (racehpr2*srsex).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR astcur;
CLASS astcur;
BY racehpr2 srsex; a
RUN;
```

Alternatively, PROC SURVEYFREQ may be useful especially for the variables with more than two categories. One caveat in creating multiple tables in one PROC SURVEYFREQ procedure is that the procedure takes the smallest applicable sample sizes among all variables. We recommend creating one table per one PROC SURVEYFREQ procedure as follows:

```
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE racehpr2*astcur /row;
RUN;
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE srsex*racehpr2*astcur/row;
RUN;
```

^a This produces just racehpr2*srsex grouping.

SUDAAN:

```
PROC CROSSTAB DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
TABLES astcur*racehpr2 racehpr2*astcur*srsex;
SUBGROUP astcur racehpr2 srsex;
LEVELS 2 7 2;
RUN;
```

Stata:

```
svy: tabulate astcur racehpr2, col se ci

gen racesex=1 if racehpr2 ==1 & srsex ==1 a
replace racesex=2 if racehpr2 ==1 & srsex ==2
replace racesex=3 if racehpr2 ==2 & srsex ==1
```

```

replace racesex=4 if racehpr2 ==2 & srsex ==2
replace racesex=5 if racehpr2 ==3 & srsex ==1
replace racesex=6 if racehpr2 ==3 & srsex ==2
replace racesex=7 if racehpr2 ==4 & srsex ==1
replace racesex=8 if racehpr2 ==4 & srsex ==2
replace racesex=9 if racehpr2 ==5 & srsex ==1
replace racesex=10 if racehpr2 ==5 & srsex ==2
replace racesex=11 if racehpr2 ==6 & srsex ==1
replace racesex=12 if racehpr2 ==6 & srsex ==2
replace racesex=13 if racehpr2 ==7 & srsex ==1
replace racesex=14 if racehpr2 ==7 & srsex ==2
label variable racesex "Race x Sex"
label define racesexf 1 "latin male" 2 "latin fem" 3 "pi male" 4 "pi fem" 5 "na
male" 6 "na female" 7 "asian mal" 8 "asian fem" 9 "aa male" 10 "aa fem" 11
"white mal" 12 "white fem" 13 "others mal" 14 "others fem"
label values racesex racesexf
svy: tabulate astcur racesex, col se ci

```

^a **Generating a new variable is recommended, as Stata creates overlapping categories when crossing variables.**

4.3 Linear Regression

The following example examines Body Mass Index (bmi) in relation to sex (srsex) and age (srage_p) while controlling for each other. Note srsex is a categorical variable; and Male (srsex=1) are used as their reference categories.

SAS:

```

DATA newdata;SET data;
IF SRSEX=1 THEN FEMALE=0;ELSE FEMALE=1; a
RUN;

PROC SURVEYREG DATA = newdata VARMETHOD=JACKKNIFE;
WEIGHT RAKEDW0;
REPWEIGHT RAKEDW1--RAKEDW80;
MODEL BMI_P = FEMALE SRAGE_P;
RUN;

```

^a For categorical variable, we need to create indicator variable for each category except the reference category.

SUDAAN:

```

PROC REGRESS DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP srsex;
LEVELS 2;
REFLEVEL srsex=1;
MODEL bmi_p = srsex srage_p;
RUN;

```

Stata:

```

xi: svy: regress bmi_p i.srsex srage_p

```

4.4 Logistic Regression

The following sample programming code examines current asthma status (*astcur*) among adults in California, controlling for race (*racehpr2*), sex (*srsex*), and age (*srage_p*). As SUDAAN and Stata require the dependent variables coded as 0 and 1 for logistic regression, we create a new dependent variable *ast* and assign 1 where *astcur*=1 ("Current asthma") and 0 where *astcur*=2 ("No current asthma"). The category, "No current asthma," is used as the reference in the analysis.

SAS:

```
PROC SURVEYLOGISTIC DATA = data VARMETHOD=JACKKNIFE;
FORMAT astcur astcurf. racehpr2 racehprf. srsex srsex.;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
CLASS astcur (REF="NO CURRENT ASTHMA"); CLASS racehpr2(REF="WHITE")
srsex(REF="MALE")/PARAM = REF;
MODEL astcur = racehpr2 srsex srage;
RUN;
```

^a. When the values are formatted either in the data step or in the procedure, SAS automatically picks the category of the categorical variables whose label is in the last alphabetical order as a reference group. In PROC SURVEYLOGISTIC, the reference category of the independent and dependent variables may be specified in a CLASS statement.

SUDAAN:

```
DATA newdata;
SET data;
IF astcur=1 THEN ast=1;
ELSE IF astcur=2 THEN ast=0;
RUN;

PROC RLOGIST data = newdata FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
REFLEVEL racehpr2 = 6 srsex = 1;
MODEL ast = racehpr2 srsex srage_p;
RUN;
```

Stata:

```
recode astcur (2=0) (1=1) (-9=.), gen (ast)

xi: svy: logit ast srage_p i.race i.srsex a
xi: svy: logistic ast srage_p i.race i.srsex b
```

^a. This statement produces parameter estimates.

^b. This statement produces odds ratios.

Stata automatically chooses the lowest value of the categorical variable as the reference group for the independent and dependent variables.

5. Data Dictionary Variable Listings

A. Variable Name (alphabetical)

| VARIABLE | LABEL | PAGE |
|----------|---|-------|
| AA5C | ENROLLED MEMBER IN RECOGNIZED TRIBE | DD-11 |
| AB1 | GENERAL HEALTH CONDITION | DD-15 |
| AB100 | HAD FLU SHOT OR NASAL FLU VACCINE | DD-43 |
| AB101_1 | MOTHER DIAGNOSED WITH COLON/RECTAL CANCER | DD-46 |
| AB101_2 | FATHER DIAGNOSED WITH COLON/RECTAL CANCER | DD-46 |
| AB103 | DOC EVER TALKED ADVANTAGE/DISADVANTAGE OF PSA TEST | DD-56 |
| AB104 | DOC EVER TOLD DIFFERENT DR'S RECOMMENDATION FOR PSA TEST | DD-57 |
| AB105 | DOC EVER RECOMMENDED PSA TEST | DD-57 |
| AB106_P | ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF) | DD-20 |
| AB108 | CONFIDENCE TO CONTROL AND MANAGE ASTHMA | DD-24 |
| AB109 | VISITED ER FOR DIABETES IN PAST 12 MOS | DD-33 |
| AB110_P | VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE) | DD-34 |
| AB111 | ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS | DD-34 |
| AB112 | MEDICAL PROVIDERS DEVELOP DIABETES CARE | DD-35 |
| AB113 | HAVE WRITTEN COPY OF DIABETES CARE PLAN | DD-35 |
| AB114 | CONFIDENCE TO CONTROL AND MANAGE DIABETE | DD-36 |
| AB115 | VISITED ER FOR HEART DISEASE IN PAST 12 MOS | DD-39 |
| AB116_P | VISITED ER FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF RECODE) | DD-40 |
| AB117 | ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS | DD-40 |
| AB118 | MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN | DD-41 |
| AB119 | HAVE WRITTEN COPY OF HEART DISEASE CARE | DD-41 |
| AB120 | CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE | DD-42 |
| AB121_P | METHOD OF TAKING INSULIN (PUF RECODE) | DD-28 |
| AB122 | TAKE MEDICINE TO LOWER CHOLESTEROL | DD-29 |
| AB123 | TAKE ASPIRIN REGULARLY TO REDUCE HEART ATTACK RISK | DD-30 |
| AB124 | TAKE OTHER MEDICATIONS TO REDUCE HEART ATTACK RISK | DD-30 |
| AB126 | HAD A FASTING BLOOD SUGAR TEST AFTER PREGNANCY | DD-37 |
| AB17 | DOCTOR EVER TOLD HAVE ASTHMA | DD-16 |
| AB18 | TAKING DAILY MEDICATION TO CONTROL ASTHMA | DD-21 |
| AB19 | HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS | DD-19 |
| AB22 | DOCTOR EVER TOLD HAVE DIABETES | DD-25 |
| AB23_P | AGE FIRST TOLD HAVE DIABETES (PUF RECODE) | DD-26 |
| AB24 | CURRENTLY TAKING INSULIN | DD-28 |
| AB25 | CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR | DD-29 |
| AB26 | # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE | DD-31 |

| VARIABLE | LABEL | PAGE |
|----------|---|--------|
| AB26UNT | # OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT | DD-31 |
| AB27 | # OF TIMES DOC CHECKED FOR HEMOGLOBIN A ONE C LAST YR | DD-32 |
| AB28 | # OF TIMES DOC CHECKED FEET FOR SORES LAST YR | DD-32 |
| AB29 | DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE | DD-37 |
| AB30 | CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE | DD-38 |
| AB34 | DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE | DD-38 |
| AB40 | STILL HAS ASTHMA | DD-16 |
| AB41 | ASTHMA EPISODE/ATTACK IN PAST 12 MOS | DD-17 |
| AB42 | WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS | DD-23 |
| AB43 | HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN | DD-23 |
| AB51 | TYPE I OR TYPE II DIABETES | DD-27 |
| AB52 | EVER TOLD HAVE HEART FAILURE/CONGESTIVE | DD-39 |
| AB57 | KIND OF PLACE GOT LAST FLU SHOT | DD-43 |
| AB60 | HOW FIRST FOUND BREAST CANCER | DD-106 |
| AB63 | LAST EYE EXAM DILATED PUPILS | DD-33 |
| AB66 | HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS | DD-21 |
| AB67 | ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS | DD-22 |
| AB80 | HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS | DD-22 |
| AB81 | DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY | DD-36 |
| AB83 | MAIN REASON MOST RECENT BLOOD STOOL TEST | DD-49 |
| AB84 | EVER HAD A COLONOSCOPY | DD-49 |
| AB85 | MOST RECENT COLONOSCOPY EXAM | DD-50 |
| AB86 | MAIN REASON MOST RECENT COLONOSCOPY | DD-51 |
| AB87 | EVER HAD A SIGMOIDOSCOPY | DD-51 |
| AB88 | MOST RECENT SIGMOIDOSCOPY EXAM | DD-52 |
| AB89 | MAIN REASON MOST RECENT SIGMOIDOSCOPY | DD-52 |
| AB90 | PAST 5 YRS DOCTOR RECOMMENDED COLON TESTS | DD-53 |
| AB98 | HAVE WRITTEN COPY OF ASTHMA CARE PLAN | DD-24 |
| AB99 | DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES | DD-25 |
| AC11 | # OF TIMES DRANK SODA LAST MONTH | DD-72 |
| AC11UNT | # OF TIMES DRANK SODA LAST MONTH - UNIT | DD-73 |
| AC12 | # OF TIMES DRANK FRUIT-FLAV LAST MONTH | DD-73 |
| AC12UNT | # OF TIMES DRANK FRUIT-FLAV LAST MONTH - UNIT | DD-74 |
| AC13 | # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH | DD-77 |
| AC13UNT | # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH - UNIT | DD-77 |
| AC14 | # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH | DD-78 |
| AC14UNT | # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH - UNIT | DD-79 |
| AC17 | SMOKING EVER ALLOWED INSIDE HOME | DD-84 |
| AC31 | # TIMES ATE FAST FOOD PAST WEEK | DD-79 |
| AC32 | HAD ALCOHOL PAST 12 MONTHS | DD-87 |
| AC34 | # DAYS HAD 5+ DRINKS PAST 12 MONTHS | DD-87 |

| VARIABLE | LABEL | PAGE |
|----------|--|--------|
| AC35 | # DAYS HAD 4+ DRINKS PAST 12 MONTHS | DD-88 |
| AC36 | # OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH | DD-75 |
| AC36UNT | # OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH - UNIT | DD-76 |
| AC38YR | # YEARS SMOKED CIGARETTES REGULARLY | DD-83 |
| AC40 | # OF CIGARETTES USUALLY SMOKE PER DAY | DD-82 |
| AC41 | # OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH | DD-74 |
| AC41UNT | # OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH - UNIT | DD-75 |
| ACMDNUM | # OF DOCTOR VISITS PAST YEAR | DD-175 |
| AD1 | AGE WHEN PERIOD STARTED | DD-97 |
| AD13 | CURRENTLY PREGNANT | DD-98 |
| AD14 | EVER HAD A MAMMOGRAM | DD-101 |
| AD16 | # OF MAMMOGRAMS IN LAST 6 YRS | DD-102 |
| AD17 | HOW LONG SINCE MOST RECENT MAMMOGRAM | DD-102 |
| AD18 | MAIN REASON FOR HAVING MAMMOGRAM | DD-103 |
| AD19 | EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS? | DD-104 |
| AD2 | EVER GIVEN BIRTH TO LIVE INFANT | DD-99 |
| AD20 | EVER HAD OPERATION TO REMOVE LUMP FROM BREAST | DD-104 |
| AD21 | DID THE LUMP TURN OUT TO BE CANCER? | DD-105 |
| AD22 | # OF BREAST OPERATIONS TO REMOVE NONCANCER | DD-105 |
| AD23 | TESTS/SURGERY WHEN MAMMOGRAM ABNORMAL | DD-106 |
| AD25 | MAIN REASON FOR HAVING NO MAMMOGRAM | DD-107 |
| AD26 | DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS | DD-107 |
| AD28 | CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE | DD-108 |
| AD3 | AGE WHEN FIRST CHILD WAS BORN | DD-100 |
| AD32 | # OF CIGARETTES PER DAY | DD-82 |
| AD34 | # OF DAYS PER WEEK ANY SMOKING INSIDE HOME | DD-84 |
| AD37W | WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS | DD-58 |
| AD38W | # TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS | DD-58 |
| AD39W | AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION | DD-59 |
| AD39WUNT | AVERAGE LENGTH OF TIME WALKED FOR TRANSPORT - UNIT | DD-59 |
| AD40W | WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS | DD-60 |
| AD41W | # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS | DD-60 |
| AD42W | AVERAGE LENGTH OF TIME WALKED FOR LEISURE | DD-61 |
| AD42WUNT | AVERAGE LENGTH OF TIME WALKED FOR LEISURE- UNIT | DD-61 |
| AD50 | BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM | DD-93 |
| AD51 | HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING | DD-95 |
| AD52 | HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND | DD-95 |
| AD53 | HAS DIFFICULTY GOING OUTSIDE HOME ALONE | DD-96 |
| AD54 | HAS DIFFICULTY WORKING AT A JOB | DD-96 |
| AD57 | CONDITION LIMITS BASIC PHYS ACTIVITY | DD-95 |
| AE15 | SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME | DD-81 |
| AE15A | SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL | DD-81 |
| AE16 | # OF CIGARETTES PER DAY | DD-83 |

| VARIABLE | LABEL | PAGE |
|----------|--|--------|
| AE2 | # TIMES ATE FRUIT IN PAST MO | DD-68 |
| AE24 | HARD/VIGOROUS EXERCISE IN PAST 7 DAYS | DD-64 |
| AE25 | # DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK | DD-65 |
| AE25A | TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY | DD-65 |
| AE25AMIN | AVG LENGTH OF VIGOROUS ACTIVITY PER DAY | DD-66 |
| AE25AUNT | TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT | DD-66 |
| AE26 | MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS | DD-62 |
| AE27 | # DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK | DD-62 |
| AE27A | TIME PER DAY OF MODERATE PHYSICAL ACTIVITY | DD-63 |
| AE27AMIN | AVG LENGTH OF MODERATE ACTIVITY PER DAY | DD-63 |
| AE27AUNT | TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT | DD-64 |
| AE2UNT | # OF TIMES ATE FRUIT IN PAST MO - UNIT | DD-69 |
| AE3 | # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO | DD-69 |
| AE30 | FLU SHOT IN PAST 12 MOS | DD-42 |
| AE3UNT | # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT | DD-70 |
| AE50 | MOST RECENT MAMMOGRAM RECOMENDED BY DOCT | DD-103 |
| AE51 | CURRENTLY TAKING TAMOXIFEN OR MALVADEX | DD-110 |
| AE52 | CURRENTLY TAKING RALOXIFEN OR EVISTA | DD-110 |
| AE7 | # OF TIMES ATE VEGETABLES IN PAST MO | DD-70 |
| AE7UNT | # OF TIMES ATE VEGETABLES IN PAST MO - UNIT | DD-71 |
| AE84 | # YRS TAKEN HRT | DD-109 |
| AE89_P | STILL HAVE MENSTRUAL CYCLE (PUF RECODE) | DD-98 |
| AE90 | TIME SINCE LAST MENSTRUAL CYCLE | DD-99 |
| AE_FRIES | # OF TIME EATING FRIES PER WEEK | DD-71 |
| AE_FRUIT | # OF TIMES EATING FRUIT PER WEEK | DD-72 |
| AE_SODA | # OF TIMES DRINKING SODA PER WEEK | DD-76 |
| AE_VEGI | # OF TIMES EATING VEGETABLES PER WEEK | DD-78 |
| AF13 | TIMES SUNBURNED PAST 12 MOS | DD-80 |
| AF20 | MAIN REASON NO SIGMOID/COLONOSCOPY IN PAST 10 YRS | DD-53 |
| AF22 | EVER HAD HOME BLOOD STOOL TEST | DD-47 |
| AF24 | WHEN WAS MOST RECENT HOME BLOOD STOOL TEST | DD-48 |
| AF30 | EVER HEARD OF PSA TEST | DD-54 |
| AF31 | EVER HAD A PSA TEST | DD-54 |
| AF33 | WHEN WAS MOST RECENT PSA TEST | DD-55 |
| AF34 | MAIN REASON FOR LAST PSA TEST | DD-56 |
| AF37 | DOCTOR EXAMINED BREASTS FOR LUMPS PAST 12 MOS | DD-100 |
| AF4 | BLOOD RELATIVE EVER HAVE ANY KIND CANCER | DD-44 |
| AF47 | EVER TAKEN HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE | DD-108 |
| AF48 | HOW LONG AGO STOPPED USING HORMONE REPLACEMENT SUPPLEMENTS | DD-109 |
| AF6 | MOTHER EVER DIAGNOSED WITH BREAST CANCER | DD-44 |
| AF62 | ANY MONTH PAST 12 MONTHS FELT WORSE | DD-114 |
| AF63 | FEEL NERVOUS WORST MONTH | DD-115 |

| VARIABLE | LABEL | PAGE |
|----------|---|--------|
| AF64 | FEEL HOPELESS WORST MONTH | DD-115 |
| AF65 | FEEL RESTLESS WORST MONTH | DD-116 |
| AF66 | FEEL DEPRESSED WORST MONTH | DD-116 |
| AF67 | FEEL EVERYTHING AN EFFORT WORST MONTH | DD-117 |
| AF68 | FEEL WORTHLESS WORST MONTH | DD-117 |
| AF69 | EMOTIONS INTERFERE W/WORK WORST MONTH | DD-118 |
| AF7 | SISTER EVER DIAGNOSED WITH BREAST CANCER | DD-45 |
| AF70 | EMOTIONS INTERFERE W/CHORES WORST MONTH | DD-118 |
| AF71 | EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH | DD-119 |
| AF72 | EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH | DD-119 |
| AF8 | NUMBER OF SISTERS WITH BREAST CANCER | DD-45 |
| AG10 | RESPONDENT USUALLY WORKS | DD-136 |
| AG11 | SPOUSE USUALLY WORKS | DD-139 |
| AG20 | LANGUAGE SPEAK WITH FRIENDS | DD-128 |
| AG21 | LANGUAGE OF TV, RADIO, NEWSPAPERS | DD-128 |
| AG22 | EVER SERVE IN U.S. ARMED FORCES | DD-133 |
| AG8 | WORK STATUS OF SPOUSE LAST WEEK | DD-139 |
| AG9 | TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB | DD-140 |
| AH1 | HAVE USUAL SOURCE OF HEALTH CARE | DD-143 |
| AH12 | VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS | DD-146 |
| AH13A | ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS | DD-19 |
| AH14 | PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS | DD-157 |
| AH15A | HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS | DD-20 |
| AH16 | DELAY GETTING PRESCRIPTION IN PAST 12 MO | DD-181 |
| AH22 | DELAY OTHER MEDICAL CARE IN PAST 12 MOS | DD-183 |
| AH3 | KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE | DD-144 |
| AH33NEW | BORN IN U.S. | DD-124 |
| AH34NEW | MOTHER BORN IN U.S. | DD-124 |
| AH35NEW | FATHER BORN IN U.S. | DD-125 |
| AH37 | HOW WELL YOU SPEAK ENGLISH | DD-129 |
| AH43A | LIVING WITH A PARENT | DD-132 |
| AH44 | SPOUSE LIVING IN SAME HOUSEHOLD | DD-131 |
| AH44A | USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS | DD-132 |
| AH49 | MEDICARE COVERAGE PROVIDED THROUGH HMO | DD-147 |
| AH5 | # TIMES SAW MD IN PAST 12 MOS | DD-174 |
| AH50_P | NAME OF MEDICARE HMO PLAN (PUF RECODE) | DD-147 |
| AH52 | SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE | DD-148 |
| AH6 | HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH | DD-175 |
| AH71 | HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 | DD-154 |
| AH72 | HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 | DD-154 |
| AH73 | SPECIAL FUND TO PAY MEDICAL EXPENSES | DD-155 |
| AH74 | TRIED TO FIND HEALTH INSURANCE ON OWN | DD-155 |
| AH75 | TRIED TO FIND HEALTH INSURANCE ON OWN | DD-156 |

| VARIABLE | LABEL | PAGE |
|----------|--|--------|
| AH77 | FREE PRENATAL CARE DURING PAST 12 MOS | DD-157 |
| AHCHLDC | AMOUNT SPENT ON CHILD CARE PER WEEK | DD-133 |
| AHEDUC | EDUCATIONAL ATTAINMENT | DD-140 |
| AI15 | MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN | DD-149 |
| AI15A | MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN | DD-149 |
| AI22A_P | NAME OF HEALTH PLAN (PUF RECODE) | DD-152 |
| AI22C | MAIN HEALTH PLAN IS HMO | DD-151 |
| AI25 | COVERED FOR PRESCRIPTION DRUGS | DD-153 |
| AI25NEW | RX COVERAGE EDITED FOR MEDICAL/HF | DD-153 |
| AI28 | HOW LONG SINCE LAST HAD HEALTH INS | DD-156 |
| AI37A | SPOUSE COVERED BY MEDICARE SUPPL POLICY | DD-150 |
| AI4 | COVERED BY MEDICARE SUPPL POLICY | DD-148 |
| AI45 | MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN | DD-150 |
| AI45A | MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN | DD-151 |
| AJ1 | INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS | DD-120 |
| AJ10 | NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR | DD-180 |
| AJ100 | AMOUNT OF OWN MONEY SPENT ON CAREGIVING PAST MO | DD-194 |
| AJ101 | CURRENTLY PROVIDE CARE | DD-188 |
| AJ11 | WHO HELPED YOU UNDERSTAND DOCTOR | DD-180 |
| AJ19 | COST/NO INSUR DELAYED GETTING PRESCRIPTION | DD-181 |
| AJ20 | COST/NO INSR DELAYED GETTING NEEDED CARE | DD-184 |
| AJ29 | FEEL NERVOUS PAST 30 DAYS | DD-111 |
| AJ30 | FEEL HOPELESS PAST 30 DAYS | DD-112 |
| AJ31 | FEEL RESTLESS PAST 30 DAYS | DD-112 |
| AJ32 | FEEL DEPRESSED PAST 30 DAYS | DD-113 |
| AJ33 | FEEL EVERYTHING AN EFFORT PAST 30 DAYS | DD-113 |
| AJ34 | FEEL WORTHLESS PAST 30 DAYS | DD-114 |
| AJ50_P | LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE) | DD-179 |
| AJ77 | HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER | DD-176 |
| AJ78 | CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS | DD-177 |
| AJ79 | HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE | DD-177 |
| AJ8 | HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT | DD-178 |
| AJ80 | DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS | DD-178 |
| AJ81 | DELAYED PRESCRIPTION FOR ASTHMA | DD-182 |
| AJ82 | DELAYED PRESCRIPTION FOR DIABETES | DD-182 |
| AJ83 | DELAYED PRESCRIPTION FOR HEART DISEASE | DD-183 |
| AJ84 | DELAYED MEDICAL CARE FOR ASTHMA | DD-184 |
| AJ85 | DELAYED MEDICAL CARE FOR DIABETES | DD-185 |
| AJ86 | DELAYED MEDICAL CARE FOR HEART DISEASE | DD-185 |
| AJ87 | PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR | DD-186 |
| AJ88 | # OF PEOPLE PROVIDED CARE TO | DD-186 |
| AJ89 | PERSON NEEDED HELP FOR MORE THAN 3 MOS | DD-187 |
| AJ9 | MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND | DD-179 |

| VARIABLE | LABEL | PAGE |
|----------|--|--------|
| AJ90_P | RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO (PUF RECODE) | DD-187 |
| AJ91 | CARE RECIPIENT LIVES W/RESP | DD-188 |
| AJ92 | CARE RECIPIENT LIVES IN NURSING HOME | DD-189 |
| AJ93 | # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK | DD-189 |
| AJ93UNT | # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WK - UNIT | DD-190 |
| AJ94 | PAID FOR HELPING CARE RECIPIENT | DD-190 |
| AJ95 | LENGTH OF TIME HELP CARE FOR RECIPIENT | DD-191 |
| AJ95UNT | LENGTH OF TIME HELP CARE FOR RECIPIENT - UNIT | DD-191 |
| AJ96 | EVER USED RESPITE CARE SERVICE | DD-192 |
| AJ97 | SOMEONE TO CARE FOR RECIPIENT IF RESP UNABLE | DD-192 |
| AJ98 | CARE RECIPIENT RECEIVED MEDI-CAL | DD-193 |
| AJ99 | ATTENDED MEDI-CAL TRAINING FOR LONG-TERM CAREGIVERS | DD-193 |
| AK1 | WORK STATUS LAST WEEK | DD-134 |
| AK10A_P | SPOUSE'S EARNINGS LAST MONTH (PUF RECODE) | DD-198 |
| AK10_P | RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE) | DD-197 |
| AK2 | MAIN REASON FOR NOT WORKING LAST WEEK | DD-135 |
| AK20 | # OF HRS PER WEEK SPOUSE USUALLY WORKS | DD-197 |
| AK22_P | HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE) | DD-198 |
| AK23 | LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME | DD-210 |
| AK25 | OWN OR RENT HOME | DD-211 |
| AK28 | HOW OFTEN FEEL SAFE IN NEIGHBORHOOD | DD-214 |
| AK3 | # OF USUAL HRS WORKED PER WEEK | DD-195 |
| AK4 | TYPE OF EMPLOYER AT MAIN JOB | DD-138 |
| AK7 | LENGTH OF TIME WORKING AT MAIN JOB | DD-195 |
| AK7UNT | TIME AT MAIN JOB: UNIT OF TIME | DD-196 |
| AK8 | HOW MANY PEOPLE WORK FOR EMPLOYER/YOU | DD-196 |
| AKWKLNG | TIME AT MAIN JOB | DD-141 |
| AL15 | RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH | DD-207 |
| AL16_P | TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE) | DD-207 |
| AL17 | PAID ALIMONY OR CHILD SUPPORT LAST MONTH | DD-208 |
| AL18A | RECVD SOCIAL SECURITY OR PENSION LAST MONTH | DD-209 |
| AL18B_P | TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE) | DD-209 |
| AL18_P | TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE) | DD-208 |
| AL2 | CURRENTLY ON TANF OR CALWORKS | DD-205 |
| AL22 | RECEIVING SOCIAL SECURITY DISABILITY INS | DD-138 |
| AL23 | APPLIED FOR MEDI-CAL FOR SELF OR CHILD IN PAST 12 MOS | DD-210 |
| AL5 | RECEIVING FOOD STAMP BENEFITS | DD-205 |
| AL6 | RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME) | DD-206 |
| AL7 | CURRENTLY ON WIC | DD-206 |
| AM1 | HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS | DD-199 |
| AM19 | PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER | DD-212 |

| VARIABLE | LABEL | PAGE |
|----------|---|--------|
| AM2 | HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS | DD-199 |
| AM20 | PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG WITH EACH OTHER | DD-212 |
| AM21 | PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED | DD-213 |
| AM3 | ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | DD-200 |
| AM34 | TELEPHONE CALLS RECEIVED | DD-219 |
| AM35 | NEIGHBORHOOD WATCH OUT CHILDREN FOR SAFE | DD-213 |
| AM36 | DID VOLUNTEER WORK OR COMMUNITY SERVICES | DD-214 |
| AM3A | HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | DD-200 |
| AM4 | ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS | DD-201 |
| AM5 | HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS | DD-201 |
| ASIAN8 | ASIAN SUBTYPES- (8 TYPES) (PUF RECODE) | DD-11 |
| ASNHP2_P | ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED | DD-12 |
| ASTCUR | CURRENT ASTHMA STATUS | DD-17 |
| ASTS | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA | DD-18 |
| ASTYR | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA | DD-18 |
| BINGE12 | BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE) | DD-88 |
| BMI_P | BODY MASS INDEX (PUF RECODE) | DD-93 |
| CATRIBE | CALIFORNIA TRIBE | DD-10 |
| CHORES | CHORE IMPAIRMENT PAST 12 MONTHS | DD-122 |
| CITIZEN2 | CITIZENSHIP STATUS - 3 LEVELS | DD-130 |
| CNTRYF | COUNTRY FATHER BORN | DD-125 |
| CNTRYM | COUNTRY MOTHER BORN | DD-126 |
| CNTRYs | COUNTRY BORN | DD-126 |
| CRC_SCRN | COLONOSCOPY/SIG/FOBT IN PAST 5 YRS | DD-50 |
| DIABCK | # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH | DD-26 |
| DIAMED | TAKING INSULIN OR PILLS | DD-27 |
| DISABLE | DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION | DD-97 |
| DISTRESS | SERIOUS PSYCHOLOGICAL DISTRESS | DD-120 |
| DOCT_YR | VISITED DOCTOR IN PAST 12 MOS | DD-176 |
| DSTRS12 | EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN PAST YEAR | DD-121 |
| DSTRS30 | EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN THE PAST MONTH | DD-121 |
| DSTRSYR | SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE) | DD-122 |
| ELIGPRG3 | MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED | DD-203 |
| EM1 | TAKE PRESCRIBED MEDICINE DAILY | DD-215 |
| EM2 | HAVE AT LEAST 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS | DD-215 |
| EM3 | ABLE TO GET 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS | DD-216 |
| EM4CODE | REASON UNABLE GET 2-WK SUPPLY DRUGS | DD-216 |
| EM5 | # DAYS ABLE TO STAY AT HOME WITHOUT SHOPPING FOR ADD'L SUPPLIES | DD-217 |
| EM6 | HOW CONFIDENT COUNTY'S PUB HLTH SYS CAN RESPOND | DD-217 |

| VARIABLE | LABEL | PAGE |
|----------|--|--------|
| EM7 | HOW CONFIDENT COUNTY'S PUB HLTH SYS FAIRLY RESPOND | DD-218 |
| ER | ER VISIT WITHIN THE PAST YEAR | DD-158 |
| FAMILY | FAMILY LIFE IMPAIRMENT PAST 12 MONTHS | DD-142 |
| FAMT4 | FAMILY TYPE - 4 LVLS | DD-143 |
| FAMTYP_P | FAMILY TYPE (PUF RECODE) | DD-142 |
| FOBT2 | BLOOD STOOL TEST PAST 2 YEARS | DD-48 |
| FSLEV | FOOD SECURITY STATUS LEVEL | DD-204 |
| FSLEVCB | FOOD SECURITY STATUS - 2 LVLS | DD-204 |
| HEIGHM_P | HEIGHT: METERS - UCLA (PUF RECODE) | DD-90 |
| HGHTI_P | HEIGHT: INCHES (PUF RECODE) | DD-89 |
| HGHTM_P | HEIGHT: METERS (PUF RECODE) | DD-89 |
| HHSIZE_P | HOUSEHOLD SIZE (PUF RECODE) | DD-1 |
| HHSMK | HOUSEHOLD SMOKING | DD-86 |
| IHS | COVERED BY INDIAN HEALTH SERVICES | DD-158 |
| IHS_S | SPOUSE COVERED BY INDIAN HEALTH SERVICES | DD-159 |
| IMPAIR | FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS | DD-123 |
| INS | CURRENTLY INSURED | DD-159 |
| INS12M | MOS COVERED BY HEALTH PLANS LAST 12 MOS | DD-160 |
| INS64S_P | SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE) | DD-161 |
| INS64_P | CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE) | DD-161 |
| INS65 | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+ | DD-162 |
| INS65_S | TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+ | DD-162 |
| INSANY | ANY INS IN LAST 12 MOS | DD-163 |
| INSEM | COVERED BY EMPLOYER-BASED PLANS | DD-163 |
| INSEM_S | SPOUSE COVERED BY EMPLOYER-BASED PLANS | DD-164 |
| INSMC | COVERED BY MEDICARE | DD-164 |
| INSMC_S | SPOUSE COVERED BY MEDICARE | DD-165 |
| INSMD | COVERED BY MEDI-CAL | DD-165 |
| INSMD_S | SPOUSE COVERED BY MEDI-CAL | DD-166 |
| INSOG | COVERED BY OTHER GOVT PLANS | DD-166 |
| INSOG_S | SPOUSE COVERED BY OTHER GOVT PLANS | DD-167 |
| INSPR | COVERED BY PLANS PURCHASED ON OWN | DD-167 |
| INSPR_S | SPOUSE COVERED BY PLANS PURCHASED ON OWN | DD-168 |
| INSPS | PRIMARY OR SECONDARY COVERAGE | DD-168 |
| INSPS_S | SPOUSE PRIMARY OR SECONDARY COVERAGE | DD-169 |
| INSTYP_P | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (PUF RECODE) | DD-170 |
| INST_12 | HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS | DD-169 |
| INS_S | SPOUSE CURRENTLY INSURED | DD-160 |
| INTVLANG | LANGUAGE OF INTERVIEW | DD-2 |
| LANGHOME | LANGUAGE SPOKEN AT HOME | DD-127 |
| LATIN9TP | LATIN/HISPANIC SUBTYPES - 9 LVLS | DD-4 |
| MAM_SCRN | MAMMOGRAM IN PAST 2 YRS | DD-101 |
| MARIT | MARITAL STATUS- 3 CATEGORIES | DD-14 |

| VARIABLE | LABEL | PAGE |
|----------|--|--------|
| MARIT2 | MARITAL STATUS- 4 CATEGORIES | DD-15 |
| MODACT | MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY | DD-67 |
| NUMCIG | # OF CIGARETTES PER DAY | DD-86 |
| NUMTAN12 | # OF TIMES USED INDOOR TANNING DEVICE PAST 12 MOS | DD-80 |
| OFFTK | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS | DD-173 |
| OFFTK_S | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE | DD-174 |
| OMBSRASO | OMB S-R NONHISPANIC ASIAN GROUP (ONLY) | DD-6 |
| OMBSRREO | OMB/CURRENT DOF RACE - ETHNICITY | DD-6 |
| OVRWT | OVERWEIGHT OR OBESE | DD-94 |
| PCTLF_P | PERCENT LIFE IN US (PUF RECODE) | DD-131 |
| POVGWD_P | FAMILY POVERTY THRESHOLD LEVEL(PUF RECODE) | DD-202 |
| POVLL | POVERTY LEVEL | DD-202 |
| POVLL2_P | POVERTY LEVEL - 100% FPL (PUF RECODE) | DD-203 |
| PROXY | A PROXY INTERVIEW | DD-2 |
| PSA_SCRN | PROSTATE SCREENING PAST YEAR | DD-55 |
| PUF_ID | PUBLIC USE FILE ID | DD-1 |
| RACECEN | RACE - CENSUS 2000 DEFINITION | DD-7 |
| RACEDOF | FORMER DOF RACE - ETHNICITY | DD-7 |
| RACEHPR2 | RACE - UCLA CHPR DEFINITION, UNBRIDGED | DD-8 |
| RAKEDW0 | CHIS2009 RAKED WEIGHT - FULL SAMPLE | DD-222 |
| RAKEDW1 | CHIS2009 RAKED WEIGHT - REPLICATE 1 | DD-223 |
| RAKEDW10 | CHIS2009 RAKED WEIGHT - REPLICATE 10 | DD-226 |
| RAKEDW11 | CHIS2009 RAKED WEIGHT - REPLICATE 11 | DD-226 |
| RAKEDW12 | CHIS2009 RAKED WEIGHT - REPLICATE 12 | DD-226 |
| RAKEDW13 | CHIS2009 RAKED WEIGHT - REPLICATE 13 | DD-227 |
| RAKEDW14 | CHIS2009 RAKED WEIGHT - REPLICATE 14 | DD-227 |
| RAKEDW15 | CHIS2009 RAKED WEIGHT - REPLICATE 15 | DD-227 |
| RAKEDW16 | CHIS2009 RAKED WEIGHT - REPLICATE 16 | DD-228 |
| RAKEDW17 | CHIS2009 RAKED WEIGHT - REPLICATE 17 | DD-228 |
| RAKEDW18 | CHIS2009 RAKED WEIGHT - REPLICATE 18 | DD-228 |
| RAKEDW19 | CHIS2009 RAKED WEIGHT - REPLICATE 19 | DD-229 |
| RAKEDW2 | CHIS2009 RAKED WEIGHT - REPLICATE 2 | DD-223 |
| RAKEDW20 | CHIS2009 RAKED WEIGHT - REPLICATE 20 | DD-229 |
| RAKEDW21 | CHIS2009 RAKED WEIGHT - REPLICATE 21 | DD-229 |
| RAKEDW22 | CHIS2009 RAKED WEIGHT - REPLICATE 22 | DD-230 |
| RAKEDW23 | CHIS2009 RAKED WEIGHT - REPLICATE 23 | DD-230 |
| RAKEDW24 | CHIS2009 RAKED WEIGHT - REPLICATE 24 | DD-230 |
| RAKEDW25 | CHIS2009 RAKED WEIGHT - REPLICATE 25 | DD-231 |
| RAKEDW26 | CHIS2009 RAKED WEIGHT - REPLICATE 26 | DD-231 |
| RAKEDW27 | CHIS2009 RAKED WEIGHT - REPLICATE 27 | DD-231 |
| RAKEDW28 | CHIS2009 RAKED WEIGHT - REPLICATE 28 | DD-232 |
| RAKEDW29 | CHIS2009 RAKED WEIGHT - REPLICATE 29 | DD-232 |
| RAKEDW3 | CHIS2009 RAKED WEIGHT - REPLICATE 3 | DD-223 |
| RAKEDW30 | CHIS2009 RAKED WEIGHT - REPLICATE 30 | DD-232 |

| VARIABLE | LABEL | PAGE |
|-----------------|--------------------------------------|-------------|
| RAKEDW31 | CHIS2009 RAKED WEIGHT - REPLICATE 31 | DD-233 |
| RAKEDW32 | CHIS2009 RAKED WEIGHT - REPLICATE 32 | DD-233 |
| RAKEDW33 | CHIS2009 RAKED WEIGHT - REPLICATE 33 | DD-233 |
| RAKEDW34 | CHIS2009 RAKED WEIGHT - REPLICATE 34 | DD-234 |
| RAKEDW35 | CHIS2009 RAKED WEIGHT - REPLICATE 35 | DD-234 |
| RAKEDW36 | CHIS2009 RAKED WEIGHT - REPLICATE 36 | DD-234 |
| RAKEDW37 | CHIS2009 RAKED WEIGHT - REPLICATE 37 | DD-235 |
| RAKEDW38 | CHIS2009 RAKED WEIGHT - REPLICATE 38 | DD-235 |
| RAKEDW39 | CHIS2009 RAKED WEIGHT - REPLICATE 39 | DD-235 |
| RAKEDW4 | CHIS2009 RAKED WEIGHT - REPLICATE 4 | DD-224 |
| RAKEDW40 | CHIS2009 RAKED WEIGHT - REPLICATE 40 | DD-236 |
| RAKEDW41 | CHIS2009 RAKED WEIGHT - REPLICATE 41 | DD-236 |
| RAKEDW42 | CHIS2009 RAKED WEIGHT - REPLICATE 42 | DD-236 |
| RAKEDW43 | CHIS2009 RAKED WEIGHT - REPLICATE 43 | DD-237 |
| RAKEDW44 | CHIS2009 RAKED WEIGHT - REPLICATE 44 | DD-237 |
| RAKEDW45 | CHIS2009 RAKED WEIGHT - REPLICATE 45 | DD-237 |
| RAKEDW46 | CHIS2009 RAKED WEIGHT - REPLICATE 46 | DD-238 |
| RAKEDW47 | CHIS2009 RAKED WEIGHT - REPLICATE 47 | DD-238 |
| RAKEDW48 | CHIS2009 RAKED WEIGHT - REPLICATE 48 | DD-238 |
| RAKEDW49 | CHIS2009 RAKED WEIGHT - REPLICATE 49 | DD-239 |
| RAKEDW5 | CHIS2009 RAKED WEIGHT - REPLICATE 5 | DD-224 |
| RAKEDW50 | CHIS2009 RAKED WEIGHT - REPLICATE 50 | DD-239 |
| RAKEDW51 | CHIS2009 RAKED WEIGHT - REPLICATE 51 | DD-239 |
| RAKEDW52 | CHIS2009 RAKED WEIGHT - REPLICATE 52 | DD-240 |
| RAKEDW53 | CHIS2009 RAKED WEIGHT - REPLICATE 53 | DD-240 |
| RAKEDW54 | CHIS2009 RAKED WEIGHT - REPLICATE 54 | DD-240 |
| RAKEDW55 | CHIS2009 RAKED WEIGHT - REPLICATE 55 | DD-241 |
| RAKEDW56 | CHIS2009 RAKED WEIGHT - REPLICATE 56 | DD-241 |
| RAKEDW57 | CHIS2009 RAKED WEIGHT - REPLICATE 57 | DD-241 |
| RAKEDW58 | CHIS2009 RAKED WEIGHT - REPLICATE 58 | DD-242 |
| RAKEDW59 | CHIS2009 RAKED WEIGHT - REPLICATE 59 | DD-242 |
| RAKEDW6 | CHIS2009 RAKED WEIGHT - REPLICATE 6 | DD-224 |
| RAKEDW60 | CHIS2009 RAKED WEIGHT - REPLICATE 60 | DD-242 |
| RAKEDW61 | CHIS2009 RAKED WEIGHT - REPLICATE 61 | DD-243 |
| RAKEDW62 | CHIS2009 RAKED WEIGHT - REPLICATE 62 | DD-243 |
| RAKEDW63 | CHIS2009 RAKED WEIGHT - REPLICATE 63 | DD-243 |
| RAKEDW64 | CHIS2009 RAKED WEIGHT - REPLICATE 64 | DD-244 |
| RAKEDW65 | CHIS2009 RAKED WEIGHT - REPLICATE 65 | DD-244 |
| RAKEDW66 | CHIS2009 RAKED WEIGHT - REPLICATE 66 | DD-244 |
| RAKEDW67 | CHIS2009 RAKED WEIGHT - REPLICATE 67 | DD-245 |
| RAKEDW68 | CHIS2009 RAKED WEIGHT - REPLICATE 68 | DD-245 |
| RAKEDW69 | CHIS2009 RAKED WEIGHT - REPLICATE 69 | DD-245 |
| RAKEDW7 | CHIS2009 RAKED WEIGHT - REPLICATE 7 | DD-225 |
| RAKEDW70 | CHIS2009 RAKED WEIGHT - REPLICATE 70 | DD-246 |
| RAKEDW71 | CHIS2009 RAKED WEIGHT - REPLICATE 71 | DD-246 |

| VARIABLE | LABEL | PAGE |
|------------|--|--------|
| RAKEDW72 | CHIS2009 RAKED WEIGHT - REPLICATE 72 | DD-246 |
| RAKEDW73 | CHIS2009 RAKED WEIGHT - REPLICATE 73 | DD-247 |
| RAKEDW74 | CHIS2009 RAKED WEIGHT - REPLICATE 74 | DD-247 |
| RAKEDW75 | CHIS2009 RAKED WEIGHT - REPLICATE 75 | DD-247 |
| RAKEDW76 | CHIS2009 RAKED WEIGHT - REPLICATE 76 | DD-248 |
| RAKEDW77 | CHIS2009 RAKED WEIGHT - REPLICATE 77 | DD-248 |
| RAKEDW78 | CHIS2009 RAKED WEIGHT - REPLICATE 78 | DD-248 |
| RAKEDW79 | CHIS2009 RAKED WEIGHT - REPLICATE 79 | DD-249 |
| RAKEDW8 | CHIS2009 RAKED WEIGHT - REPLICATE 8 | DD-225 |
| RAKEDW80 | CHIS2009 RAKED WEIGHT - REPLICATE 80 | DD-249 |
| RAKEDW9 | CHIS2009 RAKED WEIGHT - REPLICATE 9 | DD-225 |
| RBMI | BMI DESCRIPTIVE | DD-94 |
| REGACT | REGULAR, MODERATE, OR VIGOROUS ACTIVITY | DD-67 |
| RSN_UNI2 | REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS | DD-171 |
| RSN_UNIN | REASON FOR CURRENTLY UNINSURED STATUS | DD-172 |
| SCBRSCAN | 1+ SIBLING AND/OR CHILD DIAGNOSED WITH COLON/RECTAL CANCER | DD-47 |
| SECTION A | DEMOGRAPHIC INFORMATION, PART I | DD-3 |
| SECTION B | HEALTH CONDITIONS | DD-15 |
| SECTION C | HEALTH BEHAVIORS | DD-58 |
| SECTION D | GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH | DD-89 |
| SECTION E | WOMEN'S HEALTH | DD-97 |
| SECTION EM | EMERGENCY PREPAREDNESS MODULE | DD-215 |
| SECTION F | MENTAL HEALTH | DD-111 |
| SECTION G | DEMOGRAPHIC INFORMATION, PART II | DD-124 |
| SECTION H | HEALTH INSURANCE | DD-143 |
| SECTION J | HEALTH CARE UTILIZATION AND ACCESS, VIOLENCE | DD-174 |
| SECTION K | EMPLOYMENT, INCOME, POVERTY STATUS, FOOD SECURITY | DD-194 |
| SECTION L | PUBLIC PROGRAM PARTICIPATION | DD-205 |
| SECTION M | HOUSING AND SOCIAL COHESION | DD-210 |
| SECTION N | DEMOGRAPHIC INFORMATION PART III | DD-218 |
| SECTION O | FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80 | DD-222 |
| SECTION Q | SCREENING INFORMATION | DD-1 |
| SERVED | LENGTH OF TIME SERVED IN ACTIVE DUTY | DD-134 |
| SMKCUR | CURRENT SMOKER | DD-85 |
| SMOKING | CURRENT SMOKING HABITS | DD-85 |
| SOCIAL | SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS | DD-123 |
| SPK_ENG | ENGLISH USE AND PROFICIENCY | DD-129 |
| SRAA | SELF-REPORTED AFRICAN AMERICAN | DD-8 |
| SRAGE_P | AGE (PUF RECODE) | DD-3 |
| SRAI | SELF-REPORTED AMERICAN INDIAN | DD-9 |
| SRAS | SELF-REPORTED ASIAN | DD-9 |
| SRASO | SELF-REPORTED OTHER ASIAN GROUP | DD-9 |
| SRCH | SELF-REPORTED CHINESE | DD-10 |

| VARIABLE | LABEL | PAGE |
|----------|--|--------|
| SRH | SELF-REPORTED LATINO/HISPANIC | DD-5 |
| SRKR | SELF-REPORTED KOREAN | DD-12 |
| SRO | SELF-REPORTED OTHER RACE | DD-5 |
| SRPH | SELF-REPORTED FILIPINO | DD-13 |
| SRPI | SELF-REPORTED PI AND NTV HW | DD-13 |
| SRSEX | GENDER | DD-4 |
| SRTENR | SELF-REPORTED HOUSEHOLD TENURE (HH) | DD-3 |
| SRVT | SELF-REPORTED VIETNAMESE | DD-13 |
| SRW | SELF-REPORTED WHITE | DD-14 |
| TIMEAD | LENGTH OF TIME LIVED AT CURRENT ADDRESS (IN MONTHS) | DD-211 |
| UNINSANY | UNINSURED IN PAST 12 MOS | DD-173 |
| UR_BG | RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) | DD-219 |
| UR_CLRT | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS) | DD-220 |
| UR_CLRT2 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS) | DD-220 |
| UR_IHS | RURAL AND URBAN - IHS | DD-221 |
| UR_OMB | RURAL AND URBAN - OMB | DD-221 |
| UR_RHP | RURAL AND URBAN - RHP | DD-221 |
| UR_TRACT | RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) | DD-222 |
| USOC | USUAL SOURCE OF CARE OTHER THAN ER | DD-144 |
| USUAL | HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE | DD-145 |
| USUAL5TP | USUAL SOURCE OF CARE - 5 LVLS | DD-146 |
| USUAL_TP | USUAL SOURCE OF CARE - 7 LVLS | DD-145 |
| VIGPA | VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY | DD-68 |
| WEIGHK_P | WEIGHT: KG - UCLA (PUF RECODE) | DD-90 |
| WGHTK_P | WEIGHT: KG (PUF RECODE) | DD-91 |
| WGHTP_P | WEIGHT: LBS (PUF RECODE) | DD-91 |
| WORK | WORK IMPAIRMENT PAST 12 MONTHS | DD-136 |
| WRKST | WORKING STATUS | DD-137 |
| WRKST_S | SPOUSE WORKING STATUS | DD-137 |
| WT18K_P | WEIGHT AT 18: KILOS (PUF RECODE) | DD-92 |
| WT18P_P | WEIGHT AT 18: LBS (PUF RECODE) | DD-92 |
| YRUS | YEARS LIVED IN THE U.S. | DD-130 |

B. Variable name (by Location in CHIS 2009 Adult Questionnaire)

| VARIABLE | LABEL | PAGE |
|------------------|--|--------------|
| SECTION Q | SCREENING INFORMATION | DD-1 |
| PUF_ID | PUBLIC USE FILE ID | DD-1 |
| HHSIZE_P | HOUSEHOLD SIZE (PUF RECODE) | DD-1 |
| INTVLANG | LANGUAGE OF INTERVIEW | DD-2 |
| PROXY | A PROXY INTERVIEW | DD-2 |
| SRTENR | SELF-REPORTED HOUSEHOLD TENURE (HH) | DD-3 |
| SECTION A | DEMOGRAPHIC INFORMATION, PART I | DD-3 |
| SRAGE_P | AGE (PUF RECODE) | DD-3 |
| SRSEX | GENDER | DD-4 |
| LATIN9TP | LATIN/HISPANIC SUBTYPES - 9 LVLS | DD-4 |
| SRH | SELF-REPORTED LATINO/HISPANIC | DD-5 |
| SRO | SELF-REPORTED OTHER RACE | DD-5 |
| OMBSRASO | OMB S-R NONHISPANIC ASIAN GROUP (ONLY) | DD-6 |
| OMBSRREO | OMB/CURRENT DOF RACE - ETHNICITY | DD-6 |
| RACECEN | RACE - CENSUS 2000 DEFINITION | DD-7 |
| RACEDOF | FORMER DOF RACE - ETHNICITY | DD-7 |
| RACEHPR2 | RACE - UCLA CHPR DEFINITION, UNBRIDGED | DD-8 |
| SRAA | SELF-REPORTED AFRICAN AMERICAN | DD-8 |
| SRAI | SELF-REPORTED AMERICAN INDIAN | DD-9 |
| SRAS | SELF-REPORTED ASIAN | DD-9 |
| SRASO | SELF-REPORTED OTHER ASIAN GROUP | DD-9 |
| SRCH | SELF-REPORTED CHINESE | DD-10 |
| CATRIBE | CALIFORNIA TRIBE | DD-10 |
| AA5C | ENROLLED MEMBER IN RECOGNIZED TRIBE | DD-11 |
| ASIAN8 | ASIAN SUBTYPES- (8 TYPES) (PUF RECODE) | DD-11 |
| ASNHP2_P | ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED | DD-12 |
| SRKR | SELF-REPORTED KOREAN | DD-12 |
| SRPH | SELF-REPORTED FILIPINO | DD-13 |
| SRPI | SELF-REPORTED PI AND NTV HW | DD-13 |
| SRVT | SELF-REPORTED VIETNAMESE | DD-13 |
| SRW | SELF-REPORTED WHITE | DD-14 |
| MARIT | MARITAL STATUS- 3 CATEGORIES | DD-14 |
| MARIT2 | MARITAL STATUS- 4 CATEGORIES | DD-15 |
| SECTION B | HEALTH CONDITIONS | DD-15 |
| AB1 | GENERAL HEALTH CONDITION | DD-15 |
| AB17 | DOCTOR EVER TOLD HAVE ASTHMA | DD-16 |
| AB40 | STILL HAS ASTHMA | DD-16 |
| AB41 | ASTHMA EPISODE/ATTACK IN PAST 12 MOS | DD-17 |
| ASTCUR | CURRENT ASTHMA STATUS | DD-17 |
| ASTS | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA | DD-18 |
| ASTYR | ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA | DD-18 |

| VARIABLE | LABEL | PAGE |
|----------|---|-------|
| AB19 | HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS | DD-19 |
| AH13A | ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS | DD-19 |
| AB106_P | ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF) | DD-20 |
| AH15A | HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS | DD-20 |
| AB18 | TAKING DAILY MEDICATION TO CONTROL ASTHMA | DD-21 |
| AB66 | HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS | DD-21 |
| AB67 | ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS | DD-22 |
| AB80 | HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS | DD-22 |
| AB42 | WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS | DD-23 |
| AB43 | HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN | DD-23 |
| AB98 | HAVE WRITTEN COPY OF ASTHMA CARE PLAN | DD-24 |
| AB108 | CONFIDENCE TO CONTROL AND MANAGE ASTHMA | DD-24 |
| AB22 | DOCTOR EVER TOLD HAVE DIABETES | DD-25 |
| AB99 | DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES | DD-25 |
| AB23_P | AGE FIRST TOLD HAVE DIABETES (PUF RECODE) | DD-26 |
| DIABCK | # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH | DD-26 |
| DIAMED | TAKING INSULIN OR PILLS | DD-27 |
| AB51 | TYPE I OR TYPE II DIABETES | DD-27 |
| AB24 | CURRENTLY TAKING INSULIN | DD-28 |
| AB121_P | METHOD OF TAKING INSULIN (PUF RECODE) | DD-28 |
| AB25 | CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR | DD-29 |
| AB122 | TAKE MEDICINE TO LOWER CHOLESTEROL | DD-29 |
| AB123 | TAKE ASPIRIN REGULARLY TO REDUCE HEART ATTACK RISK | DD-30 |
| AB124 | TAKE OTHER MEDICATIONS TO REDUCE HEART ATTACK RISK | DD-30 |
| AB26 | # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE | DD-31 |
| AB26UNT | # OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT | DD-31 |
| AB27 | # OF TIMES DOC CHECKED FOR HEMOGLOBIN A ONE C LAST YR | DD-32 |
| AB28 | # OF TIMES DOC CHECKED FEET FOR SORES LAST YR | DD-32 |
| AB63 | LAST EYE EXAM DILATED PUPILS | DD-33 |
| AB109 | VISITED ER FOR DIABETES IN PAST 12 MOS | DD-33 |
| AB110_P | VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE) | DD-34 |
| AB111 | ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS | DD-34 |
| AB112 | MEDICAL PROVIDERS DEVELOP DIABETES CARE | DD-35 |
| AB113 | HAVE WRITTEN COPY OF DIABETES CARE PLAN | DD-35 |
| AB114 | CONFIDENCE TO CONTROL AND MANAGE DIABETE | DD-36 |
| AB81 | DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY | DD-36 |
| AB126 | HAD A FASTING BLOOD SUGAR TEST AFTER PREGNANCY | DD-37 |
| AB29 | DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE | DD-37 |

| VARIABLE | LABEL | PAGE |
|------------------|--|--------------|
| AB30 | CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE | DD-38 |
| AB34 | DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE | DD-38 |
| AB52 | EVER TOLD HAVE HEART FAILURE/CONGESTIVE | DD-39 |
| AB115 | VISITED ER FOR HEART DISEASE IN PAST 12 MOS | DD-39 |
| AB116_P | VISITED ER FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF RECODE) | DD-40 |
| AB117 | ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS | DD-40 |
| AB118 | MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN | DD-41 |
| AB119 | HAVE WRITTEN COPY OF HEART DISEASE CARE | DD-41 |
| AB120 | CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE | DD-42 |
| AE30 | FLU SHOT IN PAST 12 MOS | DD-42 |
| AB100 | HAD FLU SHOT OR NASAL FLU VACCINE | DD-43 |
| AB57 | KIND OF PLACE GOT LAST FLU SHOT | DD-43 |
| AF4 | BLOOD RELATIVE EVER HAVE ANY KIND CANCER | DD-44 |
| AF6 | MOTHER EVER DIAGNOSED WITH BREAST CANCER | DD-44 |
| AF7 | SISTER EVER DIAGNOSED WITH BREAST CANCER | DD-45 |
| AF8 | NUMBER OF SISTERS WITH BREAST CANCER | DD-45 |
| AB101_1 | MOTHER DIAGNOSED WITH COLON/RECTAL CANCER | DD-46 |
| AB101_2 | FATHER DIAGNOSED WITH COLON/RECTAL CANCER | DD-46 |
| SCBRSCAN | 1+ SIBLING AND/OR CHILD DIAGNOSED WITH COLON/RECTAL CANCER | DD-47 |
| AF22 | EVER HAD HOME BLOOD STOOL TEST | DD-47 |
| FOBT2 | BLOOD STOOL TEST PAST 2 YEARS | DD-48 |
| AF24 | WHEN WAS MOST RECENT HOME BLOOD STOOL TEST | DD-48 |
| AB83 | MAIN REASON MOST RECENT BLOOD STOOL TEST | DD-49 |
| AB84 | EVER HAD A COLONOSCOPY | DD-49 |
| AB85 | MOST RECENT COLONOSCOPY EXAM | DD-50 |
| CRC_SCRN | COLONOSCOPY/SIG/FOBT IN PAST 5 YRS | DD-50 |
| AB86 | MAIN REASON MOST RECENT COLONOSCOPY | DD-51 |
| AB87 | EVER HAD A SIGMOIDOSCOPY | DD-51 |
| AB88 | MOST RECENT SIGMOIDOSCOPY EXAM | DD-52 |
| AB89 | MAIN REASON MOST RECENT SIGMOIDOSCOPY | DD-52 |
| AB90 | PAST 5 YRS DOCTOR RECOMMENDED COLON TESTS | DD-53 |
| AF20 | MAIN REASON NO SIGMOID/COLONOSCOPY IN PAST 10 YRS | DD-53 |
| AF30 | EVER HEARD OF PSA TEST | DD-54 |
| AF31 | EVER HAD A PSA TEST | DD-54 |
| PSA_SCRN | PROSTATE SCREENING PAST YEAR | DD-55 |
| AF33 | WHEN WAS MOST RECENT PSA TEST | DD-55 |
| AF34 | MAIN REASON FOR LAST PSA TEST | DD-56 |
| AB103 | DOC EVER TALKED ADVANTAGE/DISADVANTAGE OF PSA TEST | DD-56 |
| AB104 | DOC EVER TOLD DIFFERENT DR'S RECOMMENDATION FOR PSA TEST | DD-57 |
| AB105 | DOC EVER RECOMMENDED PSA TEST | DD-57 |
| SECTION C | HEALTH BEHAVIORS | DD-58 |

| VARIABLE | LABEL | PAGE |
|----------|--|-------|
| AD37W | WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS | DD-58 |
| AD38W | # TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS | DD-58 |
| AD39W | AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION | DD-59 |
| AD39WUNT | AVERAGE LENGTH OF TIME WALKED FOR TRANSPORT - UNIT | DD-59 |
| AD40W | WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS | DD-60 |
| AD41W | # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS | DD-60 |
| AD42W | AVERAGE LENGTH OF TIME WALKED FOR LEISURE | DD-61 |
| AD42WUNT | AVERAGE LENGTH OF TIME WALKED FOR LEISURE- UNIT | DD-61 |
| AE26 | MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS | DD-62 |
| AE27 | # DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK | DD-62 |
| AE27A | TIME PER DAY OF MODERATE PHYSICAL ACTIVITY | DD-63 |
| AE27AMIN | AVG LENGTH OF MODERATE ACTIVITY PER DAY | DD-63 |
| AE27AUNT | TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT | DD-64 |
| AE24 | HARD/VIGOROUS EXERCISE IN PAST 7 DAYS | DD-64 |
| AE25 | # DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK | DD-65 |
| AE25A | TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY | DD-65 |
| AE25AMIN | AVG LENGTH OF VIGOROUS ACTIVITY PER DAY | DD-66 |
| AE25AUNT | TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT | DD-66 |
| MODACT | MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY | DD-67 |
| REGACT | REGULAR, MODERATE, OR VIGOROUS ACTIVITY | DD-67 |
| VIGPA | VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY | DD-68 |
| AE2 | # TIMES ATE FRUIT IN PAST MO | DD-68 |
| AE2UNT | # OF TIMES ATE FRUIT IN PAST MO - UNIT | DD-69 |
| AE3 | # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO | DD-69 |
| AE3UNT | # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT | DD-70 |
| AE7 | # OF TIMES ATE VEGETABLES IN PAST MO | DD-70 |
| AE7UNT | # OF TIMES ATE VEGETABLES IN PAST MO - UNIT | DD-71 |
| AE_FRIES | # OF TIME EATING FRIES PER WEEK | DD-71 |
| AE_FRUIT | # OF TIMES EATING FRUIT PER WEEK | DD-72 |
| AC11 | # OF TIMES DRANK SODA LAST MONTH | DD-72 |
| AC11UNT | # OF TIMES DRANK SODA LAST MONTH - UNIT | DD-73 |
| AC12 | # OF TIMES DRANK FRUIT-FLAV LAST MONTH | DD-73 |
| AC12UNT | # OF TIMES DRANK FRUIT-FLAV LAST MONTH - UNIT | DD-74 |
| AC41 | # OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH | DD-74 |
| AC41UNT | # OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH - UNIT | DD-75 |
| AC36 | # OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH | DD-75 |
| AC36UNT | # OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH - UNIT | DD-76 |
| AE_SODA | # OF TIMES DRINKING SODA PER WEEK | DD-76 |
| AC13 | # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH | DD-77 |
| AC13UNT | # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH - UNIT | DD-77 |
| AE_VEGI | # OF TIMES EATING VEGETABLES PER WEEK | DD-78 |
| AC14 | # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH | DD-78 |

| VARIABLE | LABEL | PAGE |
|------------------|---|--------------|
| AC14UNT | # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH - UNIT | DD-79 |
| AC31 | # TIMES ATE FAST FOOD PAST WEEK | DD-79 |
| AF13 | TIMES SUNBURNED PAST 12 MOS | DD-80 |
| NUMTAN12 | # OF TIMES USED INDOOR TANNING DEVICE PAST 12 MOS | DD-80 |
| AE15 | SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME | DD-81 |
| AE15A | SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL | DD-81 |
| AD32 | # OF CIGARETTES PER DAY | DD-82 |
| AC40 | # OF CIGARETTES USUALLY SMOKE PER DAY | DD-82 |
| AE16 | # OF CIGARETTES PER DAY | DD-83 |
| AC38YR | # YEARS SMOKED CIGARETTES REGULARLY | DD-83 |
| AC17 | SMOKING EVER ALLOWED INSIDE HOME | DD-84 |
| AD34 | # OF DAYS PER WEEK ANY SMOKING INSIDE HOME | DD-84 |
| SMKCUR | CURRENT SMOKER | DD-85 |
| SMOKING | CURRENT SMOKING HABITS | DD-85 |
| NUMCIG | # OF CIGARETTES PER DAY | DD-86 |
| HHSMK | HOUSEHOLD SMOKING | DD-86 |
| AC32 | HAD ALCOHOL PAST 12 MONTHS | DD-87 |
| AC34 | # DAYS HAD 5+ DRINKS PAST 12 MONTHS | DD-87 |
| AC35 | # DAYS HAD 4+ DRINKS PAST 12 MONTHS | DD-88 |
| BINGE12 | BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE) | DD-88 |
| SECTION D | GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH | DD-89 |
| HGHTI_P | HEIGHT: INCHES (PUF RECODE) | DD-89 |
| HGHTM_P | HEIGHT: METERS (PUF RECODE) | DD-89 |
| HEIGHM_P | HEIGHT: METERS - UCLA (PUF RECODE) | DD-90 |
| WEIGHK_P | WEIGHT: KG - UCLA (PUF RECODE) | DD-90 |
| WGHTK_P | WEIGHT: KG (PUF RECODE) | DD-91 |
| WGHTP_P | WEIGHT: LBS (PUF RECODE) | DD-91 |
| WT18K_P | WEIGHT AT 18: KILOS (PUF RECODE) | DD-92 |
| WT18P_P | WEIGHT AT 18: LBS (PUF RECODE) | DD-92 |
| AD50 | BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM | DD-93 |
| BMI_P | BODY MASS INDEX (PUF RECODE) | DD-93 |
| RBMI | BMI DESCRIPTIVE | DD-94 |
| OVRWT | OVERWEIGHT OR OBESE | DD-94 |
| AD57 | CONDITION LIMITS BASIC PHYS ACTIVITY | DD-95 |
| AD51 | HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING | DD-95 |
| AD52 | HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND | DD-95 |
| AD53 | HAS DIFFICULTY GOING OUTSIDE HOME ALONE | DD-96 |
| AD54 | HAS DIFFICULTY WORKING AT A JOB | DD-96 |
| DISABLE | DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION | DD-97 |
| SECTION E | WOMEN'S HEALTH | DD-97 |
| AD1 | AGE WHEN PERIOD STARTED | DD-97 |
| AD13 | CURRENTLY PREGNANT | DD-98 |
| AE89_P | STILL HAVE MENSTRUAL CYCLE (PUF RECODE) | DD-98 |

| VARIABLE | LABEL | PAGE |
|------------------|--|---------------|
| AE90 | TIME SINCE LAST MENSTRUAL CYCLE | DD-99 |
| AD2 | EVER GIVEN BIRTH TO LIVE INFANT | DD-99 |
| AD3 | AGE WHEN FIRST CHILD WAS BORN | DD-100 |
| AF37 | DOCTOR EXAMINED BREASTS FOR LUMPS PAST 12 MOS | DD-100 |
| AD14 | EVER HAD A MAMMOGRAM | DD-101 |
| MAM_SCRN | MAMMOGRAM IN PAST 2 YRS | DD-101 |
| AD16 | # OF MAMMOGRAMS IN LAST 6 YRS | DD-102 |
| AD17 | HOW LONG SINCE MOST RECENT MAMMOGRAM | DD-102 |
| AE50 | MOST RECENT MAMMOGRAM RECOMENDED BY DOCT | DD-103 |
| AD18 | MAIN REASON FOR HAVING MAMMOGRAM | DD-103 |
| AD19 | EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS? | DD-104 |
| AD20 | EVER HAD OPERATION TO REMOVE LUMP FROM BREAST | DD-104 |
| AD21 | DID THE LUMP TURN OUT TO BE CANCER? | DD-105 |
| AD22 | # OF BREAST OPERATIONS TO REMOVE NONCANCER | DD-105 |
| AB60 | HOW FIRST FOUND BREAST CANCER | DD-106 |
| AD23 | TESTS/SURGERY WHEN MAMMOGRAM ABNORMAL | DD-106 |
| AD26 | DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS | DD-107 |
| AD25 | MAIN REASON FOR HAVING NO MAMMOGRAM | DD-107 |
| AF47 | EVER TAKEN HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE | DD-108 |
| AD28 | CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE | DD-108 |
| AF48 | HOW LONG AGO STOPPED USING HORMONE REPLACEMENT SUPPLEMENTS | DD-109 |
| AE84 | # YRS TAKEN HRT | DD-109 |
| AE51 | CURRENTLY TAKING TAMOXIFEN OR MALVADEX | DD-110 |
| AE52 | CURRENTLY TAKING RALOXIFEN OR EVISTA | DD-110 |
| SECTION F | MENTAL HEALTH | DD-111 |
| AJ29 | FEEL NERVOUS PAST 30 DAYS | DD-111 |
| AJ30 | FEEL HOPELESS PAST 30 DAYS | DD-112 |
| AJ31 | FEEL RESTLESS PAST 30 DAYS | DD-112 |
| AJ32 | FEEL DEPRESSED PAST 30 DAYS | DD-113 |
| AJ33 | FEEL EVERYTHING AN EFFORT PAST 30 DAYS | DD-113 |
| AJ34 | FEEL WORTHLESS PAST 30 DAYS | DD-114 |
| AF62 | ANY MONTH PAST 12 MONTHS FELT WORSE | DD-114 |
| AF63 | FEEL NERVOUS WORST MONTH | DD-115 |
| AF64 | FEEL HOPELESS WORST MONTH | DD-115 |
| AF65 | FEEL RESTLESS WORST MONTH | DD-116 |
| AF66 | FEEL DEPRESSED WORST MONTH | DD-116 |
| AF67 | FEEL EVERYTHING AN EFFORT WORST MONTH | DD-117 |
| AF68 | FEEL WORTHLESS WORST MONTH | DD-117 |
| AF69 | EMOTIONS INTERFERE W/WORK WORST MONTH | DD-118 |
| AF70 | EMOTIONS INTERFERE W/CHORES WORST MONTH | DD-118 |
| AF71 | EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH | DD-119 |
| AF72 | EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH | DD-119 |
| AJ1 | INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS | DD-120 |

| VARIABLE | LABEL | PAGE |
|------------------|---|---------------|
| DISTRESS | SERIOUS PSYCHOLOGICAL DISTRESS | DD-120 |
| DSTRS12 | EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN PAST YEAR | DD-121 |
| DSTRS30 | EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN THE PAST MONTH | DD-121 |
| DSTRSYR | SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE) | DD-122 |
| CHORES | CHORE IMPAIRMENT PAST 12 MONTHS | DD-122 |
| IMPAIR | FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS | DD-123 |
| SOCIAL | SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS | DD-123 |
| SECTION G | DEMOGRAPHIC INFORMATION, PART II | DD-124 |
| AH33NEW | BORN IN U.S. | DD-124 |
| AH34NEW | MOTHER BORN IN U.S. | DD-124 |
| AH35NEW | FATHER BORN IN U.S. | DD-125 |
| CNTRYF | COUNTRY FATHER BORN | DD-125 |
| CNTRYM | COUNTRY MOTHER BORN | DD-126 |
| CNTRY S | COUNTRY BORN | DD-126 |
| LANGHOME | LANGUAGE SPOKEN AT HOME | DD-127 |
| AG20 | LANGUAGE SPEAK WITH FRIENDS | DD-128 |
| AG21 | LANGUAGE OF TV, RADIO, NEWSPAPERS | DD-128 |
| AH37 | HOW WELL YOU SPEAK ENGLISH | DD-129 |
| SPK_ENG | ENGLISH USE AND PROFICIENCY | DD-129 |
| CITIZEN2 | CITIZENSHIP STATUS - 3 LEVELS | DD-130 |
| YRUS | YEARS LIVED IN THE U.S. | DD-130 |
| PCTLF_P | PERCENT LIFE IN US (PUF RECODE) | DD-131 |
| AH44 | SPOUSE LIVING IN SAME HOUSEHOLD | DD-131 |
| AH43A | LIVING WITH A PARENT | DD-132 |
| AH44A | USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS | DD-132 |
| AHCHLDC | AMOUNT SPENT ON CHILD CARE PER WEEK | DD-133 |
| AG22 | EVER SERVE IN U.S. ARMED FORCES | DD-133 |
| SERVED | LENGTH OF TIME SERVED IN ACTIVE DUTY | DD-134 |
| AK1 | WORK STATUS LAST WEEK | DD-134 |
| AK2 | MAIN REASON FOR NOT WORKING LAST WEEK | DD-135 |
| AG10 | RESPONDENT USUALLY WORKS | DD-136 |
| WORK | WORK IMPAIRMENT PAST 12 MONTHS | DD-136 |
| WRKST | WORKING STATUS | DD-137 |
| WRKST_S | SPOUSE WORKING STATUS | DD-137 |
| AL22 | RECEIVING SOCIAL SECURITY DISABILITY INS | DD-138 |
| AK4 | TYPE OF EMPLOYER AT MAIN JOB | DD-138 |
| AG8 | WORK STATUS OF SPOUSE LAST WEEK | DD-139 |
| AG11 | SPOUSE USUALLY WORKS | DD-139 |
| AG9 | TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB | DD-140 |
| AHEDUC | EDUCATIONAL ATTAINMENT | DD-140 |
| AKWKLN | TIME AT MAIN JOB | DD-141 |
| FAMTYP_P | FAMILY TYPE (PUF RECODE) | DD-142 |
| FAMILY | FAMILY LIFE IMPAIRMENT PAST 12 MONTHS | DD-142 |

| VARIABLE | LABEL | PAGE |
|------------------|--|---------------|
| FAMT4 | FAMILY TYPE - 4 LVLS | DD-143 |
| SECTION H | HEALTH INSURANCE | DD-143 |
| AH1 | HAVE USUAL SOURCE OF HEALTH CARE | DD-143 |
| AH3 | KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE | DD-144 |
| USOC | USUAL SOURCE OF CARE OTHER THAN ER | DD-144 |
| USUAL | HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE | DD-145 |
| USUAL_TP | USUAL SOURCE OF CARE - 7 LVLS | DD-145 |
| USUAL5TP | USUAL SOURCE OF CARE - 5 LVLS | DD-146 |
| AH12 | VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS | DD-146 |
| AH49 | MEDICARE COVERAGE PROVIDED THROUGH HMO | DD-147 |
| AH50_P | NAME OF MEDICARE HMO PLAN (PUF RECODE) | DD-147 |
| AI4 | COVERED BY MEDICARE SUPPL POLICY | DD-148 |
| AH52 | SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE | DD-148 |
| AI15 | MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN | DD-149 |
| AI15A | MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN | DD-149 |
| AI37A | SPOUSE COVERED BY MEDICARE SUPPL POLICY | DD-150 |
| AI45 | MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN | DD-150 |
| AI45A | MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN | DD-151 |
| AI22C | MAIN HEALTH PLAN IS HMO | DD-151 |
| AI22A_P | NAME OF HEALTH PLAN (PUF RECODE) | DD-152 |
| AI25 | COVERED FOR PRESCRIPTION DRUGS | DD-153 |
| AI25NEW | RX COVERAGE EDITED FOR MEDICAL/HF | DD-153 |
| AH71 | HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 | DD-154 |
| AH72 | HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 | DD-154 |
| AH73 | SPECIAL FUND TO PAY MEDICAL EXPENSES | DD-155 |
| AH74 | TRIED TO FIND HEALTH INSURANCE ON OWN | DD-155 |
| AH75 | TRIED TO FIND HEALTH INSURANCE ON OWN | DD-156 |
| AI28 | HOW LONG SINCE LAST HAD HEALTH INS | DD-156 |
| AH14 | PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS | DD-157 |
| AH77 | FREE PRENATAL CARE DURING PAST 12 MOS | DD-157 |
| ER | ER VISIT WITHIN THE PAST YEAR | DD-158 |
| IHS | COVERED BY INDIAN HEALTH SERVICES | DD-158 |
| IHS_S | SPOUSE COVERED BY INDIAN HEALTH SERVICES | DD-159 |
| INS | CURRENTLY INSURED | DD-159 |
| INS_S | SPOUSE CURRENTLY INSURED | DD-160 |
| INS12M | MOS COVERED BY HEALTH PLANS LAST 12 MOS | DD-160 |
| INS64_P | CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE) | DD-161 |
| INS64S_P | SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE) | DD-161 |
| INS65 | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+ | DD-162 |
| INS65_S | TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+ | DD-162 |
| INSANY | ANY INS IN LAST 12 MOS | DD-163 |
| INSEM | COVERED BY EMPLOYER-BASED PLANS | DD-163 |
| INSEM_S | SPOUSE COVERED BY EMPLOYER-BASED PLANS | DD-164 |

| VARIABLE | LABEL | PAGE |
|------------------|---|---------------|
| INSMC | COVERED BY MEDICARE | DD-164 |
| INSMC_S | SPOUSE COVERED BY MEDICARE | DD-165 |
| INSMD | COVERED BY MEDI-CAL | DD-165 |
| INSMD_S | SPOUSE COVERED BY MEDI-CAL | DD-166 |
| INSOG | COVERED BY OTHER GOVT PLANS | DD-166 |
| INSOG_S | SPOUSE COVERED BY OTHER GOVT PLANS | DD-167 |
| INSPR | COVERED BY PLANS PURCHASED ON OWN | DD-167 |
| INSPR_S | SPOUSE COVERED BY PLANS PURCHASED ON OWN | DD-168 |
| INSPS | PRIMARY OR SECONDARY COVERAGE | DD-168 |
| INSPS_S | SPOUSE PRIMARY OR SECONDARY COVERAGE | DD-169 |
| INST_12 | HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS | DD-169 |
| INSTYP_P | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES(PUF RECODE) | DD-170 |
| RSN_UNI2 | REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS | DD-171 |
| RSN_UNIN | REASON FOR CURRENTLY UNINSURED STATUS | DD-172 |
| UNINSANY | UNINSURED IN PAST 12 MOS | DD-173 |
| OFFTK | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS | DD-173 |
| OFFTK_S | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE | DD-174 |
| SECTION J | HEALTH CARE UTILIZATION AND ACCESS, VIOLENCE | DD-174 |
| AH5 | # TIMES SAW MD IN PAST 12 MOS | DD-174 |
| AH6 | HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH | DD-175 |
| ACMDNUM | # OF DOCTOR VISITS PAST YEAR | DD-175 |
| DOCT_YR | VISITED DOCTOR IN PAST 12 MOS | DD-176 |
| AJ77 | HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER | DD-176 |
| AJ78 | CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS | DD-177 |
| AJ79 | HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE | DD-177 |
| AJ80 | DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS | DD-178 |
| AJ8 | HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT | DD-178 |
| AJ50_P | LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE) | DD-179 |
| AJ9 | MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND | DD-179 |
| AJ10 | NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR | DD-180 |
| AJ11 | WHO HELPED YOU UNDERSTAND DOCTOR | DD-180 |
| AH16 | DELAY GETTING PRESCRIPTION IN PAST 12 MO | DD-181 |
| AJ19 | COST/NO INSUR DELAYED GETTING PRESCRIPTION | DD-181 |
| AJ81 | DELAYED PRESCRIPTION FOR ASTHMA | DD-182 |
| AJ82 | DELAYED PRESCRIPTION FOR DIABETES | DD-182 |
| AJ83 | DELAYED PRESCRIPTION FOR HEART DISEASE | DD-183 |
| AH22 | DELAY OTHER MEDICAL CARE IN PAST 12 MOS | DD-183 |
| AJ20 | COST/NO INSR DELAYED GETTING NEEDED CARE | DD-184 |
| AJ84 | DELAYED MEDICAL CARE FOR ASTHMA | DD-184 |
| AJ85 | DELAYED MEDICAL CARE FOR DIABETES | DD-185 |
| AJ86 | DELAYED MEDICAL CARE FOR HEART DISEASE | DD-185 |
| AJ87 | PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR | DD-186 |

| VARIABLE | LABEL | PAGE |
|------------------|--|---------------|
| AJ88 | # OF PEOPLE PROVIDED CARE TO | DD-186 |
| AJ89 | PERSON NEEDED HELP FOR MORE THAN 3 MOS | DD-187 |
| AJ90_P | RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO (PUF RECODE) | DD-187 |
| AJ101 | CURRENTLY PROVIDE CARE | DD-188 |
| AJ91 | CARE RECIPIENT LIVES W/RESP | DD-188 |
| AJ92 | CARE RECIPIENT LIVES IN NURSING HOME | DD-189 |
| AJ93 | # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK | DD-189 |
| AJ93UNT | # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WK - UNIT | DD-190 |
| AJ94 | PAID FOR HELPING CARE RECIPIENT | DD-190 |
| AJ95 | LENGTH OF TIME HELP CARE FOR RECIPIENT | DD-191 |
| AJ95UNT | LENGTH OF TIME HELP CARE FOR RECIPIENT - UNIT | DD-191 |
| AJ96 | EVER USED RESPITE CARE SERVICE | DD-192 |
| AJ97 | SOMEONE TO CARE FOR RECIPIENT IF RESP UNABLE | DD-192 |
| AJ98 | CARE RECIPIENT RECEIVED MEDI-CAL | DD-193 |
| AJ99 | ATTENDED MEDI-CAL TRAINING FOR LONG-TERM CAREGIVERS | DD-193 |
| AJ100 | AMOUNT OF OWN MONEY SPENT ON CAREGIVING PAST MO | DD-194 |
| SECTION K | EMPLOYMENT, INCOME, POVERTY STATUS, FOOD SECURITY | DD-194 |
| AK3 | # OF USUAL HRS WORKED PER WEEK | DD-195 |
| AK7 | LENGTH OF TIME WORKING AT MAIN JOB | DD-195 |
| AK7UNT | TIME AT MAIN JOB: UNIT OF TIME | DD-196 |
| AK8 | HOW MANY PEOPLE WORK FOR EMPLOYER/YOU | DD-196 |
| AK10_P | RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE) | DD-197 |
| AK20 | # OF HRS PER WEEK SPOUSE USUALLY WORKS | DD-197 |
| AK10A_P | SPOUSE'S EARNINGS LAST MONTH (PUF RECODE) | DD-198 |
| AK22_P | HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE) | DD-198 |
| AM1 | HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS | DD-199 |
| AM2 | HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS | DD-199 |
| AM3 | ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | DD-200 |
| AM3A | HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | DD-200 |
| AM4 | ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS | DD-201 |
| AM5 | HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS | DD-201 |
| POVGWD_P | FAMILY POVERTY THRESHOLD LEVEL (PUF RECODE) | DD-202 |
| POVLL | POVERTY LEVEL | DD-202 |
| POVLL2_P | POVERTY LEVEL - 100% FPL (PUF RECODE) | DD-203 |
| ELIGPRG3 | MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED | DD-203 |
| FSLEV | FOOD SECURITY STATUS LEVEL | DD-204 |
| FSLEVCB | FOOD SECURITY STATUS - 2 LVLS | DD-204 |
| SECTION L | PUBLIC PROGRAM PARTICIPATION | DD-205 |
| AL2 | CURRENTLY ON TANF OR CALWORKS | DD-205 |
| AL5 | RECEIVING FOOD STAMP BENEFITS | DD-205 |
| AL6 | RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME) | DD-206 |
| AL7 | CURRENTLY ON WIC | DD-206 |

| VARIABLE | LABEL | PAGE |
|-------------------|---|---------------|
| AL15 | RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH | DD-207 |
| AL16_P | TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE) | DD-207 |
| AL17 | PAID ALIMONY OR CHILD SUPPORT LAST MONTH | DD-208 |
| AL18_P | TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE) | DD-208 |
| AL18A | RECVD SOCIAL SECURITY OR PENSION LAST MONTH | DD-209 |
| AL18B_P | TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE) | DD-209 |
| AL23 | APPLIED FOR MEDI-CAL FOR SELF OR CHILD IN PAST 12 MOS | DD-210 |
| SECTION M | HOUSING AND SOCIAL COHESION | DD-210 |
| AK23 | LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME | DD-210 |
| AK25 | OWN OR RENT HOME | DD-211 |
| TIMEAD | LENGTH OF TIME LIVED AT CURRENT ADDRESS (IN MONTHS) | DD-211 |
| AM19 | PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER | DD-212 |
| AM20 | PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG WITH EACH OTHER | DD-212 |
| AM21 | PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED | DD-213 |
| AM35 | NEIGHBORHOOD WATCH OUT CHILDREN FOR SAFE | DD-213 |
| AK28 | HOW OFTEN FEEL SAFE IN NEIGHBORHOOD | DD-214 |
| AM36 | DID VOLUNTEER WORK OR COMMUNITY SERVICES | DD-214 |
| SECTION EM | EMERGENCY PREPAREDNESS MODULE | DD-215 |
| EM1 | TAKE PRESCRIBED MEDICINE DAILY | DD-215 |
| EM2 | HAVE AT LEAST 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS | DD-215 |
| EM3 | ABLE TO GET 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS | DD-216 |
| EM4CODE | REASON UNABLE GET 2-WK SUPPLY DRUGS | DD-216 |
| EM5 | # DAYS ABLE TO STAY AT HOME WITHOUT SHOPPING FOR ADD'L SUPPLIES | DD-217 |
| EM6 | HOW CONFIDENT COUNTY'S PUB HLTH SYS CAN RESPOND | DD-217 |
| EM7 | HOW CONFIDENT COUNTY'S PUB HLTH SYS FAIRLY RESPOND | DD-218 |
| SECTION N | DEMOGRAPHIC INFORMATION PART III | DD-218 |
| AM34 | TELEPHONE CALLS RECEIVED | DD-219 |
| UR_BG | RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) | DD-219 |
| UR_CLRT | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS) | DD-220 |
| UR_CLRT2 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS) | DD-220 |
| UR_IHS | RURAL AND URBAN - IHS | DD-221 |
| UR_OMB | RURAL AND URBAN - OMB | DD-221 |
| UR_RHP | RURAL AND URBAN - RHP | DD-221 |
| UR_TRACT | RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) | DD-222 |
| SECTION O | FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80 | DD-222 |
| RAKEDW0 | CHIS2009 RAKED WEIGHT - FULL SAMPLE | DD-222 |
| RAKEDW1 | CHIS2009 RAKED WEIGHT - REPLICATE 1 | DD-223 |
| RAKEDW2 | CHIS2009 RAKED WEIGHT - REPLICATE 2 | DD-223 |
| RAKEDW3 | CHIS2009 RAKED WEIGHT - REPLICATE 3 | DD-223 |
| RAKEDW4 | CHIS2009 RAKED WEIGHT - REPLICATE 4 | DD-224 |
| RAKEDW5 | CHIS2009 RAKED WEIGHT - REPLICATE 5 | DD-224 |

| VARIABLE | LABEL | PAGE |
|-----------------|--------------------------------------|-------------|
| RAKEDW6 | CHIS2009 RAKED WEIGHT - REPLICATE 6 | DD-224 |
| RAKEDW7 | CHIS2009 RAKED WEIGHT - REPLICATE 7 | DD-225 |
| RAKEDW8 | CHIS2009 RAKED WEIGHT - REPLICATE 8 | DD-225 |
| RAKEDW9 | CHIS2009 RAKED WEIGHT - REPLICATE 9 | DD-225 |
| RAKEDW10 | CHIS2009 RAKED WEIGHT - REPLICATE 10 | DD-226 |
| RAKEDW11 | CHIS2009 RAKED WEIGHT - REPLICATE 11 | DD-226 |
| RAKEDW12 | CHIS2009 RAKED WEIGHT - REPLICATE 12 | DD-226 |
| RAKEDW13 | CHIS2009 RAKED WEIGHT - REPLICATE 13 | DD-227 |
| RAKEDW14 | CHIS2009 RAKED WEIGHT - REPLICATE 14 | DD-227 |
| RAKEDW15 | CHIS2009 RAKED WEIGHT - REPLICATE 15 | DD-227 |
| RAKEDW16 | CHIS2009 RAKED WEIGHT - REPLICATE 16 | DD-228 |
| RAKEDW17 | CHIS2009 RAKED WEIGHT - REPLICATE 17 | DD-228 |
| RAKEDW18 | CHIS2009 RAKED WEIGHT - REPLICATE 18 | DD-228 |
| RAKEDW19 | CHIS2009 RAKED WEIGHT - REPLICATE 19 | DD-229 |
| RAKEDW20 | CHIS2009 RAKED WEIGHT - REPLICATE 20 | DD-229 |
| RAKEDW21 | CHIS2009 RAKED WEIGHT - REPLICATE 21 | DD-229 |
| RAKEDW22 | CHIS2009 RAKED WEIGHT - REPLICATE 22 | DD-230 |
| RAKEDW23 | CHIS2009 RAKED WEIGHT - REPLICATE 23 | DD-230 |
| RAKEDW24 | CHIS2009 RAKED WEIGHT - REPLICATE 24 | DD-230 |
| RAKEDW25 | CHIS2009 RAKED WEIGHT - REPLICATE 25 | DD-231 |
| RAKEDW26 | CHIS2009 RAKED WEIGHT - REPLICATE 26 | DD-231 |
| RAKEDW27 | CHIS2009 RAKED WEIGHT - REPLICATE 27 | DD-231 |
| RAKEDW28 | CHIS2009 RAKED WEIGHT - REPLICATE 28 | DD-232 |
| RAKEDW29 | CHIS2009 RAKED WEIGHT - REPLICATE 29 | DD-232 |
| RAKEDW30 | CHIS2009 RAKED WEIGHT - REPLICATE 30 | DD-232 |
| RAKEDW31 | CHIS2009 RAKED WEIGHT - REPLICATE 31 | DD-233 |
| RAKEDW32 | CHIS2009 RAKED WEIGHT - REPLICATE 32 | DD-233 |
| RAKEDW33 | CHIS2009 RAKED WEIGHT - REPLICATE 33 | DD-233 |
| RAKEDW34 | CHIS2009 RAKED WEIGHT - REPLICATE 34 | DD-234 |
| RAKEDW35 | CHIS2009 RAKED WEIGHT - REPLICATE 35 | DD-234 |
| RAKEDW36 | CHIS2009 RAKED WEIGHT - REPLICATE 36 | DD-234 |
| RAKEDW37 | CHIS2009 RAKED WEIGHT - REPLICATE 37 | DD-235 |
| RAKEDW38 | CHIS2009 RAKED WEIGHT - REPLICATE 38 | DD-235 |
| RAKEDW39 | CHIS2009 RAKED WEIGHT - REPLICATE 39 | DD-235 |
| RAKEDW40 | CHIS2009 RAKED WEIGHT - REPLICATE 40 | DD-236 |
| RAKEDW41 | CHIS2009 RAKED WEIGHT - REPLICATE 41 | DD-236 |
| RAKEDW42 | CHIS2009 RAKED WEIGHT - REPLICATE 42 | DD-236 |
| RAKEDW43 | CHIS2009 RAKED WEIGHT - REPLICATE 43 | DD-237 |
| RAKEDW44 | CHIS2009 RAKED WEIGHT - REPLICATE 44 | DD-237 |
| RAKEDW45 | CHIS2009 RAKED WEIGHT - REPLICATE 45 | DD-237 |
| RAKEDW46 | CHIS2009 RAKED WEIGHT - REPLICATE 46 | DD-238 |
| RAKEDW47 | CHIS2009 RAKED WEIGHT - REPLICATE 47 | DD-238 |
| RAKEDW48 | CHIS2009 RAKED WEIGHT - REPLICATE 48 | DD-238 |
| RAKEDW49 | CHIS2009 RAKED WEIGHT - REPLICATE 49 | DD-239 |
| RAKEDW50 | CHIS2009 RAKED WEIGHT - REPLICATE 50 | DD-239 |

| VARIABLE | LABEL | PAGE |
|-----------------|--------------------------------------|-------------|
| RAKEDW51 | CHIS2009 RAKED WEIGHT - REPLICATE 51 | DD-239 |
| RAKEDW52 | CHIS2009 RAKED WEIGHT - REPLICATE 52 | DD-240 |
| RAKEDW53 | CHIS2009 RAKED WEIGHT - REPLICATE 53 | DD-240 |
| RAKEDW54 | CHIS2009 RAKED WEIGHT - REPLICATE 54 | DD-240 |
| RAKEDW55 | CHIS2009 RAKED WEIGHT - REPLICATE 55 | DD-241 |
| RAKEDW56 | CHIS2009 RAKED WEIGHT - REPLICATE 56 | DD-241 |
| RAKEDW57 | CHIS2009 RAKED WEIGHT - REPLICATE 57 | DD-241 |
| RAKEDW58 | CHIS2009 RAKED WEIGHT - REPLICATE 58 | DD-242 |
| RAKEDW59 | CHIS2009 RAKED WEIGHT - REPLICATE 59 | DD-242 |
| RAKEDW60 | CHIS2009 RAKED WEIGHT - REPLICATE 60 | DD-242 |
| RAKEDW61 | CHIS2009 RAKED WEIGHT - REPLICATE 61 | DD-243 |
| RAKEDW62 | CHIS2009 RAKED WEIGHT - REPLICATE 62 | DD-243 |
| RAKEDW63 | CHIS2009 RAKED WEIGHT - REPLICATE 63 | DD-243 |
| RAKEDW64 | CHIS2009 RAKED WEIGHT - REPLICATE 64 | DD-244 |
| RAKEDW65 | CHIS2009 RAKED WEIGHT - REPLICATE 65 | DD-244 |
| RAKEDW66 | CHIS2009 RAKED WEIGHT - REPLICATE 66 | DD-244 |
| RAKEDW67 | CHIS2009 RAKED WEIGHT - REPLICATE 67 | DD-245 |
| RAKEDW68 | CHIS2009 RAKED WEIGHT - REPLICATE 68 | DD-245 |
| RAKEDW69 | CHIS2009 RAKED WEIGHT - REPLICATE 69 | DD-245 |
| RAKEDW70 | CHIS2009 RAKED WEIGHT - REPLICATE 70 | DD-246 |
| RAKEDW71 | CHIS2009 RAKED WEIGHT - REPLICATE 71 | DD-246 |
| RAKEDW72 | CHIS2009 RAKED WEIGHT - REPLICATE 72 | DD-246 |
| RAKEDW73 | CHIS2009 RAKED WEIGHT - REPLICATE 73 | DD-247 |
| RAKEDW74 | CHIS2009 RAKED WEIGHT - REPLICATE 74 | DD-247 |
| RAKEDW75 | CHIS2009 RAKED WEIGHT - REPLICATE 75 | DD-247 |
| RAKEDW76 | CHIS2009 RAKED WEIGHT - REPLICATE 76 | DD-248 |
| RAKEDW77 | CHIS2009 RAKED WEIGHT - REPLICATE 77 | DD-248 |
| RAKEDW78 | CHIS2009 RAKED WEIGHT - REPLICATE 78 | DD-248 |
| RAKEDW79 | CHIS2009 RAKED WEIGHT - REPLICATE 79 | DD-249 |
| RAKEDW80 | CHIS2009 RAKED WEIGHT - REPLICATE 80 | DD-249 |

C. Restricted Variables

The following geographic variables are not located in the source files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

| VARIABLE | LABEL | NOTE |
|----------|---|---|
| LATITUDE | LATITUDE | GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING. |
| LONGIT | LONGITUDE | GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING. |
| CBLK | CENSUS BLOCK INCLUDING CENSUS TRACT | SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS. |

Teen and child restricted variables

| VARIABLE | LABEL | NOTE |
|----------|--|------|
| SCH_BLK | SCHOOL CENSUS TRACT INCLUDING BLOCK | |
| SCH_CDS | STATE SCHOOL ID NUMBER | |
| SCH_LAT | SCHOOL LATITUDE | |
| SCH_LON | SCHOOL LONGITUDE | |

6. Data Dictionary

2009 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

Section Q: Screening Information

VARNAME: PUF_ID QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: PUBLIC USE FILE ID
 VALUE: 0-HIGH PERSON # FREQ %
47614 100.00
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES:

VARNAME: HH_SIZE_P QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS
 N 47614
 MIN 1
 MAX 10
 MEAN 2.52

 UNIVERSE: ALL ADULTS
 INPUT VAR: HH_SIZE
 NOTES: TOPCODE=10

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INTVLANG QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: LANGUAGE OF INTERVIEW

| VALUE: | | | FREQ | % |
|--------|------------|--|-------|-------|
| 1 | ENGLISH | | 41915 | 88.03 |
| 2 | SPANISH | | 3844 | 8.07 |
| 3 | VIETNAMESE | | 887 | 1.86 |
| 4 | KOREAN | | 616 | 1.29 |
| 5 | CANTONESE | | 165 | 0.35 |
| 6 | MANDARIN | | 187 | 0.39 |

UNIVERSE: ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:

VARNAME: PROXY QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: A PROXY INTERVIEW

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 283 | 0.59 |
| 2 | NO | | 47331 | 99.41 |

UNIVERSE: ALL ADULTS

INPUT VAR: APRX1

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|-------------------------------------|-----------------------------|----|-----------|-------|
| VARNAME: | SRTENR | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | SELF-REPORTED HOUSEHOLD TENURE (HH) | | | | |
| | | | | FREQ | % |
| VALUE: | 1 | OWN | | 33047 | 69.41 |
| | 2 | RENT/SOME OTHER ARRANGEMENT | | 14567 | 30.59 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

Section A: Demographic Information, Part I

| | | | | | |
|------------|------------------|----------|----|-----------|----|
| VARNAME: | SRAGE_P | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | AGE (PUF RECODE) | | | | |
| | MEAN STATISTICS | | | | |
| | N | 47614 | | | |
| | MIN | 18 | | | |
| | MAX | 85 | | | |
| | MEAN | 55.67 | | | |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | SRAGE | | | | |
| NOTES: | TOPCODE=85 | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRSEX QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: GENDER

| VALUE: | | | FREQ | % |
|--------|--------|--|-------|-------|
| 1 | MALE | | 19428 | 40.80 |
| 2 | FEMALE | | 28186 | 59.20 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: LATIN9TP QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: LATIN/HISPANIC SUBTYPES - 9 LVLS

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -1 | NON-LATINO | | 39307 | 82.55 |
| 1 | MEXICAN | | 6494 | 13.64 |
| 2 | SALVADORAN | | 398 | 0.84 |
| 3 | GUATEMALAN | | 186 | 0.39 |
| 4 | CENTRAL AMERICAN | | 149 | 0.31 |
| 5 | PUERTO RICAN | | 112 | 0.24 |
| 6 | LATINO EUROPEAN | | 291 | 0.61 |
| 7 | SOUTH AMERICAN | | 266 | 0.56 |
| 8 | OTHER LATINO | | 128 | 0.27 |
| 9 | 2+ LATINO TYPES | | 283 | 0.59 |

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR: SRH AA4 AA5_1-AA5_21 AH33 AH34 AH35

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRH QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE: 1 YES FREQ %

 2 NO 8307 17.45

 39307 82.55

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRO QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE: 1 YES FREQ %

 2 NO 4809 10.10

 42805 89.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:  OMBSRASO                QNAME09:  NA                QPAGENUM:  NA
                                         QNAME07:  NA                QNAME05:  NA

LABEL:    OMB S-R NONHISPANIC ASIAN GROUP (ONLY)

VALUE:    1      NONHISPANIC CHINESE ONLY      FREQ      %
          2      NONHISPANIC KOREAN ONLY      935      1.96
          3      NONHISPANIC FILIPINO ONLY    941      1.98
          4      NONHISPANIC VIETNAMESE ONLY  430      0.90
          5      NONHISPANIC OTHER OR NON-ASIAN 1421     2.98
                                         43887    92.17
```

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

```
-----
VARNAME:  OMBSRREO                QNAME09:  NA                QPAGENUM:  NA
                                         QNAME07:  NA                QNAME05:  NA

LABEL:    OMB/CURRENT DOF RACE - ETHNICITY

VALUE:    1      HISPANIC                FREQ      %
          2      WHITE, NON-HISPANIC (NH)  8307     17.45
          3      AFRICAN AMERICAN, NH      31167    65.46
          4      AMERICAN INDIAN/ALASKA NATIVE, NH 1852     3.89
          5      ASIAN ONLY, NH            354      0.74
          6      NATIVE HAWAIIAN/PACIFIC ISLANDER, NH 4852    10.19
          7      TWO OR MORE RACES, NH      66       0.14
                                         1016     2.13
```

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACECEN QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RACE - CENSUS 2000 DEFINITION

| VALUE: | | | FREQ | % |
|--------|--------------------------------|--|-------|-------|
| 1 | PACIFIC ISLANDER | | 90 | 0.19 |
| 2 | AMERICAN INDIAN/ALASKAN NATIVE | | 607 | 1.27 |
| 3 | ASIAN | | 4909 | 10.31 |
| 4 | AFRICAN AMERICAN | | 1907 | 4.01 |
| 5 | WHITE | | 34205 | 71.84 |
| 6 | OTHER SINGLE RACE | | 4785 | 10.05 |
| 7 | MORE THAN ONE RACE | | 1111 | 2.33 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO

NOTES:

VARNAME: RACEDOF QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FORMER DOF RACE - ETHNICITY

| VALUE: | | | FREQ | % |
|--------|-----------------------------------|--|-------|-------|
| 1 | LATINO | | 8307 | 17.45 |
| 2 | NON-LATINO PI | | 66 | 0.14 |
| 3 | NON-LATINO AMERICAN INDIAN/ALSKAN | | 353 | 0.74 |
| 4 | NON-LATINO ASIAN | | 4845 | 10.18 |
| 5 | NON-LATINO AFR. AMER. | | 1847 | 3.88 |
| 6 | NON-LATINO WHITE | | 31095 | 65.31 |
| 7 | NON-LATINO OTHER, ONE RACE | | 86 | 0.18 |
| 8 | NON-LATINO, TWO+ RACES | | 1015 | 2.13 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI SRAI SRAS SRAA SRW SRO SRH

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREO.

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEHPR2 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RACE - UCLA CHPR DEFINITION, UNBRIDGED

| VALUE: | | | FREQ | % |
|--------|--------------------------------|--|-------|-------|
| 1 | LATINO | | 5753 | 12.08 |
| 2 | PACIFIC ISLANDER | | 75 | 0.16 |
| 3 | AMERICAN INDIAN/ALASKAN NATIVE | | 500 | 1.05 |
| 4 | ASIAN | | 4874 | 10.24 |
| 5 | AFRICAN AMERICAN | | 1950 | 4.10 |
| 6 | WHITE | | 31769 | 66.72 |
| 7 | OTHER SINGLE/MULTIPLE RACE | | 2693 | 5.66 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

VARNAME: SRAA QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2143 | 4.50 |
| 2 | NO | | 45471 | 95.50 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRAI QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE: 1 YES FREQ %

 2 NO 1369 2.88

 46245 97.12

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED ASIAN

VALUE: 1 YES FREQ %

 2 NO 5125 10.76

 42489 89.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRASO QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED OTHER ASIAN GROUP

VALUE: 1 YES FREQ %

 2 NO 1105 2.32

 46509 97.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   SRCH                                QNAME09:   NA                                QPAGENUM:  NA
                                                QNAME07:   NA                                QNAME05:   NA

LABEL:     SELF-REPORTED CHINESE

VALUE:     1          YES                      FREQ      %
           2          NO                      1156     2.43
                                           46458    97.57

UNIVERSE:  ALL ADULTS

INPUT VAR:

NOTES:
-----
```

```
VARNAME:   CATRIBE                            QNAME09:   NA                                QPAGENUM:  NA
                                                QNAME07:   NA                                QNAME05:   NA

LABEL:     CALIFORNIA TRIBE

VALUE:     -9          UNKNOWN TRIBAL HERITAGE    FREQ      %
           -1          INAPPLICABLE              140       0.29
           1           CALIFORNIA TRIBAL HERITAGE 46245     97.12
           2           NON-CALIFORNIA TRIBAL HERITAGE 164       0.34
                                           1065      2.24

UNIVERSE:  ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:  SRAI AA5B_1-AA5B_11 AA5BOS AA5DOS

NOTES:
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AA5C QNAME09: QA09_A10 QPAGENUM: A-9
QNAME07: QA07_A10 QNAME05: QA05_A10

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 67 | 0.14 |
| -8 | DON'T KNOW | 13 | 0.03 |
| -7 | REFUSED | 1 | 0.00 |
| -1 | INAPPLICABLE | 46276 | 97.19 |
| 1 | YES | 233 | 0.49 |
| 2 | NO | 1024 | 2.15 |

UNIVERSE: ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

VARNAME: ASIAN8 QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: ASIAN SUBTYPES- (8 TYPES) (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|----------------------------|-------|-------|
| -1 | NON-ASIAN | 42510 | 89.28 |
| 1 | CHINESE | 1065 | 2.24 |
| 2 | JAPANESE | 428 | 0.90 |
| 3 | KOREAN | 958 | 2.01 |
| 4 | FILIPINO | 507 | 1.06 |
| 5 | SOUTH ASIAN | 420 | 0.88 |
| 6 | VIETNAMESE | 1423 | 2.99 |
| 7 | SOUTHEAST ASIAN | 89 | 0.19 |
| 8 | OTHER ASIAN/2+ ASIAN TYPES | 214 | 0.45 |

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASNHP2_P QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE), UNBRIDGED

| VALUE: | | | FREQ | % |
|--------|---|--|-------|-------|
| -1 | NON-ASIAN | | 42740 | 89.76 |
| 1 | CHINESE | | 1037 | 2.18 |
| 2 | FILIPINO | | 450 | 0.95 |
| 3 | SOUTH ASIAN | | 408 | 0.86 |
| 4 | JAPANESE | | 373 | 0.78 |
| 5 | KOREAN | | 938 | 1.97 |
| 6 | VIETNAMESE | | 1440 | 3.02 |
| 7 | CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE | | 228 | 0.48 |

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR: ASNHP2

NOTES:

VARNAME: SRKR QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED KOREAN

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 978 | 2.05 |
| 2 | NO | | 46636 | 97.95 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRPH QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED FILIPINO

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 560 | 1.18 |
| | | | 47054 | 98.82 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRPI QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED PI AND NTV HW

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 153 | 0.32 |
| | | | 47461 | 99.68 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRVT QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SELF-REPORTED VIETNAMESE

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 1529 | 3.21 |
| | | | 46085 | 96.79 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|-------------|---------------------|-----------|----|------------|-------|
| VARNAME : | SRW | QNAME09 : | NA | QPAGENUM : | NA |
| | | QNAME07 : | NA | QNAME05 : | NA |
| LABEL : | SELF-REPORTED WHITE | | | | |
| VALUE : | 1 | YES | | FREQ | % |
| | 2 | NO | | 35195 | 73.92 |
| | | | | 12419 | 26.08 |
| UNIVERSE : | ALL ADULTS | | | | |
| INPUT VAR : | | | | | |
| NOTES : | | | | | |

| | | | | | |
|------------|------------------------------|-----------------------------------|----|-----------|-------|
| VARNAME: | MARIT | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | MARITAL STATUS- 3 CATEGORIES | | | | |
| VALUE: | 1 | MARRIED | | FREQ | % |
| | 2 | OTHERWID/SEP/DIV/LIVING W/PARTNER | | 24936 | 52.37 |
| | 3 | NEVER MARRIED | | 15696 | 32.97 |
| | | | | 6982 | 14.66 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | AH43 | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|------------------------------|-------------------|----|-----------|-------|
| VARNAME: | MARIT2 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | MARITAL STATUS- 4 CATEGORIES | | | | |
| VALUE: | 1 | MARRIED | | FREQ | % |
| | | | | 24936 | 52.37 |
| | 2 | LIVING W/ PARTNER | | 2336 | 4.91 |
| | 3 | WID/SEP/DIV | | 13360 | 28.06 |
| | 4 | NEVER MARRIED | | 6982 | 14.66 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | AH43 | | | | |
| NOTES: | | | | | |

Section B: Health Conditions

| | | | | | |
|------------|--------------------------|-----------|---------|-----------|---------|
| VARNAME: | AB1 | QNAME09: | QA09_B1 | QPAGENUM: | A-14 |
| | | QNAME07: | QA07_B1 | QNAME05: | QA05_B1 |
| LABEL: | GENERAL HEALTH CONDITION | | | | |
| VALUE: | 1 | EXCELLENT | | FREQ | % |
| | 2 | VERY GOOD | | 9114 | 19.14 |
| | 3 | GOOD | | 15490 | 32.53 |
| | 4 | FAIR | | 13658 | 28.68 |
| | 5 | POOR | | 6878 | 14.45 |
| | | | | 2474 | 5.20 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB17 QNAME09: QA09_B2 QPAGENUM: A-14
QNAME07: QA07_B2 QNAME05: QA05_B2

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 6441 | 13.53 |
| 2 | NO | | 41173 | 86.47 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB40 QNAME09: QA09_B3 QPAGENUM: A-14
QNAME07: QA07_B3 QNAME05: QA05_B3

LABEL: STILL HAS ASTHMA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 41173 | 86.47 |
| 1 | YES | | 3961 | 8.32 |
| 2 | NO | | 2480 | 5.21 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    AB41                      QNAME09:   QA09_B4          QPAGENUM:  A-14
                                QNAME07:   QA07_B4          QNAME05:   QA05_B4

LABEL:      ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:      -1      INAPPLICABLE                      FREQ      %
              1      YES                          41173    86.47
              2      NO                          2130     4.47
              2      NO                          4311     9.05

UNIVERSE:   ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:
-----
```

```
VARNAME:    ASTCUR                      QNAME09:   NA              QPAGENUM:  NA
                                QNAME07:   NA              QNAME05:   NA

LABEL:      CURRENT ASTHMA STATUS

VALUE:      1      CURRENT ASTHMA                      FREQ      %
              2      NO CURRENT ASTHMA                  4120     8.65
                                              43494    91.35

UNIVERSE:   ALL ADULTS

INPUT VAR:  AB17 AB40 AB41

NOTES:
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASTS QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA

VALUE: -1 INAPPLICABLE FREQ %

 1 SYMPTOMS 41173 86.47

 2 NO SYMPTOMS 4374 9.19

 2067 4.34

UNIVERSE: ADULTS DIAGNOSED WITH ASTHMA

INPUT VAR: AB19 AB66

NOTES:

VARNAME: ASTYR QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA

VALUE: -1 INAPPLICABLE FREQ %

 1 SYMPTOMS 43494 91.35

 2 NO SYMPTOMS 3705 7.78

 415 0.87

UNIVERSE: ADULTS WITH ASTHMA

INPUT VAR: AB19

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB19 QNAME09: QA09_B5 QPAGENUM: A-14
QNAME07: QA07_B5 QNAME05: QA05_B5

LABEL: HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMATICS

| VALUE: | | FREQ | % |
|--------|-----------------------|-------|-------|
| -1 | INAPPLICABLE | 43494 | 91.35 |
| 1 | NOT AT ALL | 415 | 0.87 |
| 2 | LESS THAN EVERY MONTH | 1655 | 3.48 |
| 3 | EVERY MONTH | 834 | 1.75 |
| 4 | EVERY WEEK | 581 | 1.22 |
| 5 | EVERY DAY | 635 | 1.33 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: AH13A QNAME09: QA09_B6 QPAGENUM: A-15
QNAME07: QA07_B6 QNAME05: QA05_B6

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: CURRENT ASTHMATICS

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 43494 | 91.35 |
| 1 | YES | 336 | 0.71 |
| 2 | NO | 3784 | 7.95 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AB67 FOR ER VISITS AMONG THOSE W/ NO ASTHMA SYMPT, PAST 12 MOS

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB106_P QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: ER/URGT CARE VISIT FOR ASTHMA PAST YR UNABLE TO SEE OWN DR (PUF)

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 47278 | 99.29 |
| | 2 | NO | 175 | 0.37 |
| | | | 161 | 0.34 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE/VISIT ER DUE TO ASTHMA IN LAST 12 MOS)

INPUT VAR:

NOTES:

VARNAME: AH15A QNAME09: QA09_B8 QPAGENUM: A-15

QNAME07: QA07_B7 QNAME05: NA

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: CURRENT ASTHMATICS

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 43494 | 91.35 |
| | 2 | NO | 140 | 0.29 |
| | | | 3980 | 8.36 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB18 QNAME09: QA09_B9 QPAGENUM: A-15
QNAME07: QA07_B8 QNAME05: QA05_B7

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 41173 | 86.47 |
| 1 | YES | | 2237 | 4.70 |
| 2 | NO | | 4204 | 8.83 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB66 QNAME09: QA09_B10 QPAGENUM: A-15
QNAME07: QA07_B9 QNAME05: QA05_B8

LABEL: HOW OFTEN HAD ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMATICS

| VALUE: | | | FREQ | % |
|--------|-----------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 45293 | 95.13 |
| 1 | NOT AT ALL | | 1652 | 3.47 |
| 2 | LESS THAN EVERY MONTH | | 493 | 1.04 |
| 3 | EVERY MONTH | | 87 | 0.18 |
| 4 | EVERY WEEK | | 42 | 0.09 |
| 5 | EVERY DAY | | 47 | 0.10 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB67 QNAME09: QA09_B11 QPAGENUM: A-16
QNAME07: QA07_B10 QNAME05: QA05_B9

LABEL: ER/URGENT CRE VISIT FOR ASTHMA LAST 12 MOS: PREVIOUS ASTHMATICS

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 45293 | 95.13 |
| | 2 | NO | 12 | 0.03 |
| | | | 2309 | 4.85 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AH13A FOR ER VISITS AMONG THOSE W/ ASTHMA SYMPTOMS, PAST 12 MOS

VARNAME: AB80 QNAME09: QA09_B13 QPAGENUM: A-16
QNAME07: QA07_B11 QNAME05: NA

LABEL: HOSPITAL OVERNIGHT FOR ASTHMA PAST 12 MOS: PREVIOUS ASTHMATICS

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 45293 | 95.13 |
| | 2 | NO | 2 | 0.00 |
| | | | 2319 | 4.87 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA BUT (NO ASTHMA CURRENTLY AND NO EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB42 QNAME09: QA09_B14 QPAGENUM: A-16
QNAME07: QA07_B12 QNAME05: QA05_B10

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS

MEAN STATISTICS

| | |
|------|------|
| N | 5080 |
| MIN | 0 |
| MAX | 365 |
| MEAN | 0.89 |

UNIVERSE: ADULTS UNDER 70 WHOSE DR TOLD THEM THEY HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB43 QNAME09: QA09_B15 QPAGENUM: A-16
QNAME07: QA07_B13 QNAME05: QA05_B11

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 41173 | 86.47 |
| 1 | YES | 3708 | 7.79 |
| 2 | NO | 2733 | 5.74 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB98 QNAME09: QA09_B16 QPAGENUM: A-17

QNAME07: NA QNAME05: NA

LABEL: HAVE WRITTEN COPY OF ASTHMA CARE PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 43906 | 92.21 |
| 1 | YES | | 825 | 1.73 |
| 2 | NO | | 2883 | 6.05 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND CARE PROVIDERS DEVELOP
ASTHMA CARE PLAN

INPUT VAR:

NOTES:

VARNAME: AB108 QNAME09: QA09_B17 QPAGENUM: A-17

QNAME07: NA QNAME05: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE ASTHMA

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 40913 | 85.93 |
| 1 | VERY CONFIDENT | | 5008 | 10.52 |
| 2 | SOMEWHAT CONFIDENT | | 1175 | 2.47 |
| 3 | NOT TOO CONFIDENT | | 165 | 0.35 |
| 4 | NOT AT ALL CONFIDENT | | 70 | 0.15 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------|----------------------------|----------|-----------|----------|
| VARNAME: | AB22 | QNAME09: | QA09_B18 | QPAGENUM: | A-17 |
| | | QNAME07: | QA07_B14 | QNAME05: | QA05_B17 |
| LABEL: | DOCTOR EVER TOLD HAVE DIABETES | | | | |
| VALUE: | 1 | YES | | FREQ | % |
| | 2 | NO | | 4818 | 10.12 |
| | 3 | BORDERLINE OR PRE-DIABETES | | 42057 | 88.33 |
| | | | | 739 | 1.55 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--|--------------|----------|-----------|-------|
| VARNAME: | AB99 | QNAME09: | QA09_B19 | QPAGENUM: | A-17 |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | DOC EVER TOLD HAVE PRE- OR BORDERLINE DIABETES | | | | |
| VALUE: | -1 | INAPPLICABLE | | FREQ | % |
| | 1 | YES | | 739 | 1.55 |
| | 2 | NO | | 4325 | 9.08 |
| | | | | 42550 | 89.36 |
| UNIVERSE: | ADULTS WHO HAVE NOT ANSWERED BORDERLINE DIABETES EARLIER | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB23_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 4818 |
| MIN | 1 |
| MAX | 85 |
| MEAN | 52.85 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES: TOPCODE=85

VARNAME: DIABCK QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH

MEAN STATISTICS

| | |
|------|-------|
| N | 4818 |
| MIN | 0 |
| MAX | 487 |
| MEAN | 39.02 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR: AB26 AB26UNT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DIAMED QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: TAKING INSULIN OR PILLS

| VALUE: | | | FREQ | % |
|--------|------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42796 | 89.88 |
| 1 | TAKING INSULIN & PILLS | | 630 | 1.32 |
| 2 | TAKING INSULIN ONLY | | 494 | 1.04 |
| 3 | TAKING PILLS ONLY | | 2836 | 5.96 |
| 4 | NOT TAKING INSULIN NOR PILLS | | 858 | 1.80 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB24 AB25

NOTES:

VARNAME: AB51 QNAME09: QA09_B21 QPAGENUM: A-18

QNAME07: QA07_B16 QNAME05: QA05_B19

LABEL: TYPE I OR TYPE II DIABETES

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42796 | 89.88 |
| 1 | TYPE I | | 512 | 1.08 |
| 2 | TYPE 2 | | 4206 | 8.83 |
| 3 | ANOTHER TYPE | | 100 | 0.21 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB24 QNAME09: QA09_B22 QPAGENUM: A-18
QNAME07: QA07_B17 QNAME05: QA05_B20

LABEL: CURRENTLY TAKING INSULIN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42796 | 89.88 |
| 1 | YES | | 1124 | 2.36 |
| 2 | NO | | 3694 | 7.76 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB121_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: METHOD OF TAKING INSULIN (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 46490 | 97.64 |
| 1 | NEEDLE | | 860 | 1.81 |
| 2 | PEN | | 143 | 0.30 |
| 3 | OTHER | | 121 | 0.25 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND TAKING INSULIN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB25 QNAME09: QA09_B24 QPAGENUM: A-18
QNAME07: QA07_B18 QNAME05: QA05_B21

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42796 | 89.88 |
| 1 | YES | | 3466 | 7.28 |
| 2 | NO | | 1352 | 2.84 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB122 QNAME09: QA09_B25 QPAGENUM: A-19
QNAME07: NA QNAME05: NA

LABEL: TAKE MEDICINE TO LOWER CHOLESTEROL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42796 | 89.88 |
| 1 | YES | | 3200 | 6.72 |
| 2 | NO | | 1618 | 3.40 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB123 QNAME09: QA09_B26 QPAGENUM: A-19

QNAME07: NA QNAME05: NA

LABEL: TAKE ASPIRIN REGULARLY TO REDUCE HEART ATTACK RISK

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42796 | 89.88 |
| 1 | YES | | 2697 | 5.66 |
| 2 | NO | | 2121 | 4.45 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB124 QNAME09: QA09_B27 QPAGENUM: A-19

QNAME07: NA QNAME05: NA

LABEL: TAKE OTHER MEDICATIONS TO REDUCE HEART ATTACK RISK

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42796 | 89.88 |
| 1 | YES | | 1387 | 2.91 |
| 2 | NO | | 3431 | 7.21 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    AB26                      QNAME09:   QA09_B29          QPAGENUM:  A-19
                                QNAME07:   QA07_B19          QNAME05:   QA05_B22

LABEL:      # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE

              MEAN STATISTICS
              N              4818
              MIN             0
              MAX            5840
              MEAN           469.32

UNIVERSE:   ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:      PLEASE REFER TO "AB26UNT" FOR MEASUREMENT UNIT
-----

```

```

-----
VARNAME:    AB26UNT                  QNAME09:   QA09_B29          QPAGENUM:  A-19
                                QNAME07:   QA07_B19          QNAME05:   QA05_B22

LABEL:      # OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT

              FREQ          %
VALUE:      -1      INAPPLICABLE      42796      89.88
              4      PER YEAR          4818      10.12

UNIVERSE:   ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB27 QNAME09: QA09_B30 QPAGENUM: A-19
QNAME07: QA07_B20 QNAME05: QA05_B23

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A ONE C LAST YR

MEAN STATISTICS

| | |
|------|------|
| N | 4304 |
| MIN | 0 |
| MAX | 52 |
| MEAN | 2.77 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES: EXCLUDED VALUE "995" IN CALCULATING THE MEAN

VARNAME: AB28 QNAME09: QA09_B31 QPAGENUM: A-20
QNAME07: QA07_B21 QNAME05: QA05_B24

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR

MEAN STATISTICS

| | |
|------|------|
| N | 4818 |
| MIN | 0 |
| MAX | 52 |
| MEAN | 2.43 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB63 QNAME09: QA09_B32 QPAGENUM: A-20
QNAME07: QA07_B22 QNAME05: QA05_B25

LABEL: LAST EYE EXAM DILATED PUPILS

| VALUE: | | FREQ | % |
|--------|-----------------------|-------|-------|
| -1 | INAPPLICABLE | 42796 | 89.88 |
| 1 | WITHIN THE PAST MONTH | 810 | 1.70 |
| 2 | 1 TO 12 MOS AGO | 2821 | 5.92 |
| 3 | 1 TO 2 YRS AGO | 464 | 0.97 |
| 4 | 2 OR MORE YRS AGO | 467 | 0.98 |
| 5 | NEVER | 256 | 0.54 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB109 QNAME09: QA09_B33 QPAGENUM: A-20
QNAME07: NA QNAME05: NA

LABEL: VISITED ER FOR DIABETES IN PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 42796 | 89.88 |
| 1 | YES | 229 | 0.48 |
| 2 | NO | 4589 | 9.64 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB110_P QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: VISITED ER FOR DIABETES BECAUSE UNABLE TO SEE OWN DR (PUF RECODE)

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 47385 | 99.52 |
| | 2 | NO | 87 | 0.18 |
| | | | 142 | 0.30 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND VISITED ER FOR
DIATBETES IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB111 QNAME09: QA09_B35 QPAGENUM: A-20

QNAME07: NA QNAME05: NA

LABEL: ADMITTED TO HOSPITAL OVERNIGHT OR LONGER FOR DIABETES PAST 12 MOS

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 42796 | 89.88 |
| | 2 | NO | 154 | 0.32 |
| | | | 4664 | 9.80 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB112 QNAME09: QA09_B36 QPAGENUM: A-21

QNAME07: NA QNAME05: NA

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42796 | 89.88 |
| 1 | YES | | 3815 | 8.01 |
| 2 | NO | | 1003 | 2.11 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB113 QNAME09: QA09_B37 QPAGENUM: A-21

QNAME07: NA QNAME05: NA

LABEL: HAVE WRITTEN COPY OF DIABETES CARE PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 43799 | 91.99 |
| 1 | YES | | 1725 | 3.62 |
| 2 | NO | | 2090 | 4.39 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES AND MEDICAL PROVIDERS
DEVELOPED DIABETES CARE PLAN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB114 QNAME09: QA09_B38 QPAGENUM: A-21

QNAME07: NA QNAME05: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE DIABETE

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 42570 | 89.41 |
| 1 | VERY CONFIDENT | | 2871 | 6.03 |
| 2 | SOMEWHAT CONFIDENT | | 1527 | 3.21 |
| 3 | NOT TOO CONFIDENT | | 289 | 0.61 |
| 4 | NOT AT ALL CONFIDENT | | 74 | 0.16 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB81 QNAME09: QA09_B39 QPAGENUM: A-21

QNAME07: QA07_B23 QNAME05: NA

LABEL: DOCTOR TOLD HAD DIABETES ONLY DURING PREGNANCY

| VALUE: | | | FREQ | % |
|--------|---------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21966 | 46.13 |
| 1 | YES | | 929 | 1.95 |
| 2 | NO | | 24569 | 51.60 |
| 3 | BORDERLINE GESTATIONAL DIABETES | | 150 | 0.32 |

UNIVERSE: NON-DIABETIC WOMEN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB126 QNAME09: QA09_B40 QPAGENUM: A-22

QNAME07: NA QNAME05: NA

LABEL: HAD A FASTING BLOOD SUGAR TEST AFTER PREGNANCY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 46685 | 98.05 |
| 1 | YES | | 689 | 1.45 |
| 2 | NO | | 240 | 0.50 |

UNIVERSE: WOMEN WITH GESTATIONAL DIABETES ONLY

INPUT VAR:

NOTES:

VARNAME: AB29 QNAME09: QA09_B41 QPAGENUM: A-22

QNAME07: QA07_B24 QNAME05: QA05_B26

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

| VALUE: | | | FREQ | % |
|--------|-------------------------|--|-------|-------|
| 1 | YES | | 17233 | 36.19 |
| 2 | NO | | 29442 | 61.83 |
| 3 | BORDERLINE HYPERTENSION | | 939 | 1.97 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB30 QNAME09: QA09_B42 QPAGENUM: A-22
QNAME07: QA07_B25 QNAME05: QA05_B30

LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 30381 | 63.81 |
| | 2 | NO | 13771 | 28.92 |
| | | | 3462 | 7.27 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

VARNAME: AB34 QNAME09: QA09_B43 QPAGENUM: A-22
QNAME07: QA07_B26 QNAME05: QA05_B30

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 4862 | 10.21 |
| | | | 42752 | 89.79 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    AB52                      QNAME09:   QA09_B44          QPAGENUM:  A-22
                                QNAME07:   QA07_B27          QNAME05:   QA05_B31

LABEL:      EVER TOLD HAVE HEART FAILURE/CONGESTIVE

VALUE:      -1      INAPPLICABLE                      FREQ      %
              1      YES                          42752    89.79
              2      NO                          1353     2.84
                                                3509     7.37

UNIVERSE:   ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:    AB115                      QNAME09:   QA09_B45          QPAGENUM:  A-22
                                QNAME07:    NA              QNAME05:   NA

LABEL:      VISITED ER FOR HEART DISEASE IN PAST 12 MOS

VALUE:      -1      INAPPLICABLE                      FREQ      %
              1      YES                          42752    89.79
              2      NO                          714     1.50
                                                4148     8.71

UNIVERSE:   ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB116_P QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: VISITED ER FOR HEART DX B/C UNABLE TO SEE OWN DR (PUF RECODE)

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 46900 | 98.50 |
| | 2 | NO | 242 | 0.51 |
| | | | 472 | 0.99 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND VISITED ER FOR HEART DISEASE IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB117 QNAME09: QA09_B47 QPAGENUM: A-23

QNAME07: NA QNAME05: NA

LABEL: ADMITTED TO HOSPITAL OVERNIGHT/LONGER FOR HEART DX PAST 12 MOS

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 42752 | 89.79 |
| | 2 | NO | 695 | 1.46 |
| | | | 4167 | 8.75 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB118 QNAME09: QA09_B48 QPAGENUM: A-23

QNAME07: NA QNAME05: NA

LABEL: MEDICAL PROVIDERS DEVELOPED HEART DISEASE PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42752 | 89.79 |
| 1 | YES | | 3681 | 7.73 |
| 2 | NO | | 1181 | 2.48 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AB119 QNAME09: QA09_B49 QPAGENUM: A-23

QNAME07: NA QNAME05: NA

LABEL: HAVE WRITTEN COPY OF HEART DISEASE CARE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 43933 | 92.27 |
| 1 | YES | | 1071 | 2.25 |
| 2 | NO | | 2610 | 5.48 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE AND MEDICAL PROVIDER
DEVELOPED HEART DISEASE CARE PLAN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB120 QNAME09: QA09_B50 QPAGENUM: A-23

QNAME07: NA QNAME05: NA

LABEL: CONFIDENCE TO CONTROL AND MANAGE HEART DISEASE

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 42578 | 89.42 |
| 1 | VERY CONFIDENT | | 2765 | 5.81 |
| 2 | SOMEWHAT CONFIDENT | | 1592 | 3.34 |
| 3 | NOT TOO CONFIDENT | | 285 | 0.60 |
| 4 | NOT AT ALL CONFIDENT | | 111 | 0.23 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AE30 QNAME09: QA09_B51 QPAGENUM: A-24

QNAME07: QA07_B28 QNAME05: QA05_B39

LABEL: FLU SHOT IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 21598 | 45.36 |
| 2 | NO | | 26016 | 54.64 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB100 QNAME09: QA09_B52 QPAGENUM: A-24

QNAME07: NA QNAME05: NA

LABEL: HAD FLU SHOT OR NASAL FLU VACCINE

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -1 | INAPPLICABLE | 26016 | 54.64 |
| 1 | FLU SHOT | 20749 | 43.58 |
| 2 | NASAL / FLUMIST | 476 | 1.00 |
| 3 | BOTH | 373 | 0.78 |

UNIVERSE: ADULTS WHO HAD FLU VACCINE IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AB57 QNAME09: QA09_B53 QPAGENUM: A-24

QNAME07: NA QNAME05: NA

LABEL: KIND OF PLACE GOT LAST FLU SHOT

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 26016 | 54.64 |
| 1 | DOCTOR'S OFFICE/KAISER/HMO | 10145 | 21.31 |
| 2 | COMM HLTH CTR/HLTH DEPT CLINIC/OTHER CLI | 4112 | 8.64 |
| 3 | STORE (MARKET, DRUGSTORE, PHARMACY) | 3276 | 6.88 |
| 4 | WORKPLACE | 1701 | 3.57 |
| 5 | SENIOR/RECREATION/COMMUNITY CENTER | 641 | 1.35 |
| 6 | HOSPITAL/EMERGENCY ROOM | 1483 | 3.11 |
| 7 | PLACE OF WORSHIP | 136 | 0.29 |
| 8 | SCHOOL | 4 | 0.01 |
| 9 | RESIDENCE | 69 | 0.14 |
| 10 | FEDERAL FACILITY | 1 | 0.00 |
| 11 | OTHER | 30 | 0.06 |

UNIVERSE: ADULTS 50 OR OLDER WHO HAD A FLU SHOT IN PAST 12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF4 QNAME09: QA09_B54 QPAGENUM: A-24

QNAME07: NA QNAME05: NA

LABEL: BLOOD RELATIVE EVER HAVE ANY KIND CANCER

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 22447 | 47.14 |
| 2 | NO | | 25167 | 52.86 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF6 QNAME09: QA09_B57 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: MOTHER EVER DIAGNOSED WITH BREAST CANCER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 43886 | 92.17 |
| 1 | YES | | 2098 | 4.41 |
| 2 | NO | | 1630 | 3.42 |

UNIVERSE: ADULT WOMEN WITH A BLOOD RELATIVE THAT HAS HAD BREAST CANCER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF7 QNAME09: QA09_B58 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: SISTER EVER DIAGNOSED WITH BREAST CANCER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 43886 | 92.17 |
| 1 | YES | | 1288 | 2.71 |
| 2 | NO | | 2440 | 5.12 |

UNIVERSE: ADULT WOMEN WITH A BLOOD RELATIVE THAT HAS HAD BREAST CANCER

INPUT VAR:

NOTES:

VARNAME: AF8 QNAME09: QA09_B59 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: NUMBER OF SISTERS WITH BREAST CANCER

| MEAN STATISTICS | |
|-----------------|------|
| N | 1288 |
| MIN | 1 |
| MAX | 5 |
| MEAN | 1.11 |

UNIVERSE: ADULT WOMEN WITH A SISTER THAT HAS HAD BREAST CANCER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB101_1 QNAME09: QA09_B60 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: MOTHER DIAGNOSED WITH COLON/RECTAL CANCER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 44583 | 93.63 |
| 1 | YES | | 1136 | 2.39 |
| 2 | NO | | 1895 | 3.98 |

UNIVERSE: ADULTS WITH BLOOD RELATIVES THAT EVER HAD COLON OR RECTAL CANCER

INPUT VAR:

NOTES:

VARNAME: AB101_2 QNAME09: QA09_B60 QPAGENUM: A-26

QNAME07: NA QNAME05: NA

LABEL: FATHER DIAGNOSED WITH COLON/RECTAL CANCER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 44583 | 93.63 |
| 1 | YES | | 1249 | 2.62 |
| 2 | NO | | 1782 | 3.74 |

UNIVERSE: ADULTS WITH BLOOD RELATIVES THAT EVER HAD COLON OR RECTAL CANCER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SCBRSCAN QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: 1+ SIBLING AND/OR CHILD DIAGNOSED WITH COLON/RECTAL CANCER

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 791 | 1.66 |
| 2 | NO | | 46823 | 98.34 |

UNIVERSE: ADULTS WITH BLOOD RELATIVES THAT HAD COLON/RECTAL CANCER

INPUT VAR:

NOTES:

VARNAME: AF22 QNAME09: QA09_B62 QPAGENUM: A-27

QNAME07: QA07_B29 QNAME05: QA05_FB6

LABEL: EVER HAD HOME BLOOD STOOL TEST

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 9109 | 19.13 |
| 1 | YES | | 19135 | 40.19 |
| 2 | NO | | 19370 | 40.68 |

UNIVERSE: ADULTS 40 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FOBT2 QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: BLOOD STOOL TEST PAST 2 YEARS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -1 | SKIPPED FOR AGE < 50 | | 16757 | 35.19 |
| 1 | YES | | 10573 | 22.21 |
| 2 | NO | | 20284 | 42.60 |

UNIVERSE: ADULTS 50 YEARS OR OLDER

INPUT VAR: AF24 AF22 SRAGE

NOTES:

VARNAME: AF24 QNAME09: QA09_B63 QPAGENUM: A-27

 QNAME07: QA07_B30 QNAME05: QA05_FB7

LABEL: WHEN WAS MOST RECENT HOME BLOOD STOOL TEST

| VALUE: | | | FREQ | % |
|--------|---|--|-------|-------|
| -1 | INAPPLICABLE | | 28479 | 59.81 |
| 1 | A YEAR AGO OR LESS | | 8021 | 16.85 |
| 2 | MORE THAN 1 YEAR AGO UP TO 2 YEARS AGO | | 3249 | 6.82 |
| 3 | MORE THAN 2 YEARS AGO UP TO 5 YEARS AGO | | 3829 | 8.04 |
| 4 | MORE THAN 5 YEARS AGO | | 4036 | 8.48 |

UNIVERSE: ADULTS 40 AND OLDER WHO HAVE HAD BLOOD STOOL TEST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB83 QNAME09: QA09_B64 QPAGENUM: A-27

QNAME07: QA07_B31 QNAME05: NA

LABEL: MAIN REASON MOST RECENT BLOOD STOOL TEST

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 28479 | 59.81 |
| 1 | PART OF A ROUTINE EXAM | | 15976 | 33.55 |
| 2 | BECAUSE OF A PROBLEM | | 1996 | 4.19 |
| 3 | SOME OTHER REASON | | 1163 | 2.44 |

UNIVERSE: ADULTS 40 AND OLDER WHO HAVE HAD BLOOD STOOL TEST

INPUT VAR:

NOTES:

VARNAME: AB84 QNAME09: QA09_B65 QPAGENUM: A-28

QNAME07: QA07_B32 QNAME05: NA

LABEL: EVER HAD A COLONOSCOPY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 9109 | 19.13 |
| 1 | YES | | 19007 | 39.92 |
| 2 | NO | | 19498 | 40.95 |

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB85 QNAME09: QA09_B66 QPAGENUM: A-28

QNAME07: QA07_B33 QNAME05: NA

LABEL: MOST RECENT COLONOSCOPY EXAM

| VALUE: | | FREQ | % |
|--------|--------------------------------|-------|-------|
| -1 | INAPPLICABLE | 28607 | 60.08 |
| 1 | A YEAR AGO OR LESS | 5237 | 11.00 |
| 2 | MORE THAN 1 UP TO 5 YEARS AGO | 10242 | 21.51 |
| 3 | MORE THAN 5 UP TO 10 YEARS AGO | 2689 | 5.65 |
| 4 | MORE THAN 10 YEARS AGO | 839 | 1.76 |

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD COLONOSCOPY

INPUT VAR:

NOTES:

VARNAME: CRC_SCRN QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: COLONOSCOPY/SIG/FOBT IN PAST 5 YRS

| VALUE: | | FREQ | % |
|--------|-----------------------|-------|-------|
| -1 | SKIP, AGE<40 | 9109 | 19.13 |
| 1 | WITHIN PAST 5 YRS | 21237 | 44.60 |
| 2 | NOT WITHIN PAST 5 YRS | 6174 | 12.97 |
| 3 | NEVER | 11094 | 23.30 |

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR: AF22 AB85 AF24 AB84 AB87 AB88

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB86 QNAME09: QA09_B67 QPAGENUM: A-28

QNAME07: QA07_B34 QNAME05: NA

LABEL: MAIN REASON MOST RECENT COLONOSCOPY

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 28607 | 60.08 |
| 1 | PART OF A ROUTINE EXAM | | 13492 | 28.34 |
| 2 | BECAUSE OF A PROBLEM | | 3805 | 7.99 |
| 3 | SOME OTHER REASON | | 1710 | 3.59 |

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD COLONOSCOPY

INPUT VAR:

NOTES:

VARNAME: AB87 QNAME09: QA09_B68 QPAGENUM: A-28

QNAME07: QA07_B35 QNAME05: NA

LABEL: EVER HAD A SIGMOIDOSCOPY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 9109 | 19.13 |
| 1 | YES | | 10948 | 22.99 |
| 2 | NO | | 27557 | 57.88 |

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB88 QNAME09: QA09_B69 QPAGENUM: A-28

QNAME07: QA07_B36 QNAME05: NA

LABEL: MOST RECENT SIGMOIDOSCOPY EXAM

| VALUE: | | FREQ | % |
|--------|--------------------------------|-------|-------|
| -1 | INAPPLICABLE | 36666 | 77.01 |
| 1 | A YEAR AGO OR LESS | 985 | 2.07 |
| 2 | MORE THAN 1 UP TO 5 YEARS AGO | 3424 | 7.19 |
| 3 | MORE THAN 5 UP TO 10 YEARS AGO | 3161 | 6.64 |
| 4 | MORE THAN 10 YEARS AGO | 3378 | 7.09 |

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD SIGMOIDOSCOPY

INPUT VAR:

NOTES:

VARNAME: AB89 QNAME09: QA09_B70 QPAGENUM: A-29

QNAME07: QA07_B37 QNAME05: NA

LABEL: MAIN REASON MOST RECENT SIGMOIDOSCOPY

| VALUE: | | FREQ | % |
|--------|------------------------|-------|-------|
| -1 | INAPPLICABLE | 36666 | 77.01 |
| 1 | PART OF A ROUTINE EXAM | 7999 | 16.80 |
| 2 | BECAUSE OF A PROBLEM | 2277 | 4.78 |
| 3 | SOME OTHER REASON | 672 | 1.41 |

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAVE HAD SIGMOIDOSCOPY

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB90 QNAME09: QA09_B71 QPAGENUM: A-29

QNAME07: QA07_B38 QNAME05: NA

LABEL: PAST 5 YRS DOCTOR RECOMMENDED COLON TESTS

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 9109 | 19.13 |
| 1 | YES | 17926 | 37.65 |
| 2 | NO | 20459 | 42.97 |
| 92 | DID NOT GO TO A DOCTOR IN PAST 5 YEARS | 120 | 0.25 |

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

VARNAME: AF20 QNAME09: QA09_B72 QPAGENUM: A-29

QNAME07: NA QNAME05: QA05_FB5

LABEL: MAIN REASON NO SIGMOID/COLONOSCOPY IN PAST 10 YRS

| VALUE: | | FREQ | % |
|--------|-------------------------------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 32179 | 67.58 |
| 1 | NO REASON/NEVER THOUGHT ABOUT IT | 3081 | 6.47 |
| 2 | DIDN'T KNOW IF NEEDED | 1137 | 2.39 |
| 3 | DOCTOR DIDN'T TELL ME | 3455 | 7.26 |
| 4 | HAVEN'T HAD ANY PROBLEMS | 2403 | 5.05 |
| 5 | PUT IT OFF/LAZINESS | 700 | 1.47 |
| 6 | TOO EXPENSIVE/NO INSURANCE/COST | 989 | 2.08 |
| 7 | TOO PAINFUL/UNPLEASANT/EMBARRASSING | 517 | 1.09 |
| 8 | HAD ANOTHER TYPE OF COLORECTAL EXAM | 30 | 0.06 |
| 9 | DON'T HAVE A DOCTOR | 198 | 0.42 |
| 91 | OTHER | 2642 | 5.55 |

UNIVERSE: NEVER HAD SIGMOIDOSCOPY IN PAST 5 YRS OR COLONOSCOPY IN PAST 10 YRS OR FOBT IN PAST 1 YR

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | |
|---------------|-------------------|--------------------|
| VARNAME: AF30 | QNAME09: QA09_B73 | QPAGENUM: A-30 |
| | QNAME07: NA | QNAME05: QA05_FB10 |

LABEL: EVER HEARD OF PSA TEST

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 32134 | 67.49 |
| | 2 | NO | 11948 | 25.09 |
| | | | 3532 | 7.42 |

UNIVERSE: ADULT MEN 40 YEARS OR OLDER

INPUT VAR:

NOTES:

| | | |
|---------------|-------------------|--------------------|
| VARNAME: AF31 | QNAME09: QA09_B74 | QPAGENUM: A-30 |
| | QNAME07: NA | QNAME05: QA05_FB11 |

LABEL: EVER HAD A PSA TEST

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 35666 | 74.91 |
| | 2 | NO | 8935 | 18.77 |
| | | | 3013 | 6.33 |

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAVE HEARD OF A PSA TEST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PSA_SCRN QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: PROSTATE SCREENING PAST YEAR

| VALUE: | | | FREQ | % |
|--------|-----------------------------|--|-------|-------|
| -1 | SKIP, FEMALE OR MALE AGE<40 | | 32134 | 67.49 |
| 1 | 1 YEARS OR LESS | | 6217 | 13.06 |
| 2 | MORE THAN 1 YEARS AGO | | 2718 | 5.71 |
| 3 | NEVER | | 6545 | 13.75 |

UNIVERSE: ADULT MEN 40 OR OLDER

INPUT VAR: AF30 AF31 AF33

NOTES:

VARNAME: AF33 QNAME09: QA09_B75 QPAGENUM: A-30

QNAME07: NA QNAME05: QA05_FB12

LABEL: WHEN WAS MOST RECENT PSA TEST

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 38679 | 81.23 |
| 1 | A YR AGO OR LESS | | 6217 | 13.06 |
| 2 | MORE THAN 1 YR AGO UP TO 2 YRS AGO | | 1300 | 2.73 |
| 3 | MORE THAN 2 YRS AGO UP TO 3 YRS AGO | | 548 | 1.15 |
| 4 | MORE THAN 3 YRS AGO UP TO 5 YRS AGO | | 478 | 1.00 |
| 5 | MORE THAN 5 YRS AGO | | 392 | 0.82 |

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAD A PSA TEST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF34 QNAME09: QA09_B76 QPAGENUM: A-30

QNAME07: NA QNAME05: NA

LABEL: MAIN REASON FOR LAST PSA TEST

| VALUE: | | FREQ | % |
|--------|-------------------------------|-------|-------|
| -1 | INAPPLICABLE | 38679 | 81.23 |
| 1 | PART OF ROUTINE PHYSICAL EXAM | 7205 | 15.13 |
| 2 | BECAUSE OF A PROBLEM | 1186 | 2.49 |
| 3 | OTHER | 544 | 1.14 |

UNIVERSE: ADULT MEN 40 AND OLDER WHO HAD A PSA TEST

INPUT VAR:

NOTES:

VARNAME: AB103 QNAME09: QA09_B77 QPAGENUM: A-31

QNAME07: NA QNAME05: NA

LABEL: DOC EVER TALKED ADVANTAGE/DISADVANTAGE OF PSA TEST

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 35666 | 74.91 |
| 1 | YES | 5245 | 11.02 |
| 2 | NO | 6703 | 14.08 |

UNIVERSE: ADULT MEN 40 AND OLDER WHO HAD A PSA TEST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB104 QNAME09: QA09_B78 QPAGENUM: A-31

QNAME07: NA QNAME05: NA

LABEL: DOC EVER TOLD DIFFERENT DR'S RECOMMENDATION FOR PSA TEST

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 35666 | 74.91 |
| 1 | YES | | 2879 | 6.05 |
| 2 | NO | | 9069 | 19.05 |

UNIVERSE: ADULT MEN 40 AND OLDER WHO HAD A PSA TEST

INPUT VAR:

NOTES:

VARNAME: AB105 QNAME09: QA09_B79 QPAGENUM: A-31

QNAME07: NA QNAME05: NA

LABEL: DOC EVER RECOMMENDED PSA TEST

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 35666 | 74.91 |
| 1 | YES | | 6941 | 14.58 |
| 2 | NO | | 5007 | 10.52 |

UNIVERSE: ADULT MEN 40 AND OLDER WHO HAD A PSA TEST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section C: Health Behaviors

VARNAME: AD37W QNAME09: QA09_C1 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------|--|-------|-------|
| 1 | YES | | 20675 | 43.42 |
| 2 | NO | | 26489 | 55.63 |
| 3 | UNABLE TO WALK | | 450 | 0.95 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD38W QNAME09: QA09_C2 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR TRANSPORT PAST 7 DAYS

| MEAN STATISTICS | |
|-----------------|-------|
| N | 20675 |
| MIN | 1 |
| MAX | 99 |
| MEAN | 4.27 |

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME PLACE
IN PAST 7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD39W QNAME09: QA09_C3 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR TRANSPORTION

MEAN STATISTICS

| | |
|------|-------|
| N | 20675 |
| MIN | 1 |
| MAX | 480 |
| MEAN | 28.18 |

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME PLACE
IN PAST 7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AD39WUNT" FOR MEASUREMENT UNIT

VARNAME: AD39WUNT QNAME09: QA09_C3 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR TRANSPORT - UNIT

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 26939 | 56.58 |
| 1 | MINUTES | 20675 | 43.42 |

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN TO GET SOME PLACE
IN PAST 7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD40W QNAME09: QA09_C4 QPAGENUM: A-32

QNAME07: NA QNAME05: NA

LABEL: WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 450 | 0.95 |
| 1 | YES | | 28414 | 59.68 |
| 2 | NO | | 18750 | 39.38 |

UNIVERSE: ADULTS ABLE TO WALK

INPUT VAR:

NOTES:

VARNAME: AD41W QNAME09: QA09_C5 QPAGENUM: A-33

QNAME07: NA QNAME05: NA

LABEL: # TIMES WALKED AT LEAST 10 MIN FOR LEISURE PAST 7 DAYS

| MEAN STATISTICS | |
|-----------------|-------|
| N | 28414 |
| MIN | 1 |
| MAX | 99 |
| MEAN | 4.23 |

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST
7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD42W QNAME09: QA09_C6 QPAGENUM: A-33

QNAME07: NA QNAME05: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE

MEAN STATISTICS

| | |
|------|-------|
| N | 28414 |
| MIN | 1 |
| MAX | 480 |
| MEAN | 35.28 |

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST
7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AD42WUNT" FOR MEASUREMENT UNIT

VARNAME: AD42WUNT QNAME09: QA09_C6 QPAGENUM: A-33

QNAME07: NA QNAME05: NA

LABEL: AVERAGE LENGTH OF TIME WALKED FOR LEISURE- UNIT

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 19200 | 40.32 |
| 1 | MINUTES | 28414 | 59.68 |

UNIVERSE: ADULTS ABLE TO WALK WHO WALKED AT LEAST 10 MIN FOR LEISURE IN PAST
7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE26 QNAME09: QA09_C7 QPAGENUM: A-33
QNAME07: QA07_C1 QNAME05: QA05_C7

LABEL: MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 27343 | 57.43 |
| 2 | NO | | 20271 | 42.57 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE27 QNAME09: QA09_C8 QPAGENUM: A-33
QNAME07: QA07_C2 QNAME05: QA05_C8

LABEL: # DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK

| MEAN STATISTICS | |
|-----------------|-------|
| N | 27343 |
| MIN | 1 |
| MAX | 7 |
| MEAN | 3.23 |

UNIVERSE: ADULTS WHO DID MOD PHYS ACTIVITY AT LEAST 10 MINS IN LAST 7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE27A QNAME09: QA09_C9 QPAGENUM: A-34
QNAME07: QA07_C3 QNAME05: QA05_C9

LABEL: TIME PER DAY OF MODERATE PHYSICAL ACTIVITY

MEAN STATISTICS

| | |
|------|-------|
| N | 27343 |
| MIN | 0 |
| MAX | 720 |
| MEAN | 67.01 |

UNIVERSE: ADULTS WHO DID MOD PHYS ACTIVITY AT LEAST 10 MIN IN LAST 7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AE27AUNT" FOR MEASUREMENT UNIT

VARNAME: AE27AMIN QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: AVG LENGTH OF MODERATE ACTIVITY PER DAY

MEAN STATISTICS

| | |
|------|-------|
| N | 27343 |
| MIN | 0 |
| MAX | 720 |
| MEAN | 67.01 |

UNIVERSE: ADULTS WHO HAVE DONE MODERATE PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR: AE27A AE27AUNT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE27AUNT QNAME09: QA09_C9 QPAGENUM: A-34
QNAME07: QA07_C3 QNAME05: QA05_C9

LABEL: TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20271 | 42.57 |
| 1 | MINUTES | | 27343 | 57.43 |

UNIVERSE: ADULTS WHO DID MODERATE PHYS ACT IN PAST WEEK AT LEAST 10 MINS

INPUT VAR:

NOTES:

VARNAME: AE24 QNAME09: QA09_C10 QPAGENUM: A-34
QNAME07: QA07_C4 QNAME05: QA05_C10

LABEL: HARD/VIGOROUS EXERCISE IN PAST 7 DAYS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 12952 | 27.20 |
| 2 | NO | | 34662 | 72.80 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE25 QNAME09: QA09_C11 QPAGENUM: A-34
QNAME07: QA07_C5 QNAME05: QA05_C11

LABEL: # DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK

MEAN STATISTICS

| | |
|------|-------|
| N | 12952 |
| MIN | 1 |
| MAX | 7 |
| MEAN | 3.00 |

UNIVERSE: ADULTS WHO DID VIGOROUS PHYSICAL ACTIVITY IN LAST 7 DAYS

INPUT VAR:

NOTES:

VARNAME: AE25A QNAME09: QA09_C12 QPAGENUM: A-35
QNAME07: QA07_C6 QNAME05: QA05_C12

LABEL: TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY

MEAN STATISTICS

| | |
|------|-------|
| N | 12952 |
| MIN | 0 |
| MAX | 480 |
| MEAN | 62.62 |

UNIVERSE: ADULTS WHO DID VIGOROUS PHYSICAL ACTIVITY IN LAST 7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AE25AUNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE25AMIN QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: AVG LENGTH OF VIGOROUS ACTIVITY PER DAY

MEAN STATISTICS

| | |
|------|-------|
| N | 12952 |
| MIN | 0 |
| MAX | 480 |
| MEAN | 62.62 |

UNIVERSE: ADULTS WHO HAVE DONE VIGOROUS PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR: AE25A AE25AUNT

NOTES:

VARNAME: AE25AUNT QNAME09: QA09_C12 QPAGENUM: A-35

QNAME07: QA07_C6 QNAME05: QA05_C12

LABEL: TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 34662 | 72.80 |
| 1 | MINUTES | 12952 | 27.20 |

UNIVERSE: ADULTS WHO DID VIGOROUS PHYSICAL ACTIVITY IN LAST 7 DAYS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MODACT QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY

| | | | | |
|--------|---|-----------------------------------|-------|-------|
| VALUE: | 1 | AT LEAST 5 DAYS/WK AND 30 MIN/DAY | FREQ | % |
| | 2 | LESS THAN 5 DAYS/WK OR 30 MIN/DAY | 4794 | 10.07 |
| | | | 42820 | 89.93 |

UNIVERSE: ALL ADULTS

INPUT VAR: AE27AUNT AE27A AE27 AE26

NOTES:

VARNAME: REGACT QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: REGULAR, MODERATE, OR VIGOROUS ACTIVITY

| | | | | |
|--------|---|---------------------------------|-------|-------|
| VALUE: | 1 | REGULAR PHYSICAL ACTIVITY | FREQ | % |
| | 2 | SOME PHYSICAL | 9572 | 20.10 |
| | 3 | SEDENTARY(NO PHYSICAL ACTIVITY) | 20905 | 43.91 |
| | | | 17137 | 35.99 |

UNIVERSE: ALL ADULTS

INPUT VAR: VIGPA MODACT AE24 AE26

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: VIGPA QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY

| VALUE: | | | FREQ | % |
|--------|-----------------------------------|--|-------|-------|
| 1 | AT LEAST 3 DAYS/WK AND 20 MIN/DAY | | 6437 | 13.52 |
| 2 | LESS THAN 3 DAYS/WK OR 20 MIN/DAY | | 41177 | 86.48 |

UNIVERSE: ALL ADULTS

INPUT VAR: AE25AUNT AE25A AE25 AE24

NOTES: SIMILAR TO AE_VIGOR IN 2001

VARNAME: AE2 QNAME09: QA09_C13 QPAGENUM: A-35

QNAME07: QA07_C8 QNAME05: QA05_C18

LABEL: # TIMES ATE FRUIT IN PAST MO

| MEAN STATISTICS | |
|-----------------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 480 |
| MEAN | 34.91 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE2UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE2UNT QNAME09: QA09_C13 QPAGENUM: A-35
 QNAME07: QA07_C8 QNAME05: QA05_C18
 LABEL: # OF TIMES ATE FRUIT IN PAST MO - UNIT
 VALUE: 3 PER MONTH FREQ 47614 % 100.00
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES:

VARNAME: AE3 QNAME09: QA09_C14 QPAGENUM: A-35
 QNAME07: QA07_C9 QNAME05: QA05_C18
 LABEL: # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO
 MEAN STATISTICS
 N 47614
 MIN 0
 MAX 180
 MEAN 3.60
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES: PLEASE REFER TO "AE3UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE3UNT QNAME09: QA09_C14 QPAGENUM: A-35
 QNAME07: QA07_C9 QNAME05: QA05_C18
 LABEL: # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT
 VALUE: 3 PER MONTH FREQ %
 47614 100.00
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES:

VARNAME: AE7 QNAME09: QA09_C15 QPAGENUM: A-36
 QNAME07: QA07_C10 QNAME05: QA05_C21
 LABEL: # OF TIMES ATE VEGETABLES IN PAST MO
 MEAN STATISTICS
 N 47614
 MIN 0
 MAX 300
 MEAN 32.74
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES: PLEASE REFER TO "AE7UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE7UNT QNAME09: QA09_C15 QPAGENUM: A-36
 QNAME07: QA07_C10 QNAME05: QA05_C21
 LABEL: # OF TIMES ATE VEGETABLES IN PAST MO - UNIT
 VALUE: 3 PER MONTH FREQ 47614 % 100.00
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES:

VARNAME: AE_FRIES QNAME09: NA QPAGENUM: NA
 QNAME07: NA QNAME05: NA
 LABEL: # OF TIME EATING FRIES PER WEEK
 MEAN STATISTICS
 N 47614
 MIN 0
 MAX 42
 MEAN 0.76
 UNIVERSE: ALL ADULTS
 INPUT VAR: AE3 AE3UNT
 NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_FRUIT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES EATING FRUIT PER WEEK

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 111 |
| MEAN | 8.15 |

UNIVERSE: ALL ADULTS

INPUT VAR: AE2 AE2UNT

NOTES:

VARNAME: AC11 QNAME09: QA09_C16 QPAGENUM: A-36

QNAME07: QA07_C11 QNAME05: QA05_C22

LABEL: # OF TIMES DRANK SODA LAST MONTH

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 300 |
| MEAN | 5.66 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC11UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:  AC11UNT                      QNAME09:  QA09_C16          QPAGENUM:  A-36
                                         QNAME07:  QA07_C11          QNAME05:  QA05_C22

LABEL:    # OF TIMES DRANK SODA LAST MONTH - UNIT

VALUE:    3          PER MONTH                      FREQ      %
                                         47614      100.00

UNIVERSE:  ALL ADULTS

INPUT VAR:

NOTES:
-----
```

```
VARNAME:  AC12                      QNAME09:  QA09_C17          QPAGENUM:  A-36
                                         QNAME07:  NA              QNAME05:  QA05_C24

LABEL:    # OF TIMES DRANK FRUIT-FLAV LAST MONTH

                        MEAN STATISTICS
                        N          47614
                        MIN        0
                        MAX        300
                        MEAN       2.29

UNIVERSE:  ALL ADULTS

INPUT VAR:

NOTES:    PLEASE REFER TO "AC12UNT" FOR MEASUREMENT UNIT
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC12UNT QNAME09: QA09_C17 QPAGENUM: A-36
 QNAME07: NA QNAME05: QA05_C24
 LABEL: # OF TIMES DRANK FRUIT-FLAV LAST MONTH - UNIT
 VALUE: 3 PER MONTH FREQ 47614 % 100.00
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES:

VARNAME: AC41 QNAME09: QA09_C18 QPAGENUM: A-36
 QNAME07: NA QNAME05: NA
 LABEL: # OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH
 MEAN STATISTICS
 N 47614
 MIN 0
 MAX 300
 MEAN 4.25
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES: PLEASE REFER TO "AC41UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC41UNT QNAME09: QA09_C18 QPAGENUM: A-36

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES DRANK SWEETENED FRUIT DRINKS LAST MONTH - UNIT

| | | | | |
|--------|---|-----------|-------|--------|
| VALUE: | 3 | PER MONTH | FREQ | % |
| | | | 47614 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC36 QNAME09: QA09_C19 QPAGENUM: A-37

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 300 |
| MEAN | 12.43 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC36UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC36UNT QNAME09: QA09_C19 QPAGENUM: A-37

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES DRANK SWEETENED COFFEE/TEA LAST MONTH - UNIT

| | | | | |
|--------|---|-----------|-------|--------|
| VALUE: | 3 | PER MONTH | FREQ | % |
| | | | 47614 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE_SODA QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 69 |
| MEAN | 1.29 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC11 AC11UNT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | |
|---------------|-------------------|-------------------|
| VARNAME: AC13 | QNAME09: QA09_C20 | QPAGENUM: A-37 |
| | QNAME07: NA | QNAME05: QA05_C25 |

LABEL: # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 300 |
| MEAN | 10.57 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC13UNT" FOR MEASUREMENT UNIT

| | | |
|------------------|-------------------|-------------------|
| VARNAME: AC13UNT | QNAME09: QA09_C20 | QPAGENUM: A-37 |
| | QNAME07: NA | QNAME05: QA05_C25 |

LABEL: # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH - UNIT

| | | |
|--------------------|-------|--------|
| | FREQ | % |
| VALUE: 3 PER MONTH | 47614 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | |
|------------------|-------------|--------------|
| VARNAME: AE_VEGI | QNAME09: NA | QPAGENUM: NA |
| | QNAME07: NA | QNAME05: NA |

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 69 |
| MEAN | 7.66 |

UNIVERSE: ALL ADULTS

INPUT VAR: AE7 AE7UNT

NOTES:

| | | |
|---------------|-------------------|-------------------|
| VARNAME: AC14 | QNAME09: QA09_C21 | QPAGENUM: A-37 |
| | QNAME07: NA | QNAME05: QA05_C26 |

LABEL: # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 300 |
| MEAN | 4.16 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC14UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC14UNT QNAME09: QA09_C21 QPAGENUM: A-37
QNAME07: NA QNAME05: QA05_C26

LABEL: # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH - UNIT

| | | | | |
|--------|---|-----------|-------|--------|
| VALUE: | 3 | PER MONTH | FREQ | % |
| | | | 47614 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC31 QNAME09: QA09_C22 QPAGENUM: A-37
QNAME07: QA07_C12 QNAME05: NA

LABEL: # TIMES ATE FAST FOOD PAST WEEK

| MEAN STATISTICS | |
|-----------------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 30 |
| MEAN | 1.09 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF13 QNAME09: QA09_C23 QPAGENUM: A-38

QNAME07: NA QNAME05: NA

LABEL: TIMES SUNBURNED PAST 12 MOS

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 365 |
| MEAN | 0.87 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: NUMTAN12 QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: # OF TIMES USED INDOOR TANNING DEVICE PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|------------|-------|-------|
| 0 | 0 | 46680 | 98.04 |
| 1 | 1 - 10 | 605 | 1.27 |
| 2 | 11-20 | 140 | 0.29 |
| 3 | 21-30 | 80 | 0.17 |
| 4 | 31 OR MORE | 109 | 0.23 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--|----------|----------|-----------|----------|
| VARNAME: | AE15 | QNAME09: | QA09_C25 | QPAGENUM: | A-38 |
| | | QNAME07: | QA07_C13 | QNAME05: | QA05_C30 |
| LABEL: | SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME | | | | |
| VALUE: | 1 | YES | | FREQ | % |
| | 2 | NO | | 20168 | 42.36 |
| | | | | 27446 | 57.64 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|---|--------------|----------|-----------|----------|
| VARNAME: | AE15A | QNAME09: | QA09_C26 | QPAGENUM: | A-38 |
| | | QNAME07: | QA07_C14 | QNAME05: | QA05_C31 |
| LABEL: | SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL | | | | |
| VALUE: | -1 | INAPPLICABLE | | FREQ | % |
| | 1 | EVERY DAY | | 27446 | 57.64 |
| | 2 | SOME DAYS | | 3936 | 8.27 |
| | 3 | NOT AT ALL | | 1601 | 3.36 |
| | | | | 14631 | 30.73 |
| UNIVERSE: | ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD32 QNAME09: QA09_C27 QPAGENUM: A-38
QNAME07: QA07_C15 QNAME05: QA05_C32

LABEL: # OF CIGARETTES PER DAY

MEAN STATISTICS

| | |
|------|-------|
| N | 3936 |
| MIN | 0 |
| MAX | 90 |
| MEAN | 13.51 |

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW
SMOKE EVERY DAY

INPUT VAR:

NOTES:

VARNAME: AC40 QNAME09: QA09_C28 QPAGENUM: A-39
QNAME07: NA QNAME05: NA

LABEL: # OF CIGARETTES USUALLY SMOKE PER DAY

MEAN STATISTICS

| | |
|------|-------|
| N | 14631 |
| MIN | 0 |
| MAX | 99 |
| MEAN | 16.40 |

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW NOT
SMOKE EVERY DAY

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|----------|------|----------|----------|-----------|----------|
| VARNAME: | AE16 | QNAME09: | QA09_C29 | QPAGENUM: | A-39 |
| | | QNAME07: | QA07_C16 | QNAME05: | QA05_C33 |

LABEL: # OF CIGARETTES PER DAY

MEAN STATISTICS

| | |
|------|------|
| N | 1601 |
| MIN | 0 |
| MAX | 100 |
| MEAN | 4.20 |

UNIVERSE: ADULTS WHO CURRENTLY SMOKE SOME IF NOT ALL DAYS

INPUT VAR:

NOTES:

| | | | |
|----------|--------|----------|-----------|
| VARNAME: | AC38YR | QNAME09: | QPAGENUM: |
| | | QNAME07: | NA |
| | | QNAME05: | NA |

LABEL: # YEARS SMOKED CIGARETTES REGULARLY

MEAN STATISTICS

| | |
|------|-------|
| N | 19568 |
| MIN | 0 |
| MAX | 79 |
| MEAN | 18.86 |

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC17 QNAME09: QA09_C31 QPAGENUM: A-39
QNAME07: QA07_C17 QNAME05: QA05_C34

LABEL: SMOKING EVER ALLOWED INSIDE HOME

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 4539 | 9.53 |
| | | | 43075 | 90.47 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: 2003 VARIABLE NAME: AD33

VARNAME: AD34 QNAME09: QA09_C32 QPAGENUM: A-40
QNAME07: QA07_C18 QNAME05: QA05_C17

LABEL: # OF DAYS PER WEEK ANY SMOKING INSIDE HOME

| | |
|-----------------|------|
| MEAN STATISTICS | |
| N | 4539 |
| MIN | 0 |
| MAX | 7 |
| MEAN | 3.35 |

UNIVERSE: ADULT WHO ALLOW SMOKING INSIDE THE HOME

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SMKCUR QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CURRENT SMOKER

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| 1 | CURRENT SMOKER | | 5537 | 11.63 |
| 2 | NOT CURRENT SMOKER | | 42077 | 88.37 |

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

VARNAME: SMOKING QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CURRENT SMOKING HABITS

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| 1 | CURRENTLY SMOKES | | 5537 | 11.63 |
| 2 | QUIT SMOKING | | 14631 | 30.73 |
| 3 | NEVER SMOKED REGULARLY | | 27446 | 57.64 |

UNIVERSE: ALL ADULTS

INPUT VAR: AE15 AE15A

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: NUMCIG QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: # OF CIGARETTES PER DAY

| VALUE: | | FREQ | % |
|--------|------------------|-------|-------|
| 1 | NONE | 42077 | 88.37 |
| 2 | <=1 CIGARETTES | 442 | 0.93 |
| 3 | 2-5 CIGARETTES | 1562 | 3.28 |
| 4 | 6-10 CIGARETTES | 1582 | 3.32 |
| 5 | 11-19 CIGARETTES | 671 | 1.41 |
| 6 | 20 OR MORE | 1280 | 2.69 |

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A AD32 AE16 AE15

NOTES:

VARNAME: HHSMK QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: HOUSEHOLD SMOKING

| VALUE: | | FREQ | % |
|--------|-----------|-------|-------|
| 1 | NONE | 43075 | 90.47 |
| 2 | SOMEDAYS | 2607 | 5.48 |
| 3 | EVERY DAY | 1932 | 4.06 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC17 AD34

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC32 QNAME09: QA09_C33 QPAGENUM: A-40

QNAME07: QA07_C19 QNAME05: NA

LABEL: HAD ALCOHOL PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 33609 | 70.59 |
| 2 | NO | | 14005 | 29.41 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC34 QNAME09: QA09_C34 QPAGENUM: A-40

QNAME07: QA07_C21 QNAME05: NA

LABEL: # DAYS HAD 5+ DRINKS PAST 12 MONTHS

MEAN STATISTICS

| | |
|------|-------|
| N | 14824 |
| MIN | 0 |
| MAX | 365 |
| MEAN | 13.61 |

UNIVERSE: MALES WHO DRANK ALCOHOL IN LAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC35 QNAME09: QA09_C35 QPAGENUM: A-40

QNAME07: QA07_C22 QNAME05: NA

LABEL: # DAYS HAD 4+ DRINKS PAST 12 MONTHS

MEAN STATISTICS

| | |
|------|-------|
| N | 18785 |
| MIN | 0 |
| MAX | 365 |
| MEAN | 5.43 |

UNIVERSE: FEMALES WHO DRANK ALCOHOL IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: BINGE12 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: BINGE DRINKING IN PAST YEAR. 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| 1 | NO BINGE DRINKING PAST YEAR | 36554 | 76.77 |
| 2 | ONCE A YEAR | 1504 | 3.16 |
| 3 | LESS THAN MONTHLY, MORE THAN ONCE A YEAR | 4929 | 10.35 |
| 4 | MONTHLY | 1470 | 3.09 |
| 5 | LESS THAN WEEKLY BUT MORE THAN MONTHLY | 1686 | 3.54 |
| 6 | DAILY OR WEEKLY | 1471 | 3.09 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC32 AC34 AC35

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section D: General Health, Disability, and Sexual Health

VARNAME: HGHTI_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 42 |
| MAX | 77 |
| MEAN | 66.17 |

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

VARNAME: HGHTM_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 1 |
| MAX | 2 |
| MEAN | 1.68 |

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=1.95; BOTTOMCODE=1.1

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HEIGHM_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 1 |
| MAX | 2 |
| MEAN | 1.68 |

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHTM

NOTES: TOPCODE=1.95; BOTTOMCODE=1.1

VARNAME: WEIGHK_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 41 |
| MAX | 150 |
| MEAN | 75.74 |

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHTKG

NOTES: TOPCODE=150; BOTTOMCODE=41

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: WGHTK_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT: KG (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 41 |
| MAX | 150 |
| MEAN | 75.74 |

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WGHTP_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS

| | |
|------|--------|
| N | 47614 |
| MIN | 90 |
| MAX | 330 |
| MEAN | 166.99 |

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WT18K_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT AT 18: KILOS (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 41 |
| MAX | 150 |
| MEAN | 61.20 |

UNIVERSE: ADULTS 19 AND OLDER

INPUT VAR: WT18K

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WT18P_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WEIGHT AT 18: LBS (PUF RECODE)

MEAN STATISTICS

| | |
|------|--------|
| N | 47614 |
| MIN | 90 |
| MAX | 330 |
| MEAN | 134.85 |

UNIVERSE: ADULTS 19 AND OLDER

INPUT VAR: WT18P

NOTES: TOPCODE=330; BOTTOMCODE=90

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD50 QNAME09: QA09_D4 QPAGENUM: A-41
QNAME07: QA07_D4 QNAME05: QA05_D8

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

| | | | | |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | FREQ | % |
| | 2 | NO | 4599 | 9.66 |
| | | | 43015 | 90.34 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: BMI_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: BODY MASS INDEX (PUF RECODE)

| | |
|-----------------|-------|
| MEAN STATISTICS | |
| N | 47614 |
| MIN | 13 |
| MAX | 94 |
| MEAN | 26.73 |

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHK_P HEIGHM_P

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RBMI QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: BMI DESCRIPTIVE

| VALUE : | | | FREQ | % |
|---------|-------------|------------|-------|-------|
| 1 | UNDERWEIGHT | 0-18.49 | 1068 | 2.24 |
| 2 | NORMAL | 18.5-24.99 | 19831 | 41.65 |
| 3 | OVERWEIGHT | 25.0-29.99 | 16152 | 33.92 |
| 4 | OBESE | 30.0+ | 10563 | 22.18 |

UNIVERSE: ALL ADULTS

```
INPUT VAR: BMI
```

NOTES :

VARNAME: OVRWT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: OVERWEIGHT OR OBESE

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 26715 | 56.11 |
| | 2 | NO | 20899 | 43.89 |

UNIVERSE: ALL ADULTS

INPUT VAR: RBMI

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD57 QNAME09: QA09_D6 QPAGENUM: A-42
QNAME07: QA07_D6 QNAME05: QA05_D10

LABEL: CONDITION LIMITS BASIC PHYS ACTIVITY

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 10557 | 22.17 |
| 2 | NO | | 37057 | 77.83 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD51 QNAME09: QA09_D7 QPAGENUM: A-42
QNAME07: QA07_D7 QNAME05: QA05_D11

LABEL: HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 6524 | 13.70 |
| 2 | NO | | 41090 | 86.30 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD52 QNAME09: QA09_D8 QPAGENUM: A-42
QNAME07: QA07_D8 QNAME05: QA05_D12

LABEL: HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2496 | 5.24 |
| 2 | NO | | 45118 | 94.76 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    AD53                      QNAME09:   QA09_D9          QPAGENUM:  A-42
                                QNAME07:   QA07_D9          QNAME05:   QA05_D13

LABEL:      HAS DIFFICULTY GOING OUTSIDE HOME ALONE

VALUE:      1          YES                      FREQ      %
            2          NO                      3206      6.73
                                           44408     93.27

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:
-----
```

```
VARNAME:    AD54                      QNAME09:   QA09_D10        QPAGENUM:  A-43
                                QNAME07:   QA07_D10        QNAME05:   QA05_D14

LABEL:      HAS DIFFICULTY WORKING AT A JOB

VALUE:      -1         INAPPLICABLE              FREQ      %
            1          YES                      15565     32.69
            2          NO                      3346      7.03
                                           28703     60.28

UNIVERSE:   ADULTS UNDER AGE 65

INPUT VAR:

NOTES:
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--|--------------|----|-----------|-------|
| VARNAME: | DISABLE | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION | | | | |
| VALUE: | 1 | DISABLED | | FREQ | % |
| | 2 | NOT DISABLED | | 16766 | 35.21 |
| | | | | 30848 | 64.79 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | SRAGE AD50 AD51 AD52 AD53 AD54 AD57 | | | | |
| NOTES: | ADAPTED FROM AMERICAN COMMUNITY SURVEY FOR 65+, AD54 IS EXCLUDED | | | | |

Section E: Women's Health

```

VARNAM:      AD1
QNAME09:     QA09_E1
QPAGENUM:    A-46

QNAME07:     QA07_E1
QNAME05:     QA05_E1

LABEL:       AGE WHEN PERIOD STARTED

              MEAN STATISTICS
              N              28045
              MIN            6
              MAX            22
              MEAN           12.84

UNIVERSE:    ALL ADULT WOMEN

INPUT VAR:

NOTES:       EXCLUDED VALUE "96" IN CALCULATING THE MEAN

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD13 QNAME09: QA09_E3 QPAGENUM: A-46
QNAME07: QA07_E3 QNAME05: QA05_E7

LABEL: CURRENTLY PREGNANT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 39916 | 83.83 |
| 1 | YES | | 217 | 0.46 |
| 2 | NO | | 7481 | 15.71 |

UNIVERSE: WOMEN 45 OR YOUNGER

INPUT VAR:

NOTES:

VARNAME: AE89_P QNAME09: QPAGENUM:
QNAME07: NA QNAME05: NA

LABEL: STILL HAVE MENSTRUAL CYCLE (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 24455 | 51.36 |
| 1 | YES | | 4613 | 9.69 |
| 2 | NO | | 17099 | 35.91 |
| 3 | NO, HYSTERECTOMY OR OVARIES REMOVED | | 1164 | 2.44 |

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT AND HAVE STARTED MENTRUAL CYCLE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE90 QNAME09: QA09_E5 QPAGENUM: A-47

QNAME07: NA QNAME05: NA

LABEL: TIME SINCE LAST MENSTRUAL CYCLE

| VALUE: | | FREQ | % |
|--------|---------------------------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 29068 | 61.05 |
| 1 | 1 YR AGO OR LESS | 717 | 1.51 |
| 2 | MORE THAN 1 YR AGO TO 2 YRS AGO | 846 | 1.78 |
| 3 | MORE THAN 2 YRS AGO | 16700 | 35.07 |

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT AND HAVE NO PERIOD NOW

INPUT VAR:

NOTES:

VARNAME: AD2 QNAME09: QA09_E6 QPAGENUM: A-47

QNAME07: NA QNAME05: QA05_E2

LABEL: EVER GIVEN BIRTH TO LIVE INFANT

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 19434 | 40.82 |
| 1 | YES | 22180 | 46.58 |
| 2 | NO | 6000 | 12.60 |

UNIVERSE: ALL ADULT WOMEN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | |
|--------------|------------------|------------------|
| VARNAME: AD3 | QNAME09: QA09_E7 | QPAGENUM: A-47 |
| | QNAME07: NA | QNAME05: QA05_E3 |

LABEL: AGE WHEN FIRST CHILD WAS BORN

MEAN STATISTICS

| | |
|------|-------|
| N | 22180 |
| MIN | 10 |
| MAX | 50 |
| MEAN | 24.42 |

UNIVERSE: WOMEN WHO HAVE GIVEN BIRTH

INPUT VAR:

NOTES:

| | | |
|---------------|------------------|-------------------|
| VARNAME: AF37 | QNAME09: QA09_E9 | QPAGENUM: A-48 |
| | QNAME07: NA | QNAME05: QA05_E20 |

LABEL: DOCTOR EXAMINED BREASTS FOR LUMPS PAST 12 MOS

| | | | FREQ | % |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | 21582 | 45.33 |
| | 1 | YES | 18851 | 39.59 |
| | 2 | NO | 7181 | 15.08 |

UNIVERSE: ADULT WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD14 QNAME09: QA09_E10 QPAGENUM: A-48
QNAME07: QA07_E24 QNAME05: QA05_E16

LABEL: EVER HAD A MAMMOGRAM

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 21582 | 45.33 |
| | 2 | NO | 22545 | 47.35 |
| | | | 3487 | 7.32 |

UNIVERSE: WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

VARNAME: MAM_SCRN QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: MAMMOGRAM IN PAST 2 YRS

| | | | | |
|--------|----|-----------------------------|-------|-------|
| VALUE: | -1 | SKIP, MALE OR FEMALE AGE<30 | FREQ | % |
| | 1 | WITHIN PAST 2 YRS | 21582 | 45.33 |
| | 2 | OVER 2 YEARS AGO | 19069 | 40.05 |
| | 3 | NEVER | 3476 | 7.30 |
| | | | 3487 | 7.32 |

UNIVERSE: ADULT WOMEN 30 AND OLDER

INPUT VAR: AD14 AD17 AD16

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD16 QNAME09: QA09_E11 QPAGENUM: A-48
QNAME07: QA07_E25 QNAME05: QA05_E17

LABEL: # OF MAMMOGRAMS IN LAST 6 YRS

MEAN STATISTICS

| | |
|------|-------|
| N | 22545 |
| MIN | 0 |
| MAX | 70 |
| MEAN | 4.31 |

UNIVERSE: WOMEN 30 OR OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

VARNAME: AD17 QNAME09: QA09_E12 QPAGENUM: A-48
QNAME07: QA07_E26 QNAME05: QA05_E18

LABEL: HOW LONG SINCE MOST RECENT MAMMOGRAM

| VALUE: | | FREQ | % |
|--------|----------------------|-------|-------|
| -1 | INAPPLICABLE | 25968 | 54.54 |
| 1 | WITHIN THE PAST YEAR | 15497 | 32.55 |
| 2 | 1 TO 2 YRS AGO | 3572 | 7.50 |
| 3 | 2 TO 3 YRS AGO | 1108 | 2.33 |
| 4 | 3 TO 5 YRS AGO | 888 | 1.86 |
| 5 | MORE THAN 5 YRS AGO | 581 | 1.22 |

UNIVERSE: WOMEN 30 AND OLDER WHO HAD MAMMOGRAM WITHIN 6 YRS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    AE50                      QNAME09:  QA09_E13          QPAGENUM:  A-49
                      QNAME07:  NA              QNAME05:  QA05_E29

LABEL:      MOST RECENT MAMMOGRAM RECOMENDED BY DOCT

VALUE:      -1      INAPPLICABLE                      FREQ      %
              1      YES                          25968    54.54
              2      NO                           17724    37.22
                                           3922     8.24

UNIVERSE:   WOMEN AGE 30 AND OVER WHO HAVE HAD A MAMMOGRAM WITHIN LAST 2 YEARS

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:    AD18                      QNAME09:  QA09_E14          QPAGENUM:  A-49
                      QNAME07:  NA              QNAME05:  QA05_E19

LABEL:      MAIN REASON FOR HAVING MAMMOGRAM

VALUE:      -1      INAPPLICABLE                      FREQ      %
              1      PART OF ROUTINE PHYSICAL EXAM    28545    59.95
              2      DUE TO SPECIFIC BREAST PROBLEM   15816    33.22
              3      DUE TO SPECIFIC BREAST PROBLEM    766      1.61
              4      FOLLOW-UP PREV IDENTIFIED BREAST 1386      2.91
              5      DUE TO FAMILY HISTORY            1101      2.31

UNIVERSE:   WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    AD19                      QNAME09:  QA09_E15          QPAGENUM:  A-49
                                QNAME07:  NA              QNAME05:  QA05_E21

LABEL:      EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS?

VALUE:      -1      INAPPLICABLE          25968      54.54
              1      YES                   6165       12.95
              2      NO                   15481       32.51

UNIVERSE:   WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:    AD20                      QNAME09:  QA09_E16          QPAGENUM:  A-49
                                QNAME07:  NA              QNAME05:  QA05_E22

LABEL:      EVER HAD OPERATION TO REMOVE LUMP FROM BREAST

VALUE:      -1      INAPPLICABLE          41449      87.05
              1      YES                   2673        5.61
              2      NO                   3492         7.33

UNIVERSE:   WOMEN AGE 30 AND OLDER W MAMMOGRAM AND HAVE HAD ABNORMAL RESULTS

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD21 QNAME09: QA09_E17 QPAGENUM: A-49
QNAME07: NA QNAME05: QA05_E23

LABEL: DID THE LUMP TURN OUT TO BE CANCER?

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 44941 | 94.39 |
| 1 | YES | | 1118 | 2.35 |
| 2 | NO | | 1555 | 3.27 |

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMMOGRAM AND HAVE HAD ABNORMAL RESULTS
AND LUMP REMOVED FROM BREAST

INPUT VAR:

NOTES:

VARNAME: AD22 QNAME09: QA09_E18 QPAGENUM: A-50
QNAME07: NA QNAME05: QA05_E24

LABEL: # OF BREAST OPERATIONS TO REMOVE NONCANCER

| MEAN STATISTICS | |
|-----------------|------|
| N | 1555 |
| MIN | 0 |
| MAX | 14 |
| MEAN | 1.44 |

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMM, HAVE HAD ABNORMAL RESULTS, AND
NONCANCEROUS LUMP REMOVED FROM BREAST

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB60 QNAME09: QA09_E19 QPAGENUM: A-50
QNAME07: NA QNAME05: QA05_F3

LABEL: HOW FIRST FOUND BREAST CANCER

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 46496 | 97.65 |
| 1 | FIND BY ACCIDENT | | 193 | 0.41 |
| 2 | FIND DURING SELF BREAST EXAM | | 175 | 0.37 |
| 3 | FIND BY HUSBAND OR PARTNER | | 18 | 0.04 |
| 4 | DOCTOR FIND DURING ROUTINE BREAST EXAM | | 107 | 0.22 |
| 5 | FIND BY MAMMOGRAM | | 595 | 1.25 |
| 6 | SOME OTHER WAY | | 22 | 0.05 |
| 7 | DISCOMFORT | | 8 | 0.02 |

UNIVERSE: WOMEN AGE 30 OR OLDER WHO HAD BREAST CANCER

INPUT VAR:

NOTES:

VARNAME: AD23 QNAME09: QA09_E20 QPAGENUM: A-50
QNAME07: NA QNAME05: QA05_E25

LABEL: TESTS/SURGERY WHEN MAMMOGRAM ABNORMAL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 41449 | 87.05 |
| 1 | YES | | 3710 | 7.79 |
| 2 | NO | | 2455 | 5.16 |

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMM AND HAVE HAD ABNORMAL RESULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD26 QNAME09: QA09_E22 QPAGENUM: A-51
QNAME07: QA07_E27 QNAME05: QA05_E28

LABEL: DOCTOR RECOMMENDED MAMMOGRAM IN PAST TWO YRS

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 40691 | 85.46 |
| 1 | YES | 1500 | 3.15 |
| 2 | NO | 5423 | 11.39 |

UNIVERSE: WOMEN 30 AND OLDER

INPUT VAR:

NOTES:

VARNAME: AD25 QNAME09: QA09_E23 QPAGENUM: A-51
QNAME07: NA QNAME05: QA05_E27

LABEL: MAIN REASON FOR HAVING NO MAMMOGRAM

| VALUE: | | FREQ | % |
|--------|-------------------------------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 45850 | 96.30 |
| 1 | NO REASON/NEVER THOUGHT ABOUT IT | 117 | 0.25 |
| 2 | DIDN'T KNOW IF NEEDED | 26 | 0.05 |
| 3 | DOCTOR DIDN'T TELL ME | 55 | 0.12 |
| 4 | HAVEN'T HAD ANY PROBLEMS | 107 | 0.22 |
| 5 | PUT IT OFF/LAZINESS | 253 | 0.53 |
| 6 | TOO EXPENSIVE/NO INSURANCE/COST | 174 | 0.37 |
| 7 | TOO PAINFUL/UNPLEASANT/EMBARRASSING | 142 | 0.30 |
| 8 | TOO YOUNG | 25 | 0.05 |
| 9 | DON'T HAVE A DOCTOR | 8 | 0.02 |
| 91 | OTHER | 574 | 1.21 |

UNIVERSE: WOMEN AGE 30 AND OVER WHOSE DOCTOR RECOMMENDED MAMMOG IN PAST 12 MOS, AND DID NOT HAVE MAMMOG W/IN 2 YRS (OR NEVER HAD ONE)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF47 QNAME09: QA09_E24 QPAGENUM: A-51

QNAME07: NA QNAME05: NA

LABEL: EVER TAKEN HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 24600 | 51.67 |
| 1 | YES | | 8628 | 18.12 |
| 2 | NO | | 14386 | 30.21 |

UNIVERSE: ADULT WOMEN 40 OR OLDER WHO IS NOT PREGNANT AND CURRENTLY NOT
TAKING HRT FOR MENOPAUSE

INPUT VAR:

NOTES:

VARNAME: AD28 QNAME09: QA09_E25 QPAGENUM: A-52

QNAME07: QA07_E28 QNAME05: QA05_E30

LABEL: CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 38986 | 81.88 |
| 1 | YES | | 2252 | 4.73 |
| 2 | NO | | 6376 | 13.39 |

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT AND EVER TAKEN HRT FOR
MENOPAUSE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF48 QNAME09: QA09_E26 QPAGENUM: A-52

QNAME07: NA QNAME05: NA

LABEL: HOW LONG AGO STOPPED USING HORMONE REPLACEMENT SUPPLEMENTS

| VALUE: | | FREQ | % |
|--------|---------------------------------|-------|-------|
| -1 | INAPPLICABLE | 41238 | 86.61 |
| 1 | 2 YRS AGO OR LESS | 623 | 1.31 |
| 2 | MORE THAN 2 YRS UP TO 5 YRS AGO | 1100 | 2.31 |
| 3 | MORE THAN 5 YRS AGO | 4653 | 9.77 |

UNIVERSE: ADULT WOMEN 40 OR OLDER WHO IS NOT PREGNANT AND CURRENTLY NOT
TAKING HRT FOR MENOPAUSE BUT HAVE TAKEN IN THE PAST

INPUT VAR:

NOTES:

VARNAME: AE84 QNAME09: QA09_E27 QPAGENUM: A-52

QNAME07: QA07_E29 QNAME05: NA

LABEL: # YRS TAKEN HRT

| VALUE: | | FREQ | % |
|--------|---------------------------|-------|-------|
| -1 | INAPPLICABLE | 38986 | 81.88 |
| 1 | A YEAR OR LESS | 1354 | 2.84 |
| 2 | MORE THAN 1 UP TO 2 YEARS | 722 | 1.52 |
| 3 | MORE THAN 2 UP TO 4 YEARS | 907 | 1.90 |
| 4 | MORE THAN 4 UP TO 8 YEARS | 1498 | 3.15 |
| 5 | MORE THAN 8 YEARS | 4147 | 8.71 |

UNIVERSE: WOMEN 40 OR OLDER WHO ARE NOT PREGNANT AND TAKING HRT

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE51 QNAME09: QA09_E28 QPAGENUM: A-52

QNAME07: NA QNAME05: QA05_E31

LABEL: CURRENTLY TAKING TAMOXIFEN OR MALVADEX

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 26660 | 55.99 |
| | 2 | NO | 144 | 0.30 |
| | | | 20810 | 43.71 |

UNIVERSE: WOMEN AGE 45 AND OLDER

INPUT VAR:

NOTES:

VARNAME: AE52 QNAME09: QA09_E29 QPAGENUM: A-52

QNAME07: NA QNAME05: QA05_E32

LABEL: CURRENTLY TAKING RALOXIFEN OR EVISTA

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 26660 | 55.99 |
| | 2 | NO | 245 | 0.51 |
| | | | 20709 | 43.49 |

UNIVERSE: WOMEN AGE 45 AND OLDER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section F: Mental Health

VARNAME: AJ29 QNAME09: QA09_F1 QPAGENUM: A-54
QNAME07: QA07_F1 QNAME05: QA05_J10

LABEL: FEEL NERVOUS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| 1 | ALL OF THE TIME | | 641 | 1.35 |
| 2 | MOST OF THE TIME | | 1572 | 3.30 |
| 3 | SOME OF THE TIME | | 6903 | 14.50 |
| 4 | A LITTLE OF THE TIME | | 16002 | 33.61 |
| 5 | NOT AT ALL | | 22213 | 46.65 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ30 QNAME09: QA09_F2 QPAGENUM: A-54
QNAME07: QA07_F2 QNAME05: QA05_J11

LABEL: FEEL HOPELESS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| 1 | ALL OF THE TIME | | 279 | 0.59 |
| 2 | MOST OF THE TIME | | 657 | 1.38 |
| 3 | SOME OF THE TIME | | 2727 | 5.73 |
| 4 | A LITTLE OF THE TIME | | 6482 | 13.61 |
| 5 | NOT AT ALL | | 37186 | 78.10 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ31 QNAME09: QA09_F3 QPAGENUM: A-54
QNAME07: QA07_F3 QNAME05: QA05_J12

LABEL: FEEL RESTLESS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| 1 | ALL OF THE TIME | | 858 | 1.80 |
| 2 | MOST OF THE TIME | | 1357 | 2.85 |
| 3 | SOME OF THE TIME | | 6857 | 14.40 |
| 4 | A LITTLE OF THE TIME | | 12517 | 26.29 |
| 5 | NOT AT ALL | | 25742 | 54.06 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ32 QNAME09: QA09_F4 QPAGENUM: A-54
QNAME07: QA07_F4 QNAME05: QA05_J13

LABEL: FEEL DEPRESSED PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| 1 | ALL OF THE TIME | | 254 | 0.53 |
| 2 | MOST OF THE TIME | | 569 | 1.20 |
| 3 | SOME OF THE TIME | | 2308 | 4.85 |
| 4 | A LITTLE OF THE TIME | | 4349 | 9.13 |
| 5 | NOT AT ALL | | 39851 | 83.70 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ33 QNAME09: QA09_F5 QPAGENUM: A-55
QNAME07: QA07_F5 QNAME05: QA05_J14

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| 1 | ALL OF THE TIME | | 1426 | 2.99 |
| 2 | MOST OF THE TIME | | 1752 | 3.68 |
| 3 | SOME OF THE TIME | | 5277 | 11.08 |
| 4 | A LITTLE OF THE TIME | | 8840 | 18.57 |
| 5 | NOT AT ALL | | 30036 | 63.08 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ34 QNAME09: QA09_F6 QPAGENUM: A-55
QNAME07: QA07_F6 QNAME05: QA05_J15

LABEL: FEEL WORTHLESS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| 1 | ALL OF THE TIME | | 360 | 0.76 |
| 2 | MOST OF THE TIME | | 503 | 1.06 |
| 3 | SOME OF THE TIME | | 1906 | 4.00 |
| 4 | A LITTLE OF THE TIME | | 3500 | 7.35 |
| 5 | NOT AT ALL | | 41062 | 86.24 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AF62 QNAME09: QA09_F7 QPAGENUM: A-55
QNAME07: QA07_F7 QNAME05: NA

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| 1 | YES | | 8427 | 17.70 |
| 2 | NO | | 38904 | 81.71 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF63 QNAME09: QA09_F8 QPAGENUM: A-56

QNAME07: QA07_F8 QNAME05: NA

LABEL: FEEL NERVOUS WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 38904 | 81.71 |
| 1 | ALL OF THE TIME | | 940 | 1.97 |
| 2 | MOST OF THE TIME | | 1749 | 3.67 |
| 3 | SOME OF THE TIME | | 2670 | 5.61 |
| 4 | A LITTLE OF THE TIME | | 1900 | 3.99 |
| 5 | NOT AT ALL | | 1168 | 2.45 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF64 QNAME09: QA09_F9 QPAGENUM: A-56

QNAME07: QA07_F9 QNAME05: NA

LABEL: FEEL HOPELESS WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 38904 | 81.71 |
| 1 | ALL OF THE TIME | | 534 | 1.12 |
| 2 | MOST OF THE TIME | | 1150 | 2.42 |
| 3 | SOME OF THE TIME | | 2241 | 4.71 |
| 4 | A LITTLE OF THE TIME | | 2036 | 4.28 |
| 5 | NOT AT ALL | | 2466 | 5.18 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF65 QNAME09: QA09_F10 QPAGENUM: A-56

QNAME07: QA07_F10 QNAME05: NA

LABEL: FEEL RESTLESS WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 38904 | 81.71 |
| 1 | ALL OF THE TIME | | 704 | 1.48 |
| 2 | MOST OF THE TIME | | 1283 | 2.69 |
| 3 | SOME OF THE TIME | | 2761 | 5.80 |
| 4 | A LITTLE OF THE TIME | | 1944 | 4.08 |
| 5 | NOT AT ALL | | 1735 | 3.64 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF66 QNAME09: QA09_F11 QPAGENUM: A-57

QNAME07: QA07_F11 QNAME05: NA

LABEL: FEEL DEPRESSED WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 38904 | 81.71 |
| 1 | ALL OF THE TIME | | 487 | 1.02 |
| 2 | MOST OF THE TIME | | 1040 | 2.18 |
| 3 | SOME OF THE TIME | | 1868 | 3.92 |
| 4 | A LITTLE OF THE TIME | | 1852 | 3.89 |
| 5 | NOT AT ALL | | 3180 | 6.68 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF67 QNAME09: QA09_F12 QPAGENUM: A-57

QNAME07: QA07_F12 QNAME05: NA

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

| VALUE : | | FREQ | % |
|---------|----------------------|-------|-------|
| -2 | -2 | 283 | 0.59 |
| -1 | INAPPLICABLE | 38904 | 81.71 |
| 1 | ALL OF THE TIME | 934 | 1.96 |
| 2 | MOST OF THE TIME | 1615 | 3.39 |
| 3 | SOME OF THE TIME | 2477 | 5.20 |
| 4 | A LITTLE OF THE TIME | 1868 | 3.92 |
| 5 | NOT AT ALL | 1533 | 3.22 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES :

VARNAME: AF68 QNAME09: QA09_F13 QPAGENUM: A-57

QNAME07: QA07_F13 QNAME05: NA

LABEL: FEEL WORTHLESS WORST MONTH

| | | FREQ | % | |
|--------|----|----------------------|-------|-------|
| VALUE: | -2 | 283 | 0.59 | |
| | -1 | INAPPLICABLE | 38904 | 81.71 |
| | 1 | ALL OF THE TIME | 442 | 0.93 |
| | 2 | MOST OF THE TIME | 709 | 1.49 |
| | 3 | SOME OF THE TIME | 1533 | 3.22 |
| | 4 | A LITTLE OF THE TIME | 1455 | 3.06 |
| | 5 | NOT AT ALL | 4288 | 9.01 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF69 QNAME09: QA09_F14 QPAGENUM: A-58

QNAME07: QA07_F14 QNAME05: NA

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 38036 | 79.88 |
| 1 | A LOT | | 1328 | 2.79 |
| 2 | SOME | | 2990 | 6.28 |
| 3 | NOT AT ALL | | 2264 | 4.75 |
| 4 | DOES NOT WORK | | 2713 | 5.70 |

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AF70 QNAME09: QA09_F15 QPAGENUM: A-58

QNAME07: QA07_F15 QNAME05: NA

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36688 | 77.05 |
| 1 | A LOT | | 2762 | 5.80 |
| 2 | SOME | | 4814 | 10.11 |
| 3 | NOT AT ALL | | 3067 | 6.44 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF71 QNAME09: QA09_F16 QPAGENUM: A-58

QNAME07: QA07_F16 QNAME05: NA

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36688 | 77.05 |
| 1 | A LOT | | 3052 | 6.41 |
| 2 | SOME | | 4675 | 9.82 |
| 3 | NOT AT ALL | | 2916 | 6.12 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AF72 QNAME09: QA09_F17 QPAGENUM: A-58

QNAME07: QA07_F17 QNAME05: NA

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36688 | 77.05 |
| 1 | A LOT | | 2317 | 4.87 |
| 2 | SOME | | 5298 | 11.13 |
| 3 | NOT AT ALL | | 3028 | 6.36 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ1 QNAME09: QA09_F20 QPAGENUM: A-59
QNAME07: NA QNAME05: QA05_J18

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 41028 | 86.17 |
| 1 | YES | 4521 | 9.50 |
| 2 | NO | 1184 | 2.49 |
| 3 | NO INSURANCE | 598 | 1.26 |

UNIVERSE: ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL PROBLEMS
OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS WITHIN
PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

VARNAME: DISTRESS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

| MEAN STATISTICS | |
|-----------------|-------|
| N | 47331 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 2.92 |

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29 AJ30 AJ31 AJ32 AJ33 AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS12 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN PAST YEAR

| VALUE: | | | FREQ | % |
|--------|-------|---------|-------|-------|
| -2 | PROXY | SKIPPED | 283 | 0.59 |
| 1 | YES | | 2835 | 5.95 |
| 2 | NO | | 44496 | 93.45 |

UNIVERSE: ALL ADULTS

INPUT VAR: DSTRSYR

NOTES: BASED ON DSTRSYR>=13

VARNAME: DSTRS30 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: EXPERIENCED SERIOUS PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

| VALUE: | | | FREQ | % |
|--------|-------|---------|-------|-------|
| -2 | PROXY | SKIPPED | 283 | 0.59 |
| 1 | YES | | 1327 | 2.79 |
| 2 | NO | | 46004 | 96.62 |

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS

NOTES: BASED on DISTRESS>=13

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRSYR QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

MEAN STATISTICS

| | |
|------|-------|
| N | 47331 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 3.60 |

UNIVERSE: ALL ADULTS

INPUT VAR: DISTRESS AF63 AF64 AF65 AF66 AF67 AF68

NOTES:

VARNAME: CHORES QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 36688 | 77.05 |
| 0 | NONE | 3067 | 6.44 |
| 1 | MODERATE | 4814 | 10.11 |
| 2 | SEVERE | 2762 | 5.80 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF70

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: IMPAIR QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FUNCTIONAL ROLE IMPAIRMENT DUE TO EMOTIONS PAST 12 MONTHS

MEAN STATISTICS

| | |
|------|-------|
| N | 10643 |
| MIN | 0 |
| MAX | 2 |
| MEAN | 0.95 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR: AF69 AF70 AF71 AF72

NOTES:

VARNAME: SOCIAL QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 36688 | 77.05 |
| 0 | NONE | 2916 | 6.12 |
| 1 | MODERATE | 4675 | 9.82 |
| 2 | SEVERE | 3052 | 6.41 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR: AF71

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section G: Demographic Information, Part II

VARNAME: AH33NEW QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: BORN IN U.S.

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| 1 | BORN IN U.S. | | 36133 | 75.89 |
| 2 | BORN OUTSIDE U.S. | | 11481 | 24.11 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

VARNAME: AH34NEW QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: MOTHER BORN IN U.S.

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11556 | 24.27 |
| 1 | BORN IN U.S. | | 31397 | 65.94 |
| 2 | BORN OUTSIDE U.S. | | 4661 | 9.79 |

UNIVERSE: ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH35NEW QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FATHER BORN IN U.S.

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11556 | 24.27 |
| 1 | BORN IN U.S. | | 30837 | 64.76 |
| 2 | BORN OUTSIDE U.S. | | 5221 | 10.97 |

UNIVERSE: ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

VARNAME: CNTRYF QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: COUNTRY FATHER BORN

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11556 | 24.27 |
| 1 | UNITED STATES | | 30837 | 64.76 |
| 2 | MEXICO | | 1433 | 3.01 |
| 3 | CENTRAL AMERICA | | 115 | 0.24 |
| 4 | OTHER LATIN AMERICA | | 132 | 0.28 |
| 5 | ASIA & PACIFIC ISLANDS | | 1123 | 2.36 |
| 6 | EUROPE | | 2050 | 4.31 |
| 7 | OTHER | | 368 | 0.77 |

UNIVERSE: ADULTS WHO WERE BORN IN US

INPUT VAR: AH35

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CNTRYM QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: COUNTRY MOTHER BORN

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11556 | 24.27 |
| 1 | UNITED STATES | | 31397 | 65.94 |
| 2 | MEXICO | | 1295 | 2.72 |
| 3 | CENTRAL AMERICA | | 136 | 0.29 |
| 4 | OTHER LATIN AMERICA | | 125 | 0.26 |
| 5 | ASIA & PACIFIC ISLANDS | | 970 | 2.04 |
| 6 | EUROPE | | 1721 | 3.61 |
| 7 | OTHER | | 414 | 0.87 |

UNIVERSE: ADULTS WHO WERE BORN IN US

INPUT VAR: AH34

NOTES:

VARNAME: CNTRY5 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: COUNTRY BORN

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| 1 | UNITED STATES | | 36133 | 75.89 |
| 2 | MEXICO | | 3803 | 7.99 |
| 3 | CENTRAL AMERICA | | 700 | 1.47 |
| 4 | OTHER LATIN AMERICA | | 378 | 0.79 |
| 5 | ASIA & PACIFIC ISLANDS | | 4557 | 9.57 |
| 6 | EUROPE | | 1394 | 2.93 |
| 7 | OTHER | | 649 | 1.36 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: LANGHOME QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: LANGUAGE SPOKEN AT HOME

| | | | FREQ | % |
|---------|----|-----------------------------------|-------|-------|
| VALUE : | 1 | ENGLISH | 34207 | 71.84 |
| | 2 | SPANISH | 2287 | 4.80 |
| | 3 | CHINESE | 328 | 0.69 |
| | 4 | VIETNAMESE | 791 | 1.66 |
| | 5 | KOREAN | 502 | 1.05 |
| | 6 | OTHER ASIAN LANGUAGE (1 ONLY) | 75 | 0.16 |
| | 7 | OTHER NON-ASIAN LANGUAGE (1 ONLY) | 102 | 0.21 |
| | 8 | ENGLISH & SPANISH | 4881 | 10.25 |
| | 9 | ENGLISH & CHINESE | 413 | 0.87 |
| | 10 | ENGLISH & EUROPEAN LANGUAGE | 1086 | 2.28 |
| | 11 | ENGLISH & ANOTHER ASIAN LANGUAGE | 1503 | 3.16 |
| | 12 | ENGLISH & ONE OTHER LANGUAGE | 499 | 1.05 |
| | 13 | OTHER LANGUAGES (2+) | 940 | 1.97 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1-AH36_23

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG20 QNAME09: QA09_G5 QPAGENUM: A-66

QNAME07: QA07_G5A QNAME05: NA

LABEL: LANGUAGE SPEAK WITH FRIENDS

| VALUE: | | | FREQ | % |
|--------|------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 34207 | 71.84 |
| 1 | ONLY ENGLISH | | 3763 | 7.90 |
| 2 | BOTH ENGLISH AND OTHER LANGUAGE(S) | | 4877 | 10.24 |
| 3 | ONLY OTHER LANGUAGE(S) | | 4767 | 10.01 |

UNIVERSE: ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

VARNAME: AG21 QNAME09: QA09_G6 QPAGENUM: A-66

QNAME07: QA07_G5B QNAME05: NA

LABEL: LANGUAGE OF TV, RADIO, NEWSPAPERS

| VALUE: | | | FREQ | % |
|--------|------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 34207 | 71.84 |
| 1 | ONLY ENGLISH | | 5547 | 11.65 |
| 2 | BOTH ENGLISH AND OTHER LANGUAGE(S) | | 4607 | 9.68 |
| 3 | ONLY OTHER LANGUAGE(S) | | 3253 | 6.83 |

UNIVERSE: ADULTS WHO WERE NOT INTERVIEWD IN ENGLISH OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH37 QNAME09: QA09_G7 QPAGENUM: A-67
QNAME07: QA07_G6 QNAME05: QA05_G6

LABEL: HOW WELL YOU SPEAK ENGLISH

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 34207 | 71.84 |
| 1 | VERY WELL | | 4961 | 10.42 |
| 2 | WELL | | 3531 | 7.42 |
| 3 | NOT WELL | | 3396 | 7.13 |
| 4 | NOT AT ALL | | 1519 | 3.19 |

UNIVERSE: ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR WERE
INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

VARNAME: SPK_ENG QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: ENGLISH USE AND PROFICIENCY

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| 1 | SPEAK ONLY ENGLISH | | 34207 | 71.84 |
| 2 | VERY WELL/WELL | | 8492 | 17.84 |
| 3 | NOT WELL/NOT AT ALL | | 4915 | 10.32 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH36_1-AH36_23, AH37

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CITIZEN2 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CITIZENSHIP STATUS - 3 LEVELS

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| 1 | US-BORN CITIZEN | | 36133 | 75.89 |
| 2 | NATURALIZED CITIZEN | | 7224 | 15.17 |
| 3 | NON-CITIZEN | | 4257 | 8.94 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH39 AH33 AH40

NOTES:

VARNAME: YRUS QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: YEARS LIVED IN THE U.S.

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 36133 | 75.89 |
| 1 | <=1 YEAR | | 120 | 0.25 |
| 2 | 2-4 YEARS | | 478 | 1.00 |
| 3 | 5-9 YEARS | | 1016 | 2.13 |
| 4 | 10-14 YEARS | | 1344 | 2.82 |
| 5 | 15+ YEARS | | 8523 | 17.90 |

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR VIRGIN ISLANDS

INPUT VAR: AADATE AH41FMT AH41YR AH41

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PCTLF_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: PERCENT LIFE IN US (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|-------|--|-------|-------|
| 1 | 0-20 | | 1331 | 2.80 |
| 2 | 21-40 | | 2819 | 5.92 |
| 3 | 41-60 | | 3633 | 7.63 |
| 4 | 61-80 | | 2362 | 4.96 |
| 5 | 81+ | | 37469 | 78.69 |

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

VARNAME: AH44 QNAME09: QA09_G11 QPAGENUM: A-68

QNAME07: QA07_G11 QNAME05: QA05_G11

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 22678 | 47.63 |
| 1 | YES | | 24504 | 51.46 |
| 2 | NO | | 432 | 0.91 |

UNIVERSE: ADULTS WHO ARE CURRENLTY MARRIED

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH43A QNAME09: QA09_G13 QPAGENUM: A-68
QNAME07: QA07_G13 QNAME05: QA05_G13

LABEL: LIVING WITH A PARENT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 44680 | 93.84 |
| 1 | YES | | 2113 | 4.44 |
| 2 | NO | | 821 | 1.72 |

UNIVERSE: ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR (LIVING W/ PARTNER AND AT LEAST 3 ADULTS) OR (NOT MARRIED AND LIVING W/ AT LEAST 2 ADULTS)]

INPUT VAR:

NOTES:

VARNAME: AH44A QNAME09: QA09_G19 QPAGENUM: A-70
QNAME07: QA07_G19 QNAME05: QA05_G19

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 36731 | 77.14 |
| 1 | YES | | 2527 | 5.31 |
| 2 | NO | | 8356 | 17.55 |

UNIVERSE: ALL ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AHCHLDC QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK

| VALUE: | | | FREQ | % |
|--------|----------------|--|-------|-------|
| -1 | INAPPLICABLE | | 45087 | 94.69 |
| 1 | \$0-9/WEEK | | 207 | 0.43 |
| 2 | \$10-24/WEEK | | 231 | 0.49 |
| 3 | \$25-49/WEEK | | 332 | 0.70 |
| 4 | \$50-99/WEEK | | 564 | 1.18 |
| 5 | \$100-199/WEEK | | 637 | 1.34 |
| 6 | \$200+/WEEK | | 556 | 1.17 |

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN THE PAST MONTH.

INPUT VAR: AH44B AH44BUNT

NOTES:

VARNAME: AG22 QNAME09: QA09_G23 QPAGENUM: A-71

QNAME07: NA QNAME05: NA

LABEL: EVER SERVE IN U.S. ARMED FORCES

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 6058 | 12.72 |
| 2 | NO | | 41556 | 87.28 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SERVED QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

MEAN STATISTICS

| | |
|------|------|
| N | 6034 |
| MIN | 1 |
| MAX | 5 |
| MEAN | 3.12 |

UNIVERSE: ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR: AG22 AG23 AG24

NOTES:

VARNAME: AK1 QNAME09: QA09_G22 QPAGENUM: A-71

QNAME07: QA07_G22 QNAME05: QA05_G22

LABEL: WORK STATUS LAST WEEK

| VALUE: | | FREQ | % |
|--------|-------------------------------------|-------|-------|
| 1 | WORKING AT A JOB/BUSINESS | 21868 | 45.93 |
| 2 | WITH A JOB/BUSINESS BUT NOT AT WORK | 967 | 2.03 |
| 3 | LOOKING FOR WORK | 2779 | 5.84 |
| 4 | NOT WORKING JOB/BUSINESS (UNEMP) | 22000 | 46.20 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK2 QNAME09: QA09_G23 QPAGENUM: A-71
QNAME07: QA07_G23 QNAME05: QA05_G23

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK

| VALUE: | | FREQ | % |
|--------|--------------------------------|-------|-------|
| -1 | INAPPLICABLE | 21868 | 45.93 |
| 1 | TAKING CARE OF HOUSE OR FAMILY | 2316 | 4.86 |
| 2 | ON PLANNED VACATION | 713 | 1.50 |
| 3 | COULDN'T FIND A JOB | 2219 | 4.66 |
| 4 | GOING TO SCHOOL/STUDENT | 835 | 1.75 |
| 5 | RETIRED | 13748 | 28.87 |
| 6 | PHYSICAL DISABILITY | 2530 | 5.31 |
| 7 | UNABLE TO WORK TEMPORARILY | 369 | 0.77 |
| 8 | ON LAYOFF OR STRIKE | 790 | 1.66 |
| 9 | ON FAMILY OR MATERNITY LEAVE | 125 | 0.26 |
| 10 | OFF SEASON | 186 | 0.39 |
| 91 | OTHER | 1915 | 4.02 |

UNIVERSE: ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK, OR
NOT WORKING AT A JOB LAST WEEK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG10 QNAME09: QA09_G25 QPAGENUM: A-72
QNAME07: QA07_G24 QNAME05: QA05_G24

LABEL: RESPONDENT USUALLY WORKS

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 38146 | 80.12 |
| 1 | YES | | 3267 | 6.86 |
| 2 | NO | | 4759 | 9.99 |
| 3 | LOOKING FOR WORK | | 1442 | 3.03 |

UNIVERSE: ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: WORK QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 40749 | 85.58 |
| 0 | NONE | | 2264 | 4.75 |
| 1 | MODERATE | | 2990 | 6.28 |
| 2 | SEVERE | | 1328 | 2.79 |

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF69

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WRKST QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: WORKING STATUS

| VALUE : | | | FREQ | % |
|---------|--------------------------------------|--|-------|-------|
| 1 | FULL-TIME EMPLOYMENT (21+ HRS/WEEK) | | 20252 | 42.53 |
| 2 | PART-TIME EMPLOYMENT (0-20 HRS/WEEK) | | 4010 | 8.42 |
| 3 | EMPLOYED, NOT AT WORK | | 240 | 0.50 |
| 4 | UNEMPLOYED, LOOKING FOR WORK | | 2521 | 5.29 |
| 5 | UNEMPLOYED, NOT LOOKING FOR WORK | | 20591 | 43.25 |

UNIVERSE: ALL ADULTS

```
INPUT VAR: AK3 AK1 AK2 AG10
```

NOTES :

VARNAME: WRKST_S QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: SPOUSE WORKING STATUS

| VALUE: | | FREQ | % |
|--------|--------------------------------------|-------|-------|
| -1 | INAPPLICABLE - NO SPOUSE | 22678 | 47.63 |
| 1 | FULL-TIME EMPLOYMENT (21+ HRS/WEEK) | 12596 | 26.45 |
| 2 | PART-TIME EMPLOYMENT (0-20 HRS/WEEK) | 1748 | 3.67 |
| 3 | EMPLOYED, NOT AT WORK | 134 | 0.28 |
| 4 | UNEMPLOYED, LOOKING FOR WORK | 793 | 1.67 |
| 5 | UNEMPLOYED, NOT LOOKING FOR WORK | 9665 | 20.30 |

UNIVERSE: ADULTS LIVING WITH SPOUSE

INPUT VAR: AH43 AK20 AG8 AG11

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL22 QNAME09: QA09_G26 QPAGENUM: A-72
QNAME07: QA07_G25 QNAME05: QA05_G25

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 39339 | 82.62 |
| 1 | YES | | 1846 | 3.88 |
| 2 | NO | | 6429 | 13.50 |

UNIVERSE: ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK4 QNAME09: QA09_G27 QPAGENUM: A-73
QNAME07: QA07_G26 QNAME05: QA05_G26

LABEL: TYPE OF EMPLOYER AT MAIN JOB

| VALUE: | | | FREQ | % |
|--------|---------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 22449 | 47.15 |
| 1 | PRIVATE COMPANY, NON-PROFIT ORG | | 14205 | 29.83 |
| 2 | GOVERNMENT | | 5224 | 10.97 |
| 3 | SELF-EMPLOYED | | 5303 | 11.14 |
| 4 | FAMILY BUSINESS OR FARM | | 433 | 0.91 |

UNIVERSE: ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG8 QNAME09: QA09_G28 QPAGENUM: A-73
QNAME07: QA07_G27 QNAME05: QA05_G29

LABEL: WORK STATUS OF SPOUSE LAST WEEK

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 22678 | 47.63 |
| 1 | WORKING AT A JOB OR BUSINESS | | 13262 | 27.85 |
| 2 | WITH A JOB/BUSINESS, BUT NOT AT WORK | | 470 | 0.99 |
| 3 | LOOKING FOR WORK | | 889 | 1.87 |
| 4 | NOT WORKING AT A JOB OR BUSINESS | | 10315 | 21.66 |

UNIVERSE: ADULTS WHO ARE MARRIED

INPUT VAR:

NOTES:

VARNAME: AG11 QNAME09: QA09_G29 QPAGENUM: A-73
QNAME07: QA07_G28 QNAME05: QA05_G30

LABEL: SPOUSE USUALLY WORKS

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 36410 | 76.47 |
| 1 | YES | | 1162 | 2.44 |
| 2 | NO | | 9547 | 20.05 |
| 3 | LOOKING FOR WORK | | 495 | 1.04 |

UNIVERSE: MARRIED ADULTS WITH SPOUSE WHO IS LOOKING FOR WORK, NOT WORKING,
OR REFUSED/DIDN'T KNOW ANSWER TO QUESTION

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG9 QNAME09: QA09_G30 QPAGENUM: A-74
QNAME07: QA07_G29 QNAME05: QA05_G31

LABEL: TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB

| VALUE: | | FREQ | % |
|--------|--------------------------------|-------|-------|
| -1 | INAPPLICABLE | 32720 | 68.72 |
| 1 | PRIVATE COMPANY/NON-PROFIT ORG | 8612 | 18.09 |
| 2 | GOVERNMENT | 2988 | 6.28 |
| 3 | SELF-EMPLOYED | 3093 | 6.50 |
| 4 | FAMILY BUSINESS/FARM | 201 | 0.42 |

UNIVERSE: ADULTS WITH SPOUSE THAT HAS JOB OR USUALLY WORKS

INPUT VAR:

NOTES:

VARNAME: AHEDUC QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: EDUCATIONAL ATTAINMENT

| VALUE: | | FREQ | % |
|--------|-----------------------|-------|-------|
| 1 | GRADE 1-8 | 2408 | 5.06 |
| 2 | GRADE 9-11 | 2196 | 4.61 |
| 3 | GRADE 12/H.S. DIPLOMA | 10458 | 21.96 |
| 4 | SOME COLLEGE | 8041 | 16.89 |
| 5 | VOCATIONAL SCHOOL | 1374 | 2.89 |
| 6 | AA OR AS DEGREE | 3507 | 7.37 |
| 7 | BA OR BS DEGREE | 10842 | 22.77 |
| 8 | SOME GRAD. SCHOOL | 742 | 1.56 |
| 9 | MA OR MS DEGREE | 5579 | 11.72 |
| 10 | PH.D. OR EQUIVALENT | 2237 | 4.70 |
| 91 | NO FORMAL EDUCATION | 230 | 0.48 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AKWKLNG QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: TIME AT MAIN JOB

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 22395 | 47.03 |
| 0 | <1 YEAR | | 1613 | 3.39 |
| 1 | 1 YEAR | | 2110 | 4.43 |
| 2 | 2 YEARS | | 2150 | 4.52 |
| 3 | 3 YEARS | | 1945 | 4.08 |
| 4 | 4 YEARS | | 1333 | 2.80 |
| 5 | 5 YEARS | | 1609 | 3.38 |
| 6 | 6-9 YEARS | | 3294 | 6.92 |
| 7 | 10-14 YEARS | | 3568 | 7.49 |
| 8 | 15-19 YEARS | | 2144 | 4.50 |
| 9 | 20-29 YEARS | | 3247 | 6.82 |
| 10 | 30+ YEARS | | 2206 | 4.63 |

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7 AK7UNT

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMTYP_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FAMILY TYPE (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|---------------------------|--|-------|-------|
| 1 | SINGLE ADULT, 21+ | | 18868 | 39.63 |
| 2 | SINGLE YOUNG ADULT, 19-20 | | 722 | 1.52 |
| 3 | MARRIED, NO KIDS | | 15555 | 32.67 |
| 4 | MARRIED WITH KIDS | | 9586 | 20.13 |
| 5 | SINGLE WITH KIDS | | 2433 | 5.11 |
| 6 | SINGLE 18 YEARS OLD | | 450 | 0.95 |

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

VARNAME: FAMILY QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36688 | 77.05 |
| 0 | NONE | | 3028 | 6.36 |
| 1 | MODERATE | | 5298 | 11.13 |
| 2 | SEVERE | | 2317 | 4.87 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST 12 MONTHS

INPUT VAR: AF72

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMT4 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FAMILY TYPE - 4 LVLS

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| 1 | SINGLE, NO KIDS | | 20040 | 42.09 |
| 2 | MARRIED, NO KIDS | | 15555 | 32.67 |
| 3 | MARRIED WITH KIDS | | 9586 | 20.13 |
| 4 | SINGLE WITH KIDS | | 2433 | 5.11 |

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED R NOT LIVING WITH SPOUSE.

Section H: Health Insurance

VARNAME: AH1 QNAME09: QA09_H1 QPAGENUM: A-75

QNAME07: QA07_H1 QNAME05: QA05_H1

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| 1 | YES | | 31420 | 65.99 |
| 2 | NO | | 4906 | 10.30 |
| 3 | DOCTOR / MY DOCTOR | | 9231 | 19.39 |
| 4 | KAISER | | 1931 | 4.06 |
| 5 | MORE THAN ONE PLACE | | 126 | 0.26 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH3 QNAME09: QA09_H2 QPAGENUM: A-75
QNAME07: QA07_H2 QNAME05: QA05_H3

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 4906 | 10.30 |
| 1 | DOCTOR'S OFFICE/KAISER/HMO | | 32396 | 68.04 |
| 2 | CLINIC/HEALTH CENTER/HOSPITAL CLINIC | | 9534 | 20.02 |
| 3 | EMERGENCY ROOM | | 357 | 0.75 |
| 4 | COMPLEMENTARY AND ALTERNATIVE MEDICINE | | 201 | 0.42 |
| 5 | FAMILY/FRIEND IS HEALTH PROVIDER | | 76 | 0.16 |
| 6 | INTERNET/LIBRARY | | 48 | 0.10 |
| 91 | SOME OTHER PLACE | | 15 | 0.03 |
| 94 | NO ONE PLACE | | 81 | 0.17 |

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF HEALTH CARE

INPUT VAR:

NOTES:

VARNAME: USOC QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 42370 | 88.99 |
| 2 | NO | | 5244 | 11.01 |

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 42708 | 89.70 |
| 2 | NO | | 4906 | 10.30 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH1

NOTES:

VARNAME: USUAL_TP QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE - 7 LVLS

| VALUE: | | | FREQ | % |
|--------|------------------------------|--|-------|-------|
| 1 | DOC OFFICE/HMO/KAISER | | 33971 | 71.35 |
| 2 | COMMUN/GOV CLIN, COMMUN HOSP | | 7998 | 16.80 |
| 3 | EMERGENCY ROOM | | 338 | 0.71 |
| 5 | SOME OTHER PLACE | | 332 | 0.70 |
| 6 | NO ONE PARTICULAR PLACE | | 69 | 0.14 |
| 7 | NO USUAL SOURCE OF CARE | | 4906 | 10.30 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH1 AH3

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL5TP QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: USUAL SOURCE OF CARE - 5 LVLS

| | | | FREQ | % |
|--------|---|------------------------------|-------|-------|
| VALUE: | 1 | DOC OFFICE/HMO/KAISER | 33971 | 71.35 |
| | 2 | COMMUN/GOV CLIN, COMMUN HOSP | 7998 | 16.80 |
| | 3 | EMERGENCY ROOM | 338 | 0.71 |
| | 4 | OTHER PLACE/NO ONE PLACE | 401 | 0.84 |
| | 5 | NO USUAL SOURCE OF CARE | 4906 | 10.30 |

UNIVERSE: ALL ADULTS

```
INPUT VAR: USUAL_TP
```

NOTES :

VARNAME: AH12 QNAME09: QA09_H3 QPAGENUM: A-75

QNAME07: QA07_H3 QNAME05: QA05_J9

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 1227 | 2.58 |
| 1 | YES | | 7881 | 16.55 |
| 2 | NO | | 38506 | 80.87 |

UNIVERSE: ADULTS WHO DID NOT VISIT ER FOR ASTHMA LAST 12 MOS

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH49 QNAME09: QA09_H7 QPAGENUM: A-77
QNAME07: QA07_H7 QNAME05: QA05_H8

LABEL: MEDICARE COVERAGE PROVIDED THROUGH HMO

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -8 | DON'T KNOW | 4 | 0.01 |
| -1 | INAPPLICABLE | 30934 | 64.97 |
| 1 | YES | 7265 | 15.26 |
| 2 | NO | 9411 | 19.77 |

UNIVERSE: ADULTS WITH MEDICARE

INPUT VAR:

NOTES:

VARNAME: AH50_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: QA05_H9

LABEL: NAME OF MEDICARE HMO PLAN (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|--------------------------------|-------|-------|
| -9 | NOT ASCERTAINED | 318 | 0.67 |
| -8 | DON'T KNOW | 721 | 1.51 |
| -7 | REFUSED | 45 | 0.09 |
| -1 | INAPPLICABLE | 40340 | 84.72 |
| 1 | AETNA US HEALTHCARE | 2834 | 5.95 |
| 2 | AIDS HEALTHCARE FOUNDATION, LA | 428 | 0.90 |
| 3 | ALAMEDA ALLIANCE FOR HEALTH | 1284 | 2.70 |
| 4 | ALTAMED HEALTH SERVICES | 247 | 0.52 |
| 5 | BLUE CROSS/CALIFORNIACARE | 531 | 1.12 |
| 6 | BLUE SHIELD/CAREAMERICA | 121 | 0.25 |
| 8 | CALKIDS | 745 | 1.56 |

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO

INPUT VAR: AH50

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI4 QNAME09: QA09_H9 QPAGENUM: A-78
QNAME07: QA07_H9 QNAME05: QA05_H10

LABEL: COVERED BY MEDICARE SUPPL POLICY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 38190 | 80.21 |
| 1 | YES | | 5776 | 12.13 |
| 2 | NO | | 3648 | 7.66 |

UNIVERSE: ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

VARNAME: AH52 QNAME09: QA09_H10 QPAGENUM: A-79
QNAME07: QA07_H10 QNAME05: QA05_H11

LABEL: SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 34560 | 72.58 |
| 1 | DIRECTLY | | 5650 | 11.87 |
| 2 | CURRENT EMPLOYER | | 275 | 0.58 |
| 3 | FORMER EMPLOYER | | 3640 | 7.64 |
| 4 | UNION | | 293 | 0.62 |
| 5 | FAMILY BUSINESS | | 95 | 0.20 |
| 6 | AARP | | 1204 | 2.53 |
| 7 | SPOUSE'S EMPLOYER | | 748 | 1.57 |
| 8 | SPOUSE'S UNION | | 36 | 0.08 |
| 9 | PROFESSIONAL/FRATERNAL ORGANIZATION | | 34 | 0.07 |
| 91 | OTHER | | 1079 | 2.27 |

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE SUPPLEMENT

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15 QNAME09: QA09_H25 QPAGENUM: A-85
QNAME07: QA07_H25 QNAME05: QA05_H25

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 45124 | 94.77 |
| 1 | COVERED BY ANOTHER PLAN | | 1564 | 3.28 |
| 2 | TOO EXPENSIVE | | 686 | 1.44 |
| 3 | DIDNT LIKE PLAN OFFERED | | 162 | 0.34 |
| 4 | DONT NEED OR BELIEVE IN HEALTH INSURANC | | 50 | 0.11 |
| 5 | IN PROCESS | | 11 | 0.02 |
| 6 | DIDNT TAKE UP - OTHER | | 16 | 0.03 |
| 7 | RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL | | 1 | 0.00 |

UNIVERSE: ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH
ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI15A QNAME09: QA09_H26 QPAGENUM: A-85
QNAME07: QA07_H26 QNAME05: QA05_H26

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 45755 | 96.10 |
| 1 | HAVENT WORKED HERE LONG ENOUGH | | 308 | 0.65 |
| 2 | CONTRACT OR TEMP EMPLOYEE | | 375 | 0.79 |
| 3 | DONT WORK ENOUGH HOURS PER WEEK | | 1132 | 2.38 |
| 4 | DOES NOT MEET AGE REQUIREMENTS | | 1 | 0.00 |
| 5 | ONLY MANAGEMENT CAN GET HEALTH INSURANCE | | 3 | 0.01 |
| 6 | NOT ELIGIBLE - OTHER | | 27 | 0.06 |
| 7 | HAS LEFT POSITION/RETIRED/LAID OFF | | 13 | 0.03 |

UNIVERSE: ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR THEIR EMPLOYER'S HEALTH
PLAN

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI37A QNAME09: QA09_H38 QPAGENUM: A-91
QNAME07: QA07_H37 QNAME05: QA05_H34B

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 43827 | 92.05 |
| 1 | YES | 2876 | 6.04 |
| 2 | NO | 911 | 1.91 |

UNIVERSE: ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT COVERED BY HMO

INPUT VAR:

NOTES:

VARNAME: AI45 QNAME09: QA09_H54 QPAGENUM: A-98
QNAME07: QA07_H53 QNAME05: QA05_H48

LABEL: MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 45838 | 96.27 |
| 1 | COVERED BY ANOTHER PLAN | 1123 | 2.36 |
| 2 | TOO EXPENSIVE | 489 | 1.03 |
| 3 | DIDNT LIKE PLAN OFFERED | 80 | 0.17 |
| 4 | DONT NEED OR BELIEVE IN HEALTH INSURANC | 14 | 0.03 |
| 5 | IN PROCESS | 7 | 0.01 |
| 6 | DIDNT TAKE UP - OTHER | 43 | 0.09 |
| 7 | RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL | 20 | 0.04 |

UNIVERSE: ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED AND ELIGIBLE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45A QNAME09: QA09_H55 QPAGENUM: A-98
QNAME07: QA07_H54 QNAME05: QA05_H49

LABEL: MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 46942 | 98.59 |
| 1 | HAVENT WORKED HERE LONG ENOUGH | 73 | 0.15 |
| 2 | CONTRACT OR TEMP EMPLOYEE | 101 | 0.21 |
| 3 | DONT WORK ENOUGH HOURS PER WEEK | 398 | 0.84 |
| 4 | DOES NOT MEET AGE REQUIREMENTS | 4 | 0.01 |
| 5 | ONLY MANAGEMENT CAN GET HEALTH INSURANCE | 8 | 0.02 |
| 6 | NOT ELIGIBLE - OTHER | 36 | 0.08 |
| 7 | HAS LEFT POSITION/RETIRED/LAID OFF | 52 | 0.11 |

UNIVERSE: ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHO IS NOT ELIGIBLE TO HAVE EMPLOYER-BASED HLTH INS COVERAGE WITH OWN NAME EVEN THOUGH OFFERED

INPUT VAR:

NOTES:

VARNAME: AI22C QNAME09: QA09_H56 QPAGENUM: A-98
QNAME07: QA07_H55 QNAME05: QA05_H51

LABEL: MAIN HEALTH PLAN IS HMO

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 3 | 0.01 |
| -1 | INAPPLICABLE | 12496 | 26.24 |
| 1 | YES | 14476 | 30.40 |
| 2 | NO | 20639 | 43.35 |

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22A_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: QA05_H50

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------------------------|--|-------|-------|
| -9 | NOT ASCERTAINED | | 25 | 0.05 |
| -8 | DON'T KNOW | | 6376 | 13.39 |
| -7 | REFUSED | | 336 | 0.71 |
| -1 | INAPPLICABLE | | 12451 | 26.15 |
| 1 | AETNA US HEALTHCARE | | 5352 | 11.24 |
| 2 | AIDS HEALTHCARE FOUNDATION, LA | | 8634 | 18.13 |
| 3 | ALAMEDA ALLIANCE FOR HEALTH | | 2886 | 6.06 |
| 4 | ALTAMED HEALTH SERVICES | | 3260 | 6.85 |
| 5 | BLUE CROSS/CALIFORNIACARE | | 1622 | 3.41 |
| 6 | BLUE SHIELD/CAREAMERICA | | 1724 | 3.62 |
| 7 | CALIFORNIA MEDICARE | | 744 | 1.56 |
| 8 | CALKIDS | | 4204 | 8.83 |

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR: AI22A

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25 QNAME09: QA09_H58 QPAGENUM: A-100
QNAME07: QA07_H57 QNAME05: QA05_H53

LABEL: COVERED FOR PRESCRIPTION DRUGS

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 4975 | 10.45 |
| | 2 | NO | 39624 | 83.22 |
| | | | 3015 | 6.33 |

UNIVERSE: ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI25NEW QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: RX COVERAGE EDITED FOR MEDICAL/HF

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 4818 | 10.12 |
| | 2 | NO | 40388 | 84.82 |
| | | | 2408 | 5.06 |

UNIVERSE: ALL ADULTS

INPUT VAR: INSMD INSHF AI25

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL AND HEALTHY FAMILIES

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71 QNAME09: QA09_H59 QPAGENUM: A-100

QNAME07: QA07_H58 QNAME05: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 22702 | 47.68 |
| 1 | YES | | 6069 | 12.75 |
| 2 | NO | | 18800 | 39.48 |
| 3 | YES, BUT ONLY WHEN I GO OUT OF NETWORK | | 43 | 0.09 |

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS

INPUT VAR:

NOTES:

VARNAME: AH72 QNAME09: QA09_H60 QPAGENUM: A-101

QNAME07: QA07_H59 QNAME05: NA

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 22702 | 47.68 |
| 1 | YES | | 4808 | 10.10 |
| 2 | NO | | 20083 | 42.18 |
| 3 | YES, BUT ONLY WHEN I GO OUT OF NETWORK | | 21 | 0.04 |

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS
WITH DEDUCTIBLE GREATER THAN \$1,000

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH73 QNAME09: QA09_H61 QPAGENUM: A-101

QNAME07: QA07_H60 QNAME05: NA

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 40193 | 84.41 |
| 1 | YES | | 2185 | 4.59 |
| 2 | NO | | 5236 | 11.00 |

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH INS
WITH DEDUCTIBLE GREATER THAN \$1,000

INPUT VAR:

NOTES:

VARNAME: AH74 QNAME09: QA09_H68 QPAGENUM: A-103

QNAME07: QA07_H67 QNAME05: NA

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 46347 | 97.34 |
| 1 | YES | | 472 | 0.99 |
| 2 | NO | | 795 | 1.67 |

UNIVERSE: ADULTS WHO WERE NOT INSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH75 QNAME09: QA09_H70 QPAGENUM: A-103

QNAME07: QA07_H69 QNAME05: NA

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42639 | 89.55 |
| 1 | YES | | 2060 | 4.33 |
| 2 | NO | | 2915 | 6.12 |

UNIVERSE: ADULTS WHO WERE NOT INSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AI28 QNAME09: QA09_H72 QPAGENUM: A-103

QNAME07: QA07_H71 QNAME05: QA05_H62

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 43795 | 91.98 |
| 1 | 1 TO 3 YRS AGO | | 1200 | 2.52 |
| 2 | MORE THAN 3 YRS AGO | | 1771 | 3.72 |
| 3 | NEVER HAD HEALTH INSURANCE COVERAGE | | 848 | 1.78 |

UNIVERSE: ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME DURING
THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH14 QNAME09: QA09_H75 QPAGENUM: A-104

QNAME07: QA07_H74 QNAME05: NA

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 41372 | 86.89 |
| 1 | YES | | 395 | 0.83 |
| 2 | NO | | 5847 | 12.28 |

UNIVERSE: ADULTS WHO HAD NO INS FOR AT LEAST 1 MON OUT OF PAST 12 MONS

INPUT VAR:

NOTES:

VARNAME: AH77 QNAME09: QA09_H77 QPAGENUM: A-105

QNAME07: QA07_H76 QNAME05: NA

LABEL: FREE PRENATAL CARE DURING PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 47434 | 99.62 |
| 1 | YES | | 94 | 0.20 |
| 2 | NO | | 86 | 0.18 |

UNIVERSE: WOMEN WHO DID NOT HAVE HLTH INSURANCE AT SOME POINT IN THE PAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ER QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 9108 | 19.13 |
| 2 | NO | | 38506 | 80.87 |

UNIVERSE: ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12,AH13A,AB67

NOTES:

VARNAME: IHS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 157 | 0.33 |
| 2 | NO | | 47457 | 99.67 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: IHS_S QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SPOUSE COVERED BY INDIAN HEALTH SERVICES

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 23110 | 48.54 |
| 1 | YES | | 18 | 0.04 |
| 2 | NO | | 24486 | 51.43 |

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INS QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: CURRENTLY INSURED

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 42468 | 89.19 |
| 2 | NO | | 5146 | 10.81 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    INS_S                                QNAME09:  NA                                QPAGENUM:  NA
                                                    QNAME07:  NA                                QNAME05:  NA

LABEL:      SPOUSE CURRENTLY INSURED

VALUE:      -1      INAPPLICABLE                                FREQ      %
              1      YES                                23110     48.54
              2      NO                                22621     47.51
                                                    1883      3.95

UNIVERSE:   ADULTS WITH SPOUSE

INPUT VAR:

NOTES:
-----
```

```
VARNAME:    INS12M                                QNAME09:  NA                                QPAGENUM:  NA
                                                    QNAME07:  NA                                QNAME05:  NA

LABEL:      MOS COVERED BY HEALTH PLANS LAST 12 MOS

              MEAN STATISTICS
              N      47614
              MIN      0
              MAX     12
              MEAN    10.69

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64_P QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -1 | SKIPPED - AGE >= 65 | | 15565 | 32.69 |
| 1 | UNINSURED | | 5060 | 10.63 |
| 2 | MEDI-CAL (MEDICAID) | | 3697 | 7.76 |
| 3 | MEDICARE | | 567 | 1.19 |
| 4 | EMPLOYMENT-BASED | | 18982 | 39.87 |
| 5 | PRIVATELY PURCHASED | | 2691 | 5.65 |
| 6 | CHIP/OTHER PUBLIC PRGM | | 1052 | 2.21 |

UNIVERSE: ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

VARNAME: INS64S_P QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -1 | SKIPPED - AGE >= 65 | | 29799 | 62.58 |
| 1 | UNINSURED | | 1847 | 3.88 |
| 2 | MEDI-CAL (MEDICAID) | | 926 | 1.94 |
| 3 | MEDICARE | | 498 | 1.05 |
| 4 | EMPLOYMENT-BASED | | 12995 | 27.29 |
| 5 | PRIVATELY PURCHASED | | 1286 | 2.70 |
| 6 | CHIP/OTHER PUBLIC PRGM | | 263 | 0.55 |

UNIVERSE: ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64_S

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS65 QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

| VALUE: | | | FREQ | % |
|--------|--------------------------------|--|-------|-------|
| -1 | SKIPPED - AGE < 65 | | 32049 | 67.31 |
| 1 | MEDICARE + MEDI-CAL (MEDICAID) | | 2230 | 4.68 |
| 2 | MEDICARE + OTHER | | 11891 | 24.97 |
| 3 | MEDICARE ONLY | | 779 | 1.64 |
| 4 | OTHER ONLY | | 579 | 1.22 |
| 5 | UNINSURED | | 86 | 0.18 |

UNIVERSE: ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INS65_S QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

| VALUE: | | | FREQ | % |
|--------|-----------------------------|--|-------|-------|
| -1 | NO SPOUSE IN HH OR AGE < 65 | | 40925 | 85.95 |
| 1 | MEDICARE + MEDICAID | | 453 | 0.95 |
| 2 | MEDICARE + OTHER | | 1569 | 3.30 |
| 3 | MEDICARE ONLY | | 4202 | 8.83 |
| 4 | OTHER ONLY | | 429 | 0.90 |
| 5 | UNINSURED | | 36 | 0.08 |

UNIVERSE: ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSANY QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: ANY INS IN LAST 12 MOS

VALUE: 1 CURRENTLY UNINSURED FREQ %

 2 UNINS. ANY PAST 12 MO 5146 10.81

 3 INSURED ALL PAST 12 MO 1377 2.89

 41091 86.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSEM QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE: 1 YES FREQ %

 2 NO 21950 46.10

 25664 53.90

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSEM_S QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 23110 | 48.54 |
| 1 | YES | | 14790 | 31.06 |
| 2 | NO | | 9714 | 20.40 |

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSMC QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY MEDICARE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 16197 | 34.02 |
| 2 | NO | | 31417 | 65.98 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMC_S QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: SPOUSE COVERED BY MEDICARE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 23110 | 48.54 |
| 1 | YES | | 6834 | 14.35 |
| 2 | NO | | 17670 | 37.11 |

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSMMD QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: COVERED BY MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 5997 | 12.60 |
| 2 | NO | | 41617 | 87.40 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMD_S QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SPOUSE COVERED BY MEDI-CAL

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 23110 48.54

 2 NO 1410 2.96

 23094 48.50

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSOG QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: COVERED BY OTHER GOVT PLANS

VALUE: 1 YES FREQ %

 2 NO 354 0.74

 47260 99.26

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSOG_S QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

VALUE: -1 INAPPLICABLE FREQ %

 1 YES 23110 48.54

 2 NO 266 0.56

 24238 50.91

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSPR QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: COVERED BY PLANS PURCHASED ON OWN

VALUE: 1 YES FREQ %

 2 NO 2743 5.76

 44871 94.24

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    INSPR_S                      QNAME09:  NA                      QPAGENUM: NA
                                                QNAME07:  NA                      QNAME05:  NA

LABEL:      SPOUSE COVERED BY PLANS PURCHASED ON OWN

VALUE:      -1      INAPPLICABLE                      FREQ      %
              1      YES                      23110     48.54
              2      NO                      1564      3.28
              22940     48.18

UNIVERSE:   ADULTS WITH SPOUSE

INPUT VAR:

NOTES:
-----

```

```

-----
VARNAME:    INSPS                      QNAME09:  NA                      QPAGENUM: NA
                                                QNAME07:  NA                      QNAME05:  NA

LABEL:      PRIMARY OR SECONDARY COVERAGE

VALUE:      -1      INAPPLICABLE                      FREQ      %
              1      PRIMARY                      22801     47.89
              2      SECONDARY                     18036     37.88
              6777      14.23

UNIVERSE:   ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS

INPUT VAR:

NOTES:
-----

```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--|--------------|----|-----------|-------|
| VARNAME: | INSPS_S | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | SPOUSE PRIMARY OR SECONDARY COVERAGE | | | | |
| VALUE: | -1 | INAPPLICABLE | | FREQ | % |
| | 1 | PRIMARY | | 32824 | 68.94 |
| | 2 | SECONDARY | | 8928 | 18.75 |
| | | | | 5862 | 12.31 |
| UNIVERSE: | ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--|---------------------------------------|----|-----------|-------|
| VARNAME: | INST_12 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS | | | | |
| VALUE: | | | | FREQ | % |
| | -1 | INAPPLICABLE-AGE>=65 | | 15565 | 32.69 |
| | 1 | MEDI-CAL (MEDICAID) ONLY | | 3097 | 6.50 |
| | 2 | EMPLOYER-BASED COVERAGE ONLY (EBI) | | 18117 | 38.05 |
| | 3 | PRIVATE COVERAGE ONLY | | 2454 | 5.15 |
| | 4 | OTHER COVERAGE ONLY | | 1466 | 3.08 |
| | 5 | ANY 2 OR MORE TYPES (NEVER UNINSURED) | | 595 | 1.25 |
| | 6 | UNINSURED ONLY | | 3950 | 8.30 |
| | 7 | UNINSURED + EMPLOYER-BASED ONLY | | 880 | 1.85 |
| | 8 | ANY 1 OR MORE TYPES + UNINSURED | | 1490 | 3.13 |
| UNIVERSE: | ADULTS UNDER 65 | | | | |
| INPUT VAR: | INSLT12 | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSTYP_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES(PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------------------|--|-------|-------|
| 1 | UNINSURED | | 5146 | 10.81 |
| 2 | MEDICARE & MEDICAID | | 2960 | 6.22 |
| 3 | MEDICARE & OTHERS | | 11788 | 24.76 |
| 4 | MEDICARE ONLY | | 1449 | 3.04 |
| 5 | MEDICAID | | 3014 | 6.33 |
| 6 | EMPLOYMENT-BASED | | 19413 | 40.77 |
| 7 | PRIVATELY PURCHASED | | 2733 | 5.74 |
| 8 | HEALTHY FAM/OTHER PUBLIC | | 1111 | 2.33 |

UNIVERSE: ALL ADULTS

INPUT VAR: INSTYPE

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   RSN_UNI2                QNAME09:   NA                QPAGENUM:  NA
                                     QNAME07:   NA                QNAME05:   NA
```

LABEL: REASON FOR UNINSURED STATUS ANYTIME PAST 12 MONTHS

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE- INSURED ALL YEAR | 41091 | 86.30 |
| 1 | CAN'T AFFORD/TOO EXPENSIVE | 3378 | 7.09 |
| 2 | NOT ELIGIBLE DUE TO WORKING STATUS | 1061 | 2.23 |
| 3 | NOT ELIGIBLE DUE TO HEALTH OR OTHER PROB | 120 | 0.25 |
| 4 | NOT ELIGIBLE DUE TO CITIZENSHIP/IMMIGRAT | 212 | 0.45 |
| 5 | FAMILY SITUATION CHANGED | 106 | 0.22 |
| 6 | DON'T BELIEVE IN INSURANCE | 123 | 0.26 |
| 7 | SWITCHED INSURANCE COMPANIES, DELAY | 100 | 0.21 |
| 8 | CAN GET HEALTH CARE FOR FREE/PAY FOR OWN | 88 | 0.18 |
| 9 | CANT QUALIFY FOR PUBLIC PROGRAM COVERAGE | 305 | 0.64 |
| 10 | PROCRASTINATION/HASNT TAKEN STEPS TO GET | 292 | 0.61 |
| 11 | DONT KNOW WHERE OR HOW TO GET INSURANCE/ | 55 | 0.12 |
| 12 | HEALTH INSURANCE WAS CANCELLED/WAS DROPP | 58 | 0.12 |
| 13 | NOT OFFERED AT JOB | 27 | 0.06 |
| 14 | NO NEED - GENERAL | 40 | 0.08 |
| 15 | IN PROCESS OF LOOKING FOR/GETTING INSURA | 66 | 0.14 |
| 16 | OTHER | 208 | 0.44 |
| 92 | R THOUGHT WAS INSURED | 284 | 0.60 |

UNIVERSE: ADULTS WHO ARE UNINSURED ANYTIME PAST 12 MONTHS

INPUT VAR: AI24 AI36 INSANY

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RSN_UNIN QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: REASON FOR CURRENTLY UNINSURED STATUS

| VALUE: | | | FREQ | % |
|--------|-----------------------|----------------------------|-------|-------|
| -1 | INAPPLICABLE- | CURRENTLY INSURED | 42468 | 89.19 |
| 1 | CAN'T AFFORD/TOO | EXPENSIVE | 2900 | 6.09 |
| 2 | NOT ELIGIBLE DUE TO | WORKING STATUS | 659 | 1.38 |
| 3 | NOT ELIGIBLE DUE TO | HEALTH OR OTHER PROB | 104 | 0.22 |
| 4 | NOT ELIGIBLE DUE TO | CITIZENSHIP/IMMIGRAT | 176 | 0.37 |
| 5 | FAMILY SITUATION | CHANGED | 58 | 0.12 |
| 6 | DON'T BELIEVE IN | INSURANCE | 113 | 0.24 |
| 7 | SWITCHED INSURANCE | COMPANIES, DELAY | 30 | 0.06 |
| 8 | CAN GET HEALTH CARE | FOR FREE/PAY FOR OWN | 72 | 0.15 |
| 9 | CANT QUALIFY FOR | PUBLIC PROGRAM COVERAGE | 259 | 0.54 |
| 10 | PROCRASTINATION/HASNT | TAKEN STEPS TO GET | 215 | 0.45 |
| 11 | DONT KNOW WHERE OR | HOW TO GET INSURANCE/ | 39 | 0.08 |
| 12 | HEALTH INSURANCE WAS | CANCELLED/WAS DROPP | 29 | 0.06 |
| 13 | NOT OFFERED AT | JOB | 8 | 0.02 |
| 14 | NO NEED - | GENERAL | 9 | 0.02 |
| 15 | IN PROCESS OF | LOOKING FOR/GETTING INSURA | 48 | 0.10 |
| 16 | OTHER | | 143 | 0.30 |
| 92 | R THOUGHT WAS | INSURED | 284 | 0.60 |

UNIVERSE: ADULTS WHO ARE UNINSURED

INPUT VAR: AI24 AI36 INS

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UNINSANY QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: UNINSURED IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| -1 | SKIPPED - AGES>=65 | | 15565 | 32.69 |
| 1 | UNINSURED ALL YEAR | | 3950 | 8.30 |
| 2 | UNINSURED PART YEAR | | 2370 | 4.98 |
| 3 | INSURED ALL YEAR | | 25729 | 54.04 |

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: OFFTK QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|--|-------|-------|
| -1 | UNEMPLOYED OR SELF-EMPLOYED | | 23841 | 50.07 |
| 1 | ACCEPTED EBI | | 15890 | 33.37 |
| 2 | NOT ACCEPT EBI, OFFERED AND ELIGIBLE | | 2474 | 5.20 |
| 3 | WAS OFFERED EBI, NOT ELIGIBLE | | 1853 | 3.89 |
| 4 | WAS NOT OFFERED EBI | | 3556 | 7.47 |

UNIVERSE: ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM INSPS AK1 AG10 AK4 AI13 AI14

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK_S QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

| | | | | |
|--------|----|--------------------------------------|-------|-------|
| VALUE: | -1 | UNEMPLOYED OR SELF-EMPLOYED | FREQ | % |
| | 1 | ACCEPTED EBI | 34315 | 72.07 |
| | 2 | NOT ACCEPT EBI, OFFERED AND ELIGIBLE | 8928 | 18.75 |
| | 3 | WAS OFFERED EBI, NOT ELIGIBLE | 1746 | 3.67 |
| | 4 | WAS NOT OFFERED EBI | 670 | 1.41 |
| | | | 1955 | 4.11 |

UNIVERSE: ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM_S INSPS_S AG8 AG11 AG9 AI43 AI44

NOTES:

Section J: Health Care Utilization and Access, Violence

VARNAME: AH5 QNAME09: QA09_J1 QPAGENUM: A-139

 QNAME07: QA07_J1 QNAME05: QA05_J1

LABEL: # TIMES SAW MD IN PAST 12 MOS

| | | |
|------|-----------------|-------|
| | MEAN STATISTICS | |
| N | | 47614 |
| MIN | | 0 |
| MAX | | 365 |
| MEAN | | 5.01 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH6 QNAME09: QA09_J2 QPAGENUM: A-139
QNAME07: QA07_J2 QNAME05: QA05_J2

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

| VALUE: | | FREQ | % |
|--------|---------------------|-------|-------|
| -1 | INAPPLICABLE | 40953 | 86.01 |
| 0 | WITHIN THE PAST YR | 951 | 2.00 |
| 1 | 1 TO 2 YRS AGO | 2935 | 6.16 |
| 2 | 2 TO 5 YRS AGO | 1767 | 3.71 |
| 3 | MORE THAN 5 YRS AGO | 850 | 1.79 |
| 4 | NEVER | 158 | 0.33 |

UNIVERSE: ADULTS WHO HAVE NOT SEEN DR IN LAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: ACMDNUM QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: # OF DOCTOR VISITS PAST YEAR

| VALUE: | | FREQ | % |
|--------|-------------|------|-------|
| 0 | 0 TIME | 6661 | 13.99 |
| 1 | 1 TIMES | 7900 | 16.59 |
| 2 | 2 TIMES | 7601 | 15.96 |
| 3 | 3 TIMES | 5589 | 11.74 |
| 4 | 4 TIMES | 4982 | 10.46 |
| 5 | 5 TIMES | 2789 | 5.86 |
| 6 | 6 TIMES | 3126 | 6.57 |
| 7 | 7-8 TIMES | 1992 | 4.18 |
| 8 | 9-12 TIMES | 3824 | 8.03 |
| 9 | 13-24 TIMES | 2024 | 4.25 |
| 10 | 25+ TIMES | 1126 | 2.36 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DOCT_YR QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: VISITED DOCTOR IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 40953 | 86.01 |
| 2 | NO | | 6661 | 13.99 |

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

VARNAME: AJ77 QNAME09: QA09_J3 QPAGENUM: A-139
QNAME07: NA QNAME05: NA

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 36624 | 76.92 |
| 1 | YES | | 10328 | 21.69 |
| 2 | NO | | 662 | 1.39 |

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF HEALTH CARE AND HAVE ASTHMA OR
DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ78 QNAME09: QA09_J4 QPAGENUM: A-140

QNAME07: NA QNAME05: NA

LABEL: CONTACT DOC'S OFFICE WITH MEDICAL QUESTION PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 36393 | 76.43 |
| 1 | YES | | 4446 | 9.34 |
| 2 | NO | | 6775 | 14.23 |

UNIVERSE: ADULTS WHO HAVE ASTHMA OR DIABETES OR HEART DISEASE AND HAD DR VISIT WITHIN 1 YEAR

INPUT VAR:

NOTES:

VARNAME: AJ79 QNAME09: QA09_J5 QPAGENUM: A-140

QNAME07: NA QNAME05: NA

LABEL: HOW OFTEN GOT RESPONSE FROM DOC'S OFFICE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 43168 | 90.66 |
| 1 | NEVER | | 119 | 0.25 |
| 2 | SOMETIMES | | 384 | 0.81 |
| 3 | USUALLY | | 928 | 1.95 |
| 4 | ALWAYS | | 3015 | 6.33 |

UNIVERSE: ADULTS WHO HAVE ASTHMA OR DIABETES OR HEART DISEASE AND HAD DR VISIT WITHIN 1 YEAR AND CONTACTED DR OFFICE IN PAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ80 QNAME09: QA09_J6 QPAGENUM: A-140

QNAME07: NA QNAME05: NA

LABEL: DOC'S OFFICE HELP COORDINATE CARE W/ OTHER MED SVCS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 37286 | 78.31 |
| 1 | YES | | 7269 | 15.27 |
| 2 | NO | | 3059 | 6.42 |

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND HAVE
ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AJ8 QNAME09: QA09_J7 QPAGENUM: A-140

QNAME07: QA07_J3 QNAME05: QA05_J3

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 2772 | 5.82 |
| 1 | YES | | 1311 | 2.75 |
| 2 | NO | | 43248 | 90.83 |

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ50_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 35939 | 75.48 |
| 1 | ENGLISH | | 7419 | 15.58 |
| 2 | SPANISH | | 2507 | 5.27 |
| 3 | VIETNAMESE | | 797 | 1.67 |
| 4 | KOREAN | | 481 | 1.01 |
| 5 | CANTONESE | | 133 | 0.28 |
| 6 | MANDARIN | | 208 | 0.44 |
| 7 | OTHER | | 130 | 0.27 |

UNIVERSE: ADULTS WHO DID NOT HAVE HAD HARD TIME UNDERSTANDING MD AT LAST
APPT AND SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR: AJ50

NOTES:

VARNAME: AJ9 QNAME09: QA09_J9 QPAGENUM: A-141

QNAME07: QA07_J5 QNAME05: QA05_J4

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 46020 | 96.65 |
| 1 | YES | | 797 | 1.67 |
| 2 | NO | | 514 | 1.08 |

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS, WERE NOT
INTERVIEWED IN ENGLISH, OR SPEAK LANG OTHER THAN ENGLISH AT HOME

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ10 QNAME09: QA09_J10 QPAGENUM: A-141
QNAME07: QA07_J6 QNAME05: QA05_J5

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 38601 | 81.07 |
| 1 | YES | 1128 | 2.37 |
| 2 | NO | 7602 | 15.97 |

UNIVERSE: ADULTS WHO HAD A HARD TIME UNDERSTANDING THE DOCTOR AT LAST VISIT

INPUT VAR:

NOTES:

VARNAME: AJ11 QNAME09: QA09_J11 QPAGENUM: A-142
QNAME07: QA07_J7 QNAME05: QA05_J6

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

| VALUE: | | FREQ | % |
|--------|---------------------------------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 46203 | 97.04 |
| 1 | MINOR CHILD (UNDER AGE 18) | 14 | 0.03 |
| 2 | ADULT FAMILY MEMBER OF FRIEND OF MINE | 319 | 0.67 |
| 3 | NON-MEDICAL OFFICE STAFF | 45 | 0.09 |
| 4 | MEDICAL STAFF INCLUDING NURSES / DOCS | 534 | 1.12 |
| 5 | PROF INTERPRETER (PERSON/PHONE) | 122 | 0.26 |
| 6 | OTHER (PATIENTS, SOMEONE ELSE) | 30 | 0.06 |
| 7 | DID NOT HAVE SOMEONE TO HELP | 64 | 0.13 |

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH16 QNAME09: QA09_J12 QPAGENUM: A-142
QNAME07: QA07_J14 QNAME05: NA

LABEL: DELAY GETTING PRESCRIPTION IN PAST 12 MO

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 4650 | 9.77 |
| 2 | NO | | 42964 | 90.23 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ19 QNAME09: QA09_J13 QPAGENUM: A-142
QNAME07: QA07_J15 QNAME05: NA

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 42964 | 90.23 |
| 1 | YES | | 2426 | 5.10 |
| 2 | NO | | 2224 | 4.67 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12 MOS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ81 QNAME09: QA09_J14 QPAGENUM: A-142

QNAME07: NA QNAME05: NA

LABEL: DELAYED PRESCRIPTION FOR ASTHMA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 47118 | 98.96 |
| 1 | YES | | 194 | 0.41 |
| 2 | NO | | 302 | 0.63 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12
MOS AND HAD ASTHMA

INPUT VAR:

NOTES:

VARNAME: AJ82 QNAME09: QA09_J15 QPAGENUM: A-143

QNAME07: NA QNAME05: NA

LABEL: DELAYED PRESCRIPTION FOR DIABETES

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 47215 | 99.16 |
| 1 | YES | | 180 | 0.38 |
| 2 | NO | | 219 | 0.46 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12
MOS AND HAD DIABETES

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ83 QNAME09: QA09_J16 QPAGENUM: A-143

QNAME07: NA QNAME05: NA

LABEL: DELAYED PRESCRIPTION FOR HEART DISEASE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 47274 | 99.29 |
| 1 | YES | | 138 | 0.29 |
| 2 | NO | | 202 | 0.42 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST 12
MOS AND HAD HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AH22 QNAME09: QA09_J17 QPAGENUM: A-143

QNAME07: QA07_J16 QNAME05: NA

LABEL: DELAY OTHER MEDICAL CARE IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 6639 | 13.94 |
| 2 | NO | | 40975 | 86.06 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ20 QNAME09: QA09_J18 QPAGENUM: A-143

QNAME07: QA07_J17 QNAME05: NA

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 40975 | 86.06 |
| 1 | YES | | 4037 | 8.48 |
| 2 | NO | | 2602 | 5.46 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ84 QNAME09: QA09_J19 QPAGENUM: A-144

QNAME07: NA QNAME05: NA

LABEL: DELAYED MEDICAL CARE FOR ASTHMA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 47093 | 98.91 |
| 1 | YES | | 106 | 0.22 |
| 2 | NO | | 415 | 0.87 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS
DUE TO COST AND HAD ASTHMA

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ85 QNAME09: QA09_J20 QPAGENUM: A-144

QNAME07: NA QNAME05: NA

LABEL: DELAYED MEDICAL CARE FOR DIABETES

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 47281 | 99.30 |
| 1 | YES | | 132 | 0.28 |
| 2 | NO | | 201 | 0.42 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS
DUE TO COST AND HAD DIABETES

INPUT VAR:

NOTES:

VARNAME: AJ86 QNAME09: QA09_J21 QPAGENUM: A-144

QNAME07: NA QNAME05: NA

LABEL: DELAYED MEDICAL CARE FOR HEART DISEASE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 47315 | 99.37 |
| 1 | YES | | 100 | 0.21 |
| 2 | NO | | 199 | 0.42 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12 MOS
DUE TO COST AND HAD HEART DISEASE

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ87 QNAME09: QA09_J34 QPAGENUM: A-149

QNAME07: NA QNAME05: NA

LABEL: PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| 1 | YES | | 11321 | 23.78 |
| 2 | NO | | 36010 | 75.63 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ88 QNAME09: QA09_J35 QPAGENUM: A-150

QNAME07: NA QNAME05: NA

LABEL: # OF PEOPLE PROVIDED CARE TO

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36010 | 75.63 |
| 1 | 1 PERSON | | 7599 | 15.96 |
| 2 | 2 PERSONS | | 2506 | 5.26 |
| 3 | 3 OR MORE PERSONS | | 1216 | 2.55 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ89 QNAME09: QA09_J36 QPAGENUM: A-150

QNAME07: NA QNAME05: NA

LABEL: PERSON NEEDED HELP FOR MORE THAN 3 MOS

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 36010 | 75.63 |
| 1 | YES | 8100 | 17.01 |
| 2 | NO | 3221 | 6.76 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ90_P QNAME09: QPAGENUM:

QNAME07: NA QNAME05: NA

LABEL: RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|-----------------------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 36010 | 75.63 |
| 1 | HUSBAND/WIFE/SPOUSE/PARTNER | 1361 | 2.86 |
| 2 | FATHER/FATHER-IN-LAW | 1338 | 2.81 |
| 3 | MOTHER/MOTHER-IN-LAW | 3401 | 7.14 |
| 4 | BROTHER/BROTHER-IN-LAW | 288 | 0.60 |
| 5 | SISTER/SISTER-IN-LAW | 403 | 0.85 |
| 6 | GRANDPARENT | 644 | 1.35 |
| 7 | CHILD/CHILD-IN-LAW | 677 | 1.42 |
| 8 | UNCLE/AUNT | 62 | 0.13 |
| 9 | OTHER RELATIVE | 589 | 1.24 |
| 10 | FRIEND/NEIGHBOR | 2293 | 4.82 |
| 11 | OTHER NON-RELATIVE | 265 | 0.56 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ101 QNAME09: QA09_J37 QPAGENUM: A-150

QNAME07: NA QNAME05: NA

LABEL: CURRENTLY PROVIDE CARE

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36010 | 75.63 |
| 1 | YES | | 5827 | 12.24 |
| 2 | NO | | 5494 | 11.54 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ91 QNAME09: QA09_J38 QPAGENUM: A-151

QNAME07: NA QNAME05: NA

LABEL: CARE RECIPIENT LIVES W/RESP

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36010 | 75.63 |
| 1 | YES | | 3615 | 7.59 |
| 2 | NO | | 7706 | 16.18 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ92 QNAME09: QA09_J39 QPAGENUM: A-151

QNAME07: NA QNAME05: NA

LABEL: CARE RECIPIENT LIVES IN NURSING HOME

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 39625 | 83.22 |
| 1 | NURSING HOME | | 468 | 0.98 |
| 2 | ASSISTED LIVING | | 999 | 2.10 |
| 3 | NEITHER | | 6239 | 13.10 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND AND NOT LIVE WITH HIM/HER

INPUT VAR:

NOTES:

VARNAME: AJ93 QNAME09: QA09_J40 QPAGENUM: A-151

QNAME07: NA QNAME05: NA

LABEL: # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK

| MEAN STATISTICS | |
|-----------------|-------|
| N | 11321 |
| MIN | 0 |
| MAX | 168 |
| MEAN | 23.69 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ93UNT QNAME09: QA09_J40 QPAGENUM: A-151

 QNAME07: NA QNAME05: NA

LABEL: # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WK - UNIT

VALUE: -2 PROXY SKIPPED FREQ %

 -1 INAPPLICABLE 283 0.59

 1 HOURS 36010 75.63

 11321 23.78

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ94 QNAME09: QA09_J41 QPAGENUM: A-151

 QNAME07: NA QNAME05: NA

LABEL: PAID FOR HELPING CARE RECIPIENT

VALUE: -2 PROXY SKIPPED FREQ %

 -1 INAPPLICABLE 283 0.59

 1 YES 36010 75.63

 2 NO 821 1.72

 10500 22.05

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ95 QNAME09: QA09_J42 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: LENGTH OF TIME HELP CARE FOR RECIPIENT

MEAN STATISTICS

| | |
|------|-------|
| N | 11321 |
| MIN | 0 |
| MAX | 780 |
| MEAN | 41.23 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ95UNT QNAME09: QA09_J42 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: LENGTH OF TIME HELP CARE FOR RECIPIENT - UNIT

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 283 | 0.59 |
| -1 | INAPPLICABLE | 36010 | 75.63 |
| 1 | MONTHS | 9902 | 20.80 |
| 3 | WEEKS | 1419 | 2.98 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ96 QNAME09: QA09_J43 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: EVER USED RESPITE CARE SERVICE

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36010 | 75.63 |
| 1 | YES | | 1501 | 3.15 |
| 2 | NO | | 9820 | 20.62 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ97 QNAME09: QA09_J44 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: SOMEONE TO CARE FOR RECIPIENT IF RESP UNABLE

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36010 | 75.63 |
| 1 | YES | | 8946 | 18.79 |
| 2 | NO | | 2375 | 4.99 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ98 QNAME09: QA09_J45 QPAGENUM: A-152

QNAME07: NA QNAME05: NA

LABEL: CARE RECIPIENT RECEIVED MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36010 | 75.63 |
| 1 | YES | | 3675 | 7.72 |
| 2 | NO | | 7646 | 16.06 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ99 QNAME09: QA09_J46 QPAGENUM: A-153

QNAME07: NA QNAME05: NA

LABEL: ATTENDED MEDI-CAL TRAINING FOR LONG-TERM CAREGIVERS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36010 | 75.63 |
| 1 | YES | | 366 | 0.77 |
| 2 | NO | | 10955 | 23.01 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ100 QNAME09: QA09_J47 QPAGENUM: A-153

QNAME07: NA QNAME05: NA

LABEL: AMOUNT OF OWN MONEY SPENT ON CAREGIVING PAST MO

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 36010 | 75.63 |
| 1 | NONE | | 6246 | 13.12 |
| 2 | \$1-\$250 | | 3058 | 6.42 |
| 3 | \$251-\$500 | | 1006 | 2.11 |
| 4 | \$501-\$1000 | | 498 | 1.05 |
| 5 | \$1001-\$3000 | | 304 | 0.64 |
| 6 | OVER \$3000 | | 209 | 0.44 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

Section K: Employment, Income, Poverty Status, Food Security

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK3 QNAME09: QA09_K1 QPAGENUM: A-154
QNAME07: QA07_K1 QNAME05: QA05_K1

LABEL: # OF USUAL HRS WORKED PER WEEK

MEAN STATISTICS

| | |
|------|-------|
| N | 25219 |
| MIN | 0 |
| MAX | 95 |
| MEAN | 36.52 |

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK7 QNAME09: QA09_K2 QPAGENUM: A-154
QNAME07: QA07_K2 QNAME05: QA05_K4

LABEL: LENGTH OF TIME WORKING AT MAIN JOB

MEAN STATISTICS

| | |
|------|--------|
| N | 25219 |
| MIN | 0 |
| MAX | 888 |
| MEAN | 132.91 |

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES: PLEASE REFER TO "AK7UNT" FOR MEASUREMENT UNIT

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK7UNT QNAME09: QA09_K2 QPAGENUM: A-154

 QNAME07: QA07_K2 QNAME05: QA05_K4

LABEL: TIME AT MAIN JOB: UNIT OF TIME

VALUE: -1 INAPPLICABLE FREQ %

 1 MONTHS 22395 47.03

 25219 52.97

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK8 QNAME09: QA09_K3 QPAGENUM: A-154

 QNAME07: QA07_K3 QNAME05: QA05_K5

LABEL: HOW MANY PEOPLE WORK FOR EMPLOYER/YOU

VALUE: -1 INAPPLICABLE FREQ %

 1 FEWER THAN 10 7607 15.98

 2 10-50 3461 7.27

 3 51-99 756 1.59

 4 100-999 3046 6.40

 5 1,000 OR MORE 10349 21.74

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: QA05_K7

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

| | |
|------|---------|
| N | 25219 |
| MIN | 0 |
| MAX | 30000 |
| MEAN | 4604.93 |

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

VARNAME: AK20 QNAME09: QA09_K5 QPAGENUM: A-155
QNAME07: QA07_K5 QNAME05: QA05_K9

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS

MEAN STATISTICS

| | |
|------|-------|
| N | 14894 |
| MIN | 0 |
| MAX | 95 |
| MEAN | 38.41 |

UNIVERSE: ADULTS WHOSE SPOUSE IS CURRENTLY WORKING/USUALLY WORKING OR HAS
JOB/BUSINESS BUT NOT AT WORK

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10A_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: QA05_K11

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

| | |
|------|---------|
| N | 14344 |
| MIN | 0 |
| MAX | 30000 |
| MEAN | 5060.49 |

UNIVERSE: ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

VARNAME: AK22_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: QA05_K12

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)

MEAN STATISTICS

| | |
|------|----------|
| N | 47614 |
| MIN | 0 |
| MAX | 300000 |
| MEAN | 71367.53 |

UNIVERSE: ALL ADULTS

INPUT VAR: AK22

NOTES: TOPCODE=300,000

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM1 QNAME09: QA09_K21 QPAGENUM: A-160
QNAME07: QA07_K21 QNAME05: QA05_N1

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|----------------|-------|-------|
| -1 | INAPPLICABLE | 30668 | 64.41 |
| 1 | OFTEN TRUE | 1242 | 2.61 |
| 2 | SOMETIMES TRUE | 3737 | 7.85 |
| 3 | NEVER TRUE | 11967 | 25.13 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM2 QNAME09: QA09_K22 QPAGENUM: A-160
QNAME07: QA07_K22 QNAME05: QA05_N2

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

| VALUE: | | FREQ | % |
|--------|----------------|-------|-------|
| -1 | INAPPLICABLE | 30668 | 64.41 |
| 1 | OFTEN TRUE | 1258 | 2.64 |
| 2 | SOMETIMES TRUE | 3748 | 7.87 |
| 3 | NEVER TRUE | 11940 | 25.08 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3 QNAME09: QA09_K23 QPAGENUM: A-160
QNAME07: QA07_K23 QNAME05: QA05_N3

LABEL: ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 30668 | 64.41 |
| 1 | YES | 2904 | 6.10 |
| 2 | NO | 14042 | 29.49 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM3A QNAME09: QA09_K24 QPAGENUM: A-160
QNAME07: QA07_K24 QNAME05: QA05_N4

LABEL: HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

| VALUE: | | FREQ | % |
|--------|---------------------------------|-------|-------|
| -1 | INAPPLICABLE | 44710 | 93.90 |
| 1 | ALMOST EVERY MONTH | 989 | 2.08 |
| 2 | SOME MONTHS BUT NOT EVERY MONTH | 1107 | 2.32 |
| 3 | ONLY IN 1 OR 2 MONTHS | 808 | 1.70 |

UNIVERSE: ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS OR NOT
KNOWN AND SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM4 QNAME09: QA09_K25 QPAGENUM: A-161
QNAME07: QA07_K25 QNAME05: QA05_N5

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 30503 | 64.06 |
| 1 | YES | | 3071 | 6.45 |
| 2 | NO | | 13757 | 28.89 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

VARNAME: AM5 QNAME09: QA09_K26 QPAGENUM: A-161
QNAME07: QA07_K26 QNAME05: QA05_N6

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 30503 | 64.06 |
| 1 | YES | | 1819 | 3.82 |
| 2 | NO | | 15009 | 31.52 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS,
NOT KNOWN

INPUT VAR:

NOTES: PROXIES WERE NOT ASKED QUESTION IN 2001 AND 2003

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVGWD_P QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL(PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 4.50 |

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

VARNAME: POVLL QNAME09: NA QPAGENUM: NA

 QNAME07: NA QNAME05: NA

LABEL: POVERTY LEVEL

| VALUE: | | FREQ | % |
|--------|--------------------|-------|-------|
| 1 | 0-99% FPL | 5764 | 12.11 |
| 2 | 100-199% FPL | 8026 | 16.86 |
| 3 | 200-299% FPL | 6532 | 13.72 |
| 4 | 300% FPL AND ABOVE | 27292 | 57.32 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVLL2_P QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: POVERTY LEVEL - 100% FPL (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 47614 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 4.83 |

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

VARNAME: ELIGPRG3 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

| VALUE: | | FREQ | % |
|--------|---------------------------|-------|-------|
| -5 | INSURED | 26989 | 56.68 |
| -1 | SKIPPED-AGES>=65 | 15565 | 32.69 |
| 1 | MEDI-CAL (MEDICAID) ELIG. | 343 | 0.72 |
| 2 | HEALTHY FAM ELIG. | 25 | 0.05 |
| 3 | NOT ELIG. | 4692 | 9.85 |

UNIVERSE: ADULTS UNDER AGE 65

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEV QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FOOD SECURITY STATUS LEVEL

| VALUE: | | | FREQ | % |
|--------|----------------------------|------------|-------|-------|
| -1 | INAPPLICABLE - | >=200% FPL | 33917 | 71.23 |
| 1 | FOOD SECURITY | | 9097 | 19.11 |
| 2 | FOOD INSECURITY W/O HUNGER | | 2901 | 6.09 |
| 3 | FOOD INSECURITY W/ HUNGER | | 1699 | 3.57 |

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL AM1 AM2 AM3 AM3A AM4 AM5 PROXY

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

VARNAME: FSLEVCB QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: FOOD SECURITY STATUS - 2 LVLS

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|------------|-------|-------|
| -1 | INAPPLICABLE - | >=200% FPL | 33917 | 71.23 |
| 1 | FOOD SECURITY | | 9097 | 19.11 |
| 2 | FOOD INSECURITY WITH/ WITHOUT HUNGER | | 4600 | 9.66 |

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: FSLEV

NOTES: PROXIES WERE ASKED QUESTION IN ONLY 2005, BUT NOT OTHER YEARS.

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section L: Public Program Participation

VARNAME: AL2 QNAME09: QA09_L1 QPAGENUM: A-162
QNAME07: QA07_L1 QNAME05: QA05_L1

LABEL: CURRENTLY ON TANF OR CALWORKS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 24931 | 52.36 |
| 1 | YES | | 692 | 1.45 |
| 2 | NO | | 21991 | 46.19 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL5 QNAME09: QA09_L3 QPAGENUM: A-162
QNAME07: QA07_L3 QNAME05: QA05_L3

LABEL: RECEIVING FOOD STAMP BENEFITS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 24931 | 52.36 |
| 1 | YES | | 1706 | 3.58 |
| 2 | NO | | 20977 | 44.06 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THANK 300% FPL

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL6 QNAME09: QA09_L5 QPAGENUM: A-163
QNAME07: QA07_L5 QNAME05: QA05_L5

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 24931 | 52.36 |
| 1 | YES | | 2250 | 4.73 |
| 2 | NO | | 20433 | 42.91 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL7 QNAME09: QA09_L6 QPAGENUM: A-163
QNAME07: QA07_L6 QNAME05: QA05_L6

LABEL: CURRENTLY ON WIC

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 45661 | 95.90 |
| 1 | YES | | 866 | 1.82 |
| 2 | NO | | 1087 | 2.28 |

UNIVERSE: ADULT WOMEN WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND HAS A CHILD UNDER AGE 7 OR IS PREGNANT

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL15 QNAME09: QA09_L8 QPAGENUM: A-164
QNAME07: QA07_L8 QNAME05: QA05_L8

LABEL: RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 24931 | 52.36 |
| 1 | YES | | 2255 | 4.74 |
| 2 | NO | | 20428 | 42.90 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL16_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|---------|
| N | 2255 |
| MIN | 1 |
| MAX | 4000 |
| MEAN | 1076.14 |

UNIVERSE: ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME EQUAL TO OR LESS THAN 300% FPL AND SPOUSE AND/OR SELF RECEIVED MONEY LAST MONTH FOR ALIMONEY CHILD SUPPORT OR MONEY FROM GOVERNMENT

INPUT VAR: AL16

NOTES: TOPCODE=4,000

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL17 QNAME09: QA09_L10 QPAGENUM: A-165
QNAME07: QA07_L10 QNAME05: QA05_L10

LABEL: PAID ALIMONY OR CHILD SUPPORT LAST MONTH

| VALUE: | | FREQ | % |
|--------|--------------------------|-------|-------|
| -1 | INAPPLICABLE | 24931 | 52.36 |
| 1 | YES, RESPONDENT PAID | 320 | 0.67 |
| 2 | YES, SPOUSE/PARTNER PAID | 107 | 0.22 |
| 3 | YES, BOTH PAID | 16 | 0.03 |
| 4 | NO | 22240 | 46.71 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL18_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|--------|
| N | 443 |
| MIN | 1 |
| MAX | 2000 |
| MEAN | 426.80 |

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL AND SPOUSE AND/OR SELF PAID ALIMONY/CHILD SUPPORT
LAST MONTH

INPUT VAR: AL18

NOTES: TOPCODE=2,000

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL18A QNAME09: QA09_L12 QPAGENUM: A-166
QNAME07: QA07_L12 QNAME05: QA05_L12

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 37065 | 77.84 |
| 1 | YES | | 8066 | 16.94 |
| 2 | NO | | 2483 | 5.21 |

UNIVERSE: (ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL18B_P QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)

MEAN STATISTICS

| | |
|------|---------|
| N | 8066 |
| MIN | 1 |
| MAX | 3500 |
| MEAN | 1468.77 |

UNIVERSE: (ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING W PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING W SPOUSE) AND ANNUAL HH INCOME IS 300% FPL OR LESS AND RECEIVED SOCIAL SECURITY OR PENSION PYMT

INPUT VAR: AL18B

NOTES: TOPCODE=3,500

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL23 QNAME09: QA09_L15 QPAGENUM: A-167

QNAME07: NA QNAME05: NA

LABEL: APPLIED FOR MEDI-CAL FOR SELF OR CHILD IN PAST 12 MOS

| | | | | |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | FREQ | % |
| | 1 | YES | 45546 | 95.66 |
| | 2 | NO | 441 | 0.93 |
| | | | 1627 | 3.42 |

UNIVERSE: ADULTS WHOSE INCOME EQUAL OF LESS THAN 300% AND HAS NO TANF/SSI/INSURANCE

INPUT VAR:

NOTES:

Section M: Housing and Social Cohesion

VARNAME: AK23 QNAME09: QA09_M1 QPAGENUM: A-171

QNAME07: QA07_M1 QNAME05: QA05_K26

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

| | | | | |
|--------|---|-------------------------------|-------|-------|
| VALUE: | 1 | HOUSE | FREQ | % |
| | 2 | DUPLEX | 34456 | 72.37 |
| | 3 | BUILDING WITH 3 OR MORE UNITS | 1864 | 3.91 |
| | 4 | MOBILE HOME | 8832 | 18.55 |
| | | | 2462 | 5.17 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK25 QNAME09: QA09_M2 QPAGENUM: A-171
QNAME07: QA07_M2 QNAME05: QA05_K27

LABEL: OWN OR RENT HOME

| | | | | |
|--------|---|-------------------|-------|-------|
| VALUE: | 1 | OWN | FREQ | % |
| | 2 | RENT | 33070 | 69.45 |
| | 3 | OTHER ARRANGEMENT | 13022 | 27.35 |
| | | | 1522 | 3.20 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: TIMEAD QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA

LABEL: LENGTH OF TIME LIVED AT CURRENT ADDRESS (IN MONTHS)

| | |
|-----------------|--------|
| MEAN STATISTICS | |
| N | 47614 |
| MIN | 1 |
| MAX | 1068 |
| MEAN | 170.74 |

UNIVERSE: ALL ADULTS

INPUT VAR: AM14UNT, AM14

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM19 QNAME09: QA09_M4 QPAGENUM: A-172

QNAME07: NA QNAME05: NA

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 33353 | 70.05 |
| 1 | STRONGLY AGREE | | 3150 | 6.62 |
| 2 | AGREE | | 8517 | 17.89 |
| 3 | DISAGREE | | 1938 | 4.07 |
| 4 | STRONGLY DISAGREE | | 373 | 0.78 |

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM20 QNAME09: QA09_M5 QPAGENUM: A-172

QNAME07: NA QNAME05: NA

LABEL: PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG WITH EACH OTHER

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 33353 | 70.05 |
| 1 | STRONGLY AGREE | | 215 | 0.45 |
| 2 | AGREE | | 1670 | 3.51 |
| 3 | DISAGREE | | 9088 | 19.09 |
| 4 | STRONGLY DISAGREE | | 3005 | 6.31 |

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM21 QNAME09: QA09_M6 QPAGENUM: A-172

QNAME07: NA QNAME05: NA

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | -2 | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 33353 | 70.05 |
| 1 | STRONGLY AGREE | | 2569 | 5.40 |
| 2 | AGREE | | 9170 | 19.26 |
| 3 | DISAGREE | | 1888 | 3.97 |
| 4 | STRONGLY DISAGREE | | 351 | 0.74 |

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM35 QNAME09: QA09_M7 QPAGENUM: A-173

QNAME07: NA QNAME05: NA

LABEL: NEIGHBORHOOD WATCH OUT CHILDREN FOR SAFE

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| -1 | INAPPLICABLE | | 33353 | 70.05 |
| 1 | STRONGLY AGREE | | 3007 | 6.32 |
| 2 | AGREE | | 8751 | 18.38 |
| 3 | DISAGREE | | 1762 | 3.70 |
| 4 | STRONGLY DISAGREE | | 286 | 0.60 |
| 5 | NOT APPLICABLE | | 172 | 0.36 |

UNIVERSE: ALL ADULTS WITH CHILD UNDER 18 IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK28 QNAME09: QA09_M8 QPAGENUM: A-173
QNAME07: QA07_M4 QNAME05: QA05_K31

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| 1 | ALL OF THE TIME | | 29553 | 62.07 |
| 2 | MOST OF THE TIME | | 14790 | 31.06 |
| 3 | SOME OF THE TIME | | 2548 | 5.35 |
| 4 | NONE OF THE TIME | | 440 | 0.92 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

VARNAME: AM36 QNAME09: QA09_M9 QPAGENUM: A-173
QNAME07: NA QNAME05: NA

LABEL: DID VOLUNTEER WORK OR COMMUNITY SERVICES

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 33635 | 70.64 |
| 1 | YES | | 7028 | 14.76 |
| 2 | NO | | 6951 | 14.60 |

UNIVERSE: ALL ADULTS WITH TEEN (12-17) IN HH

INPUT VAR:

NOTES: IF CHILD INTERVIEW DONE FIRST, THEN ADULTS NOT ASKED THIS QUESTION

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: SECTIONEM

LABEL: EMERGENCY PREPAREDNESS MODULE

CALIFORNIA HEALTH INTERVIEW SURVEY TOPIC
2009 ADMINISTRATION
NANOTES: EMERGENCY PREPAREDNESS MODULE

VARNAME: EM1 QNAME09: QA09_EM1 QPAGENUM: A-174

QNAME07: NA QNAME05: NA

LABEL: TAKE PRESCRIBED MEDICINE DAILY

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 28167 | 59.16 |
| 2 | NO | | 19447 | 40.84 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:-----

VARNAME: EM2 QNAME09: QA09_EM2 QPAGENUM: A-174

QNAME07: NA QNAME05: NA

LABEL: HAVE AT LEAST 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19447 | 40.84 |
| 1 | YES | | 22021 | 46.25 |
| 2 | NO | | 6146 | 12.91 |

UNIVERSE: ADULTS WHO TAKE DAILY PRESCRIBED MEDICINE

INPUT VAR:

NOTES:-----

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: EM3 QNAME09: QA09_EM3 QPAGENUM: A-174

QNAME07: NA QNAME05: NA

LABEL: ABLE TO GET 2 WEEK SUPPLY OF ALL PRESCRIPTION DRUGS

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 41468 | 87.09 |
| 1 | YES | 3675 | 7.72 |
| 2 | NO | 2471 | 5.19 |

UNIVERSE: ADULTS WHO TAKE DAILY PRESCRIBED MEDICINE

INPUT VAR:

NOTES:

VARNAME: EM4CODE QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: REASON UNABLE GET 2-WK SUPPLY DRUGS

| VALUE: | | FREQ | % |
|--------|--------------------------------------|-------|-------|
| -8 | DON'T KNOW | 60 | 0.13 |
| -7 | REFUSED | 3 | 0.01 |
| -1 | INAPPLICABLE | 45487 | 95.53 |
| 1 | TOO EXPENSIVE | 206 | 0.43 |
| 2 | INSURANCE WON'T COVER/ALLOW | 1222 | 2.57 |
| 3 | NO INSURANCE | 28 | 0.06 |
| 4 | DR WON'T PRESCRIBE MORE THAN 30 DAYS | 290 | 0.61 |
| 5 | CONTROLLED SUBSTANCE | 118 | 0.25 |
| 6 | DID NOT ASK FOR EXTRA SUPPLY | 53 | 0.11 |
| 91 | OTHER SPECIFY | 147 | 0.31 |

UNIVERSE: ADULTS WHO TAKE DAILY PRESCRIBED MEDICINE AND NOT ABLE TO GET 2-WK
EXTRA DRUG SUPPLY

INPUT VAR:

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: EM5 QNAME09: QA09_EM5 QPAGENUM: A-174

QNAME07: NA QNAME05: NA

LABEL: # DAYS ABLE TO STAY AT HOME WITHOUT SHOPPING FOR ADD'L SUPPLIES

| | | | FREQ | % |
|---------|----|-----------------|-------|-------|
| VALUE : | -2 | PROXY SKIPPED | 283 | 0.59 |
| | 1 | 1-3 DAYS | 8154 | 17.13 |
| | 2 | 4-6 DAYS | 11438 | 24.02 |
| | 3 | 7-9 DAYS | 10544 | 22.14 |
| | 4 | 10 OR MORE DAYS | 17195 | 36.11 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES :

VARNAME: EM6 QNAME09: QA09_EM6 QPAGENUM: A-175

QNAME07: NA QNAME05: NA

LABEL: HOW CONFIDENT COUNTY'S PUB HLTH SYS CAN RESPOND

| | | | FREQ | % |
|---------|----|----------------------|-------|-------|
| VALUE : | -2 | PROXY SKIPPED | 283 | 0.59 |
| | 1 | VERY CONFIDENT | 9358 | 19.65 |
| | 2 | SOMEWHAT CONFIDENT | 24395 | 51.23 |
| | 3 | NOT TOO CONFIDENT | 10231 | 21.49 |
| | 4 | NOT AT ALL CONFIDENT | 3347 | 7.03 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: EM7 QNAME09: QA09_EM7 QPAGENUM: A-175

QNAME07: NA QNAME05: NA

LABEL: HOW CONFIDENT COUNTY'S PUB HLTH SYS FAIRLY RESPOND

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 283 | 0.59 |
| 1 | VERY CONFIDENT | | 15859 | 33.31 |
| 2 | SOMEWHAT CONFIDENT | | 22112 | 46.44 |
| 3 | NOT TOO CONFIDENT | | 6923 | 14.54 |
| 4 | NOT AT ALL CONFIDENT | | 2437 | 5.12 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:
-----**Section N: Demographic Information, Part III**

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | |
|---------------|-------------------|-----------------|
| VARNAME: AM34 | QNAME09: QA09_N8 | QPAGENUM: A-180 |
| | QNAME07: QA07_N6B | QNAME05: NA |

LABEL: TELEPHONE CALLS RECEIVED

| VALUE: | | FREQ | % |
|--------|---|-------|-------|
| -9 | NOT ASCERTAINED | 2 | 0.00 |
| -8 | DON'T KNOW | 67 | 0.14 |
| -7 | REFUSED | 33 | 0.07 |
| -1 | INAPPLICABLE | 13458 | 28.26 |
| 1 | ALL OR ALMOST ALL CALLS ON CELL PHONES | 7460 | 15.67 |
| 2 | SOME CALLS ON CELL, SOME REGULAR PHONES | 13420 | 28.18 |
| 3 | VERY FEW OR NO CALLS ON CELL PHONES | 13174 | 27.67 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

| | | |
|----------------|-------------|--------------|
| VARNAME: UR_BG | QNAME09: NA | QPAGENUM: NA |
| | QNAME07: NA | QNAME05: NA |

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP)

| VALUE: | | FREQ | % |
|--------|----------------|-------|-------|
| 1 | URBAN | 13270 | 27.87 |
| 2 | 2ND CITY | 10958 | 23.01 |
| 3 | SUBURBAN | 12254 | 25.74 |
| 4 | TOWN AND RURAL | 11132 | 23.38 |

UNIVERSE: ALL ADULTS

INPUT VAR: CBLK

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    UR_CLRT                QNAME09:  NA                QPAGENUM: NA
                                QNAME07:  NA                QNAME05:  NA

LABEL:      RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:      1          URBAN                14925          31.35
            2          2ND CITY              14082          29.58
            3          SUBURBAN              9627           20.22
            4          TOWN AND RURAL        8980           18.86

UNIVERSE:   ALL ADULTS

INPUT VAR:  BESTZIP

NOTES:
-----
```

```
-----
VARNAME:    UR_CLRT2                QNAME09:  NA                QPAGENUM: NA
                                QNAME07:  NA                QNAME05:  NA

LABEL:      RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:      1          URBAN                38634          81.14
            2          RURAL                8980           18.86

UNIVERSE:   ALL ADULTS

INPUT VAR:  UR_CLRT

NOTES:
-----
```

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - IHS

| VALUE: | | | FREQ | % |
|--------|-------|--|-------|-------|
| 1 | URBAN | | 29548 | 62.06 |
| 2 | RURAL | | 18066 | 37.94 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY BESTZIP

NOTES:

VARNAME: UR_OMB QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - OMB

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| 1 | METROPOLITAN | | 43720 | 91.82 |
| 2 | NON-METROPOLITAN | | 3894 | 8.18 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY

NOTES:

VARNAME: UR_RHP QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - RHP

| VALUE: | | | FREQ | % |
|--------|-------|--|-------|-------|
| 1 | URBAN | | 39280 | 82.50 |
| 2 | RURAL | | 8334 | 17.50 |

UNIVERSE: ALL ADULTS

INPUT VAR: SRCNTY CBLK

NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_TRCT QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT)

| VALUE : | | | FREQ | % |
|---------|----------------|--|-------|-------|
| 1 | URBAN | | 13660 | 28.69 |
| 2 | 2ND CITY | | 11634 | 24.43 |
| 3 | SUBURBAN | | 11496 | 24.14 |
| 4 | TOWN AND RURAL | | 10824 | 22.73 |

UNIVERSE: ALL ADULTS

```
INPUT  VAR:  CBLK
```

NOTES :

Section O: Full Design and Replicate Weight Series 0-80

VARNAME: RAKEDW0 QNAME09: NA QPAGENUM: NA

QNAME07: NA QNAME05: NA

LABEL: CHIS2009 RAKED WEIGHT - FULL SAMPLE

| | | | | |
|--------|--------|------------|-------|--------|
| | | | FREQ | % |
| VALUE: | 0-HIGH | CONTINUOUS | 47614 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES :

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|-------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW1 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 1 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|-------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW2 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 2 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|-------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW3 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 3 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|-------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW4 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 4 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|-------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW5 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 5 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|-------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW6 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 6 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|-------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW7 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 7 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|-------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW8 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 8 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|-------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW9 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 9 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW10 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 10 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | ----- | | | | |
| VARNAME: | RAKEDW11 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 11 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | ----- | | | | |
| VARNAME: | RAKEDW12 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 12 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW13 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 13 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW14 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 14 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW15 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 15 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW16 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 16 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW17 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 17 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW18 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 18 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW19 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 19 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW20 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 20 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW21 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 21 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW22 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 22 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW23 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 23 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW24 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 24 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW25 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 25 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW26 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 26 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW27 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 27 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW28 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 28 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW29 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 29 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW30 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 30 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW31 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 31 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW32 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 32 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW33 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 33 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW34 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 34 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW35 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 35 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW36 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 36 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW37 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 37 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | ----- | | | | |
| VARNAME: | RAKEDW38 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 38 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | ----- | | | | |
| VARNAME: | RAKEDW39 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 39 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW40 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 40 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW41 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 41 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW42 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 42 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW43 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 43 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW44 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 44 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW45 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 45 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW46 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 46
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW47 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 47
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW48 QNAME09: NA QPAGENUM: NA
QNAME07: NA QNAME05: NA
LABEL: CHIS2009 RAKED WEIGHT - REPLICATE 48
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW49 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 49 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW50 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 50 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW51 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 51 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW52 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 52 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW53 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 53 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW54 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 54 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW55 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 55 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW56 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 56 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW57 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 57 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW58 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 58 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW59 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 59 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW60 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 60 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|----|
| VARNAME: | RAKEDW61 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 61 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | FREQ | | % | |
| | | 47614 | | 100.00 | |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |
| ----- | | | | | |
| VARNAME: | RAKEDW62 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 62 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | FREQ | | % | |
| | | 47614 | | 100.00 | |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |
| ----- | | | | | |
| VARNAME: | RAKEDW63 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 63 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | FREQ | | % | |
| | | 47614 | | 100.00 | |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW64 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 64 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW65 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 65 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW66 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 66 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW67 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 67 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW68 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 68 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW69 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 69 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW70 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 70 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW71 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 71 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW72 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 72 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

2009 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW73 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 73 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW74 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 74 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW75 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 75 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW76 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 76 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW77 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 77 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|----------|----|-----------|--------|
| VARNAME: | RAKEDW78 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 78 | | | | |
| VALUE: | 0-HIGH CONTINUOUS | | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW79 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 79 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |

| | | | | | |
|------------|--------------------------------------|------------|----|-----------|--------|
| VARNAME: | RAKEDW80 | QNAME09: | NA | QPAGENUM: | NA |
| | | QNAME07: | NA | QNAME05: | NA |
| LABEL: | CHIS2009 RAKED WEIGHT - REPLICATE 80 | | | | |
| VALUE: | 0-HIGH | CONTINUOUS | | FREQ | % |
| | | | | 47614 | 100.00 |
| UNIVERSE: | ALL ADULTS | | | | |
| INPUT VAR: | | | | | |
| NOTES: | | | | | |