Risk and Uncertainty 1

Mark Dean

GR6211 - Microeconomic Analysis 1

Introduction

- Up until now, we have thought of people choosing between objects
 - Used cars
 - Hamburgers
 - Monetary amounts
- However, often the outcome of the choices that we make are not known
 - You are deciding whether or not to buy a share in AIG
 - You are deciding whether or not to put your student loan on black at the roulette table
 - You are deciding whether or not to buy a house that straddles the San Andreas fault line
- In each case you understand what it is that you are choosing between, but you don't know the outcome of that choice
 - In fact, many things can happen, you just don't know which one

Risk vs Uncertainty

- We are going to differentiate between two different ways in which the future may not be know
 - Horse races
 - Roulette wheels
- What is the difference?

Risk vs Uncertainty

- When playing a roulette wheel the probabilities are known
 - Everyone agrees on the likelihood of black
 - So we (the researcher) can treat this as something we can observe
 - Probabilities are objective
 - This is a situation of **risk**

Risk vs Uncertainty

- When betting on a horse race the probabilities are **unknown**
 - Different people may apply different probabilities to a horse winning
 - We cannot directly observe a person's beliefs
 - Probabilities are subjective
 - This is a situation of uncertainty (or ambiguity)

Choices Under Risk

- We will focus today on choice under risk
- Let's begin by formally defining the objects of choice
- Let X be a finite prize space with N elements
- $\Delta(X)$ the set of probability measures on X

Definition

Let X be some finite prize space, The set $\Delta(X)$ of lotteries on X is the set of all functions $p: X \to [0, 1]$ such that

$$\sum_{x\in X} p(x) = 1$$

• We will consider preferences over $\Delta(X)$

Notes

- What is the cardinality of $\Delta(X)$?
- We will often want to talk about *mixtures* of lotteries

$$r = \alpha p + (1 - \alpha)q$$

$$\Rightarrow r(x) = \alpha p(x) + (1 - \alpha)q(x)$$

- In fact, many of the results that we prove will be special cases of a mathematical result called the **mixture space theorem**
- We will use δ_x to mean the degenerate lottery on prize x
- Sometimes we will abuse notation and use

$$lpha x + (1-lpha) y$$
 to mean $lpha \delta_x + (1-lpha) \delta_y$

- It is going to be important for our interpretation to make sense that we set up lotteries in the right way
- The only thing that can matter for preferences is the distribution of outcomes
- Consider the following Rubinstein example
 - 50% probability of rain
 - Two prizes $X = \{ umbrella, no umbrella \}$
- You would not be able to tell my your preferences over a lottery over X unless you know the 'correlation' between lottery outcome and prizes'
 - A lottery that gave you an umbrella in the rain and no umbrella otherwise would assign 50% probability to getting an umbrella
 - So would a lottery that gave you no umbrella in the rain and umbrella otherwise
 - But you would not be indifferent between the two....
 - Need to redefine the prize space.....

Choices Under Risk

- So, how should you make choices under risk?
- Let's consider the following (very boring) fairground game
 - You flip a coin
 - If it comes down heads you get \$10
 - If it comes down tails you get \$0
- What is the maximum amount x that you would pay in order to play this game?

- You have the following two options
 - 1 Not play the game and get \$0 for sure
 - 2 Play the game and get -\$x with probability 50% and \$10 x with probability 50%
- Approach 1: Expected value
 - The expected amount that you would earn from playing the game is

$$0.5(-x) + 0.5(10 - x)$$

• This is bigger than 0 if

$$0.5(-x) + 0.5(10 - x) \ge 0$$

 $5 \ge x$

Should pay at most \$5 to play the game

- This was basically the accepted approach until Daniel Bernoulli suggested the following modification of the game
 - Flip a coin
 - If it comes down heads you get \$2
 - If tails, flip again
 - If that coin comes down heads you get \$4
 - If tails, flip again
 - If that comes down heads, you get \$8
 - Otherwise flip again
 - and so on
- How much would you pay to play this game?

The St. Petersburg Paradox

• The expected value is

$$\frac{1}{2}\$2 + \frac{1}{4}\$4 + \frac{1}{8}\$8 + \frac{1}{16}\$16 + \dots$$

= $\$1 + \$1 + \$1 + \$1 + \dots$
= ∞

- So you should pay an infinite amount of money to play this game
- Which is why this is the St. Petersburg **paradox**

- So what is going wrong here?
- Consider the following example:

Example

Say a pauper finds a magic lottery ticket, that has a 50% chance of \$1 million and a 50% chance of nothing. A rich person offers to buy the ticket off him for \$499,999 for sure. According to our 'expected value' method', the pauper should refuse the rich person's offer!

- It seems ridiculous (and irrational) that the pauper would reject the offer
- Why?
- Because the difference in life outcomes between \$0 and \$499,999 is massive
 - Get to eat, buy clothes, etc
- Whereas the difference between \$499,999 and \$1,000,000 is relatively small
 - A third pair of silk pyjamas
- Thus, by keeping the lottery, the pauper risks losing an awful lot (\$0 vs \$499,999) against gaining relatively little (\$499,999 vs \$1,000,000)

- Bernoulli argued that people should be maximizing expected **utility** not expected **value**
 - u(x) is the expected utility of an amount x
- Moreover, marginal utility should be decreasing
 - The value of an additional dollar gets lower the more money you have
- For example

- u(\$0) = 0
- u(\$499,999) = 10
- u(\$1,000,000) = 16

• Under this scheme, the pauper should choose the rich person's offer as long as

$$\frac{1}{2}u(\$1,000,000) + \frac{1}{2}u(\$0) < u(\$499,999)$$

- Using the numbers on the previous slide, LHS=8, RHS=10
 - Pauper should accept the rich persons offer
- Bernoulli suggested $u(x) = \ln(x)$
 - Also explains the St. Petersberg paradox
 - Using this utility function, should pay about \$64 to play the game

- Notice also that expected utility is also a more **general** model than expected value maximization
- The latter can be applied only to cases in which the prize space is amounts of money

- Expected Utility Theory is the workhorse model of choice under risk
- Unfortunately, it is another model which has something unobservable
 - The utility of every possible outcome of a lottery
- So we have to figure out how to identify its observable implications

Definition

A preference relation \succeq on lotteries on some finite prize space X have an expected utility representation if there exists a function $u: X \to \mathbb{R}$ such that

$$p \succeq q$$
 if and only if
 $\sum_{x \in X} p(x)u(x) \geq \sum_{x \in X} q(x)u(x)$

- Notice that preferences are on $\Delta(X)$ but utility numbers are on X
 - Sometimes called Bernoulli numbers

- What needs to be true about preferences for us to be able to find an expected utility representation?
- An **expected utility** representation is still a **utility** representation
- So we still need \succeq to be a preference relation i.e.
 - Complete
 - Transitive

Expected Utility

- Unsurprisingly, this is not enough
- We need two further axioms
 - 1 The Independence Axiom
 - 2 Continuity

Question: Think of two different lotteries, *p* and *q*. Just for concreteness, let's say that *p* is a 25% chance of winning an apple and a 75% chance of winning a banana, while *q* is a 75% chance of winning an apple and a 25% chance of winning a banana. Say you prefer the lottery *p* to the lottery *q*. Now I offer you the following choice between option 1 and 2

- I flip a coin. If it comes up heads, then you get p. Otherwise you get the lottery that gives you celery for sure
- I flip a coin. If it comes up heads, you get q. Otherwise you get the lottery that gives you celery for sure

Which do you prefer?

- The independence axiom (effectively) says that if you must prefer *p* to *q* you must prefer option 1 to option 2
 - If I prefer p to q, I must prefer a mixture of p with another lottery to q with another lottery

The Independence Axiom $p \succeq q$ implies that, for any other lottery r and number $0 < \alpha \le 1$ then

$$\alpha p + (1-\alpha)r \succeq \alpha q + (1-\alpha)r$$

- Note that the analogy I just gave isn't precise because our world doesn't include two stage lotteries of the type on the previous slide
- Yet independence is often used as a normative axiom
 - For example, it can be used as a decision making tool
 - If you agree with it, then I can ask you some simple questions, and tell you how to behave in more complex situations
- So let's try to construct a normative argument
- We will come back to whether it is accurate descriptively later on

- Consider the following choice scenarios
- 1 When choosing between lottery p and q you prefer p
- 2 Say now I will first flip a coin and that with prob. α you get r, and then you have no choice to make. Otherwise, you get to choose between p and q
- Say now that you have to commit to a choice of p or q before the coin is flipped
- **4** Finally I ask you to choose between $\alpha p + (1 \alpha)r$ and $\alpha q + (1 \alpha)r$
 - We want to conclude that (1) implies you prefer $\alpha p + (1 \alpha)r$ in (4)
 - $1 \Rightarrow 2$ history independence
 - $2 \Rightarrow 3$ time consistency
 - $3 \Rightarrow 4$ reduction of compound lotteries

- Notice that, while the independence axiom may seem intuitive, that is dependent on the setting
 - Maybe you prefer ice cream to gravy, but you don't prefer ice cream mixed with steak to gravy mixed with steak
- What goes wrong with the previous argument?

• Note that what independence is really buying us here is linearity in the space of lotteries

$$x \sim y \Rightarrow \alpha x + (1 - \alpha)y \sim x$$

• One thing that this rules out strict preference for randomization - i.e. we cannot have

$$x \sim y$$
 and $\alpha x + (1 - \alpha)y \succ x$

Can you think of cases in which a strict preference for randomization makes sense?

- Does this mean the utility numbers assigned to prizes have to be linear?
 - No! We can have concavity in that space (or convexity)
 - This is implicit in how we have defined mixing



- The other axiom we need is more technical
- The Continuity Axiom For all lotteries p, q and r such that $p \succ q \succ r$, there must exist an a and b in (0, 1) such that

$$ap + (1 - a)r \succ q \succ bp + (1 - b)r$$

- Do we like it?
 - Can't be tested
 - Basically means no prize is infinitely good and infinitely bad
 - What if one prize is death, do we still think it is a good idea?
 - Maybe after all we still cross roads!

• It turns out that these two axioms, when added to the 'standard' ones, are necessary and sufficient for an expected utility representation

Theorem

Let X be a finite set of prizes and $\Delta(X)$ be the set of lotteries on X. Let \succeq be a binary relation on $\Delta(X)$. Then \succeq is complete, transitive and satisfies Independence and Continuity if and only if there exists a $u : X \to \mathbb{R}$ such that, for any $p, q \in \Delta(X)$,

if and only if
$$\sum_{x \in X} p_x u(x) \ge \sum_{x \in X} q_x u(x)$$

The Expected Utility Theorem

- Proof?
- Necessity you can do yourself
- Sufficiency relies on two key lemmas

Lemma If \succeq is a preference relation that satisfies Independence then $p \succ q$ and $0 \le \beta < \alpha \le 1$ implies

$$\alpha p + (1 - \alpha)q \succ \beta p + (1 - \beta)q$$

Lemma If \succeq is a preference relation that satisfies Independence and Continuity then $p \succeq q \succeq r$ and $p \succ r$ implies that there exists a unique α^* such that

$$q \sim \alpha^* p + (1 - \alpha^*) r$$

Expected Utility Numbers

- Remember that when we talked about 'standard' utility theory, the numbers themselves didn't mean very much
- Only the order mattered
- So, for example

$$u(a) = 1 v(a) = 1$$

$$u(b) = 2 v(b) = 4$$

$$u(c) = 3 v(c) = 9$$

$$u(d) = 4 v(c) = 16$$

Would represent the same preferences

Expected Utility Numbers

- Is the same true here?
- No!
- According to the first preferences

$$\frac{1}{2}u(a) + \frac{1}{2}u(c) = 2 = u(b)$$

and so

$$rac{1}{2}a+rac{1}{2}c\sim b$$

• But according to the second set of utilities

$$\frac{1}{2}\nu(a)+\frac{1}{2}\nu(c)=5>\nu(b)$$

and so

$$\frac{1}{2}a + \frac{1}{2}c \succ b$$

Expected Utility Numbers

- So we have to take utility numbers more seriously here
 - Magnitudes matter
- How much more seriously?

Theorem

Let \succeq be a set of preferences on $\Delta(X)$ and $u : X \to \mathbb{R}$ form an expected utility representation of \succeq . Then $v : X \to \mathbb{R}$ also forms an expected utility representation of \succeq if and only if

$$v(x) = au(x) + b \ \forall \ x \in X$$

for some $a \in \mathbb{R}_{++}$, $b \in \mathbb{R}$

Proof. Homework