

Index

Notation by Chapter, 1

Chapter 1, 1

\Rightarrow , weak convergence, 1
 $\pi(P_1, P_2)$, Prohorov metric, 1
 $\mathcal{P} \equiv \mathcal{P}(S)$, 1
 A^ϵ , ϵ -open nbhd., 2
 \mathcal{G} , set of real-val. fcts., 2
 $\pi_\gamma(P_1, P_2)$, gen. Proh. metric, 3
 A^- , closure of A , 3
 $F(t)$, cdf, 6
 $F^{-1}(t)$, rt.-cont. inverse, 6
 $rad(A)$, radius of A , 8
 ∂A , boundary of A , 8
 δ_s , Dirac measure, 10
 $Z(S)$, finite signed measures, 16
 B^* , adjoint space, 16
 $p(X_1, X_2)$, in-prob. dist., 17

Chapter 2, 23

$\stackrel{d}{=}$, equality in distribution, 23
 Φ , std. normal cdf, 24
 $\phi_K : D \rightarrow D$, ref. map, 26

Chapter 3, 51

x^\uparrow , supremum map, 52, 173
 $\Lambda(\mathbb{R}_+)$, homeomorphisms, 51
 $\mathcal{R}(\alpha)$, regularly varying, 52

Chapter 4, 73

Γ , scaling matrix, 75
 $\nabla g(\mu)$, gradient, 88

Chapter 5, 97

$\psi(s) \equiv \log Ee^{-sL(1)}$, Laplace exp.,
 99

ξ_n , 101

γ_n , 101

Chapter 6, 113

$x(t-)$, left limit, 114
 $[a, b]$, standard segment, 117
 $[[a, b]]$, product segment, 117
 Γ_x , thin graph, 117
 G_x , thick graph, 117
 $\rho(\Gamma_x)$, thin range, 117
 $\rho(G_x)$, thick range, 117
 $\Pi_s(x)$, set of strong par. reps., 118
 $\Pi_w(x)$, set of weak par. reps., 118
 $\beta_t : [0, 1] \rightarrow [0, 1]$, 123
 $\mu_s(x_1, x_2)$, SM_2 dist., 144
 $\Pi_{s,2}(x)$, SM_2 par. reps., 148
 $\Pi_{w,2}(x)$, WM_2 par. reps., 148

Chapter 7, 163

$x \circ y$, composition, 164
 $\phi(x) \equiv x + (-x \vee 0)^\uparrow$, one-dim.
 reflection map, 181
 x^{-1} , inverse map, 183

Chapter 8, 195

$\Psi(x)$, feas. regulator set, 197
 $R \equiv (\psi, \phi)$, mult. ref. map, 197
 $\pi \equiv \pi_{x,Q} : D_\uparrow^k \rightarrow D_\uparrow^k$, 199

Chapter 9, 235

$z_\epsilon \equiv z_\epsilon(x, y) \equiv \epsilon^{-1}[(x + \epsilon y)^\uparrow - x^\uparrow]$,
 243

$\Phi_x^L(t)$, 244

$\Phi_x^R(t)$, 244

$\Phi_x(t)$, 244

- Abate, 22, 44, 48
 adaptedness of ref. map, 202
 addition
 continuity of
 for M_1 , 135, 136
 for M_2 , 159
 measurability of, 136
 adjoint space, 16
 Albert, 87
 analytic method, 22
 Anscombe, 71, 87
 approximation
 of functions
 in D by fcts. in D_c , 116
 in D_s by fcts. in $D_{s,l}$, 208
 of graphs by finite sets, 119
 ARMA (p, q) , 47
 arrivals see time averages, ASTA,
 52
 Asmussen, 36
 ASTA, 52
 asymptotic
 validity of seq. stop rule, 78
 asymptotic efficiency of simulation
 estimators, 73
 asymptotic equivalence of
 cting. and inv. fcts., 192
 asymptotic variance, 30
 for a birth-and-death pr., 35
 for the $M/M/1$ queue, 35
 autocovariance function, 34
 autoregressive moving average, ARMA,
 47

 $B(x, \epsilon)$, open ball, 5
 $Bad(x)$, set of bad pts., 248
 Baccelli, 71
 backshift operator, 47
 Banach space
 perspective on “weak”, 16

 batch Markovian arrival pr., 39
 Beran, 47, 50
 Berry-Esseen theorem, 24
 Bertoin, 41, 43, 100
 Billingsley, 19–22, 40, 165, 166
 Bingham, 81, 98
 birth-and-death process, 35
 asymptotic variance for, 35
 BMAP, batch Mark. arrival pr.,
 39
 Bondesson, 44
 book
 Appendix A, 52, 79, 80, 85
 Chapter 11, 27
 Chapter 12, 113
 Chapter 13, 38, 51, 163, 235,
 237, 277
 Chapter 14, 195
 Chapter 3, 27
 Chapter 4, 23
 Chapter 5, 97, 196
 Chapter 7, 23
 Chapter 8, 97
 Chapter 9, 97
 condition 12.5.4, 177
 condition 12.5.5, 177
 Corollary 12.11.2, 213
 Corollary 12.11.4, 103
 Corollary 12.11.6, 161, 193
 Corollary 12.5.1, 174, 212
 Corollary 13.4.1, 236
 Corollary 13.7.1, 236
 Corollary 13.7.2, 236
 Corollary 14.3.2, 225
 Corollary 14.3.4, 211
 Corollary 14.3.5, 216
 equation 11.5.3, 125
 equation 11.5.4, 144
 equation 12.4.1, 168
 equation 12.4.3, 168, 171

- equation 12.4.4, 170, 171
- equation 12.5.3, 103
- equation 13.4.1, 238
- equation 13.5.1, 238
- equation 14.2.35, 216
- equation 14.2.6, 216
- equation 14.8.6, 227
- equation 2.3.6, 26
- equation 3.3.2, 114, 121, 181
- equation 3.3.4, 118, 181
- equation 4.5.12, 43
- equation 4.5.13, 43
- equation 4.6.13, 50
- equation 4.6.6, 46
- equation 4.7.1, 50
- equation 5.2.5, 181
- Example 1.4.2, 47
- Example 12.10.1, 145
- Example 12.3.1, 121, 214
- Figure 11.2, 113
- Figure 13.1, 191
- Lemma 12.4.2, 169
- Lemma 12.5.1, 160
- Lemma 13.4.1, 239
- Lemma 13.5.1, 239
- Lemma 13.6.3, 190
- Lemma 13.8.1, 55
- Lemma 14.3.3, 225
- Lemma 14.4.4, 214
- Proposition 13.2.1, 82
- Section 1.3, 7
- Section 1.4, 7, 23
- Section 10.4.4, 73
- Section 11.2, 139
- Section 11.5, 144
- Section 11.6, 114, 221
- Section 12.11, 163
- Section 12.2, 255
- Section 12.4, 166, 168
- Section 12.6, 134, 163
- Section 12.7, 102, 163
- Section 12.9, 144
- Section 13.4, 259
- Section 13.6, 187, 268
- Section 13.7, 62, 102, 190
- Section 13.8, 55, 102
- Section 14.2, 204
- Section 14.6, 196, 218, 233
- Section 14.7, 233
- Section 2.3, 26, 196
- Section 3.2, 25
- Section 3.4, 17
- Section 3.5, 51, 163, 235
- Section 4.3, 23, 41
- Section 4.4, 30, 41, 90
- Section 4.5, 41
- Section 4.6, 23, 50
- Section 4.7, 23, 41, 50
- Section 5.9, 36, 73
- Section 7.3, 190
- Section 8.5, 22
- Theorem 11.3.1, 5, 9
- Theorem 11.3.4, 20, 21, 76
- Theorem 11.3.5, 17
- Theorem 11.4.5, 77, 85
- Theorem 11.5.2, 164
- Theorem 11.5.3, 164
- Theorem 11.6.1, 221, 231
- Theorem 11.6.7, 221
- Theorem 12.11.1 (v), 167
- Theorem 12.11.2 (iv), 167
- Theorem 12.2.2, 175
- Theorem 12.4.1, 169, 172, 177
- Theorem 12.5.1, 103, 105, 177, 255, 258
- Theorem 12.5.1 (v), 167, 212
- Theorem 12.5.2 (iv), 167
- Theorem 12.7.3, 102
- Theorem 12.9.4, 217
- Theorem 13.2.3, 81, 85

- Theorem 13.3.2, 71, 236, 263, 264
- Theorem 13.4.1, 54
- Theorem 13.6.2, 270
- Theorem 13.6.3, 269, 275
- Theorem 13.7.2, 109, 236
- Theorem 13.7.4, 105, 108, 236
- Theorem 13.8.2, 62
- Theorem 14.2.4, 225
- Theorem 14.2.5, 214, 216
- Theorem 14.2.9, 195, 216
- Theorem 14.4.1, 211
- Theorem 14.4.2, 213
- Theorem 14.4.2 (a), 215
- Theorem 14.4.3, 215, 216
- Theorem 14.8.1, 226
- Theorem 14.8.3, 227
- Theorem 14.8.6, 226
- Theorem 3.2.1, 1
- Theorem 3.2.2, 6
- Theorem 3.4.2, 25, 26
- Theorem 3.4.3, 19
- Theorem 3.4.4, 20
- Theorem 4.3.2, 86
- Theorem 4.3.5, 87
- Theorem 4.4.2, 31
- Theorem 4.4.4, 40
- Theorem 4.6.1, 50
- Theorem 5.2.1, 80
- Theorem 5.8.2, 99
- Theorem 8.3.1, 100
- Theorem 8.5.2, 99
- Theorem A.5, 53
- Borel-Cantelli theorem, 28
- Box, 47, 48
- Bratley, 75, 87
- Bremaud, 71
- Brownian motion
fluctuations of, 28
- modulus of continuity for paths, 28
- nondifferentiability of paths, 28
- $C_0 \equiv C \cap D_0$, 164
- $C_{\uparrow} \equiv C \cap D_{\uparrow}$, 164
- $C_{\uparrow\uparrow} \equiv C \cap D_{\uparrow\uparrow}$, 164
- $C_m \equiv C \cap D_m$, 164
- $C(S)$, cont. bdd. real-val. fcts.
on S , 1
- Carson, 75, 91
- centering
for convergence preservation
linear, 188
in other direction, 180
- central-server model, 110
- characterizations of
 SM_1 convergence in D
main theorem, 128
by linear maps, 136
by visits to strips, 138
- SM_2 convergence in D
main theorem, 149
by linear maps, 159
by local extrema, 160
- WM_1 convergence in D , 131
- WM_2 convergence in D , 155
- feasible regulator set, 199
- local uniform convergence, 126
- multidimensional reflection map
by complementarity, 199
by fixed-point property, 199
- parametric reps., 122
- Chen, 27
- Choudhury, 22
- Chow, 87
- closed queueing network, 110
- CLT equivalence for cting. fcts., 62
- comparison of

- SJ_1 and SM_1 metrics, 121
- SM_1 and WM_1 topologies, 121
- complementarity and reflection, 199
- complete
 - metric space, 139
- composition map, 68, 164
 - continuity of, 165
 - not continuous everywhere, 165
 - with centering, 173
- conditional prob. measure, 14
- confidence set, 74, 76
- conjugate, *see* adjoint
- conservation laws, 52
- continuity
 - of addition
 - for M_1 , 135, 136
 - for M_2 , 159
 - of composition, 165
 - of multidim. reflect.
 - in uniform top., 202
 - on (D, SJ_1) , 203
 - with M_1 tops., 210
 - of the inverse map, 184
 - right, 114
- continuous-mapping approach, 17, 51, 73
- continuous-mapping theorem, 17, 19
- convergence
 - characterization of
 - SM_1 , 128, 138
 - SM_2 , 149, 160
 - WM_1 , 131
 - WM_2 , 155
 - extending to product spaces
 - for SM_1 , 134
 - for SM_2 , 158
 - local uniform, 124
 - of prob. measures, 1
 - of restrictions, 143
 - of sets, 246
 - strengthening the mode
 - for WM_1 , 134
 - for WM_2 , 158
 - to Lévy processes, 45
- convergence preservation
 - WM_2 within bnding fcts., 161
 - with centering
 - inverse map, 188
 - reflection map, 182
 - supremum map, 174, 180
- coordinate mapping, 10
- counterexample
 - for weak consistency, 94
- counting fcts., 190–194
 - asym. equiv., inv. fcts., 192, 193
- counting functions, 55
 - CLT equivalence, 62
 - with centering, 62
- counting process, 190
- couplings, 27
- covariance function, 34
- Crane, 88
- Csörgő, 25, 27–29
- cumulative process, 37
- cylinder set, 15
- D , the space, 161
 - SM_2 and WM_2 tops., 144
 - characterization of
 - M_1 convergence, 128
 - M_2 convergence, 148
 - regularity properties, 114
- $D([0, \infty), \mathbb{R}^k)$, 142, 216
- D_c , piecewise-const. fcts., 116
- D_0 , subset with $x(0) \geq 0$, 164
- D_\uparrow , nondecreasing x in D_0 , 164
- $D_{\uparrow\uparrow}$, increasing x in D_\uparrow , 164
- D_m , x^i monotone, all i , 164

- D_u , x in D_0 unbded above, 183
- $D_{u\uparrow} \equiv D_u \cap D_{\uparrow}$, 183
- $D_{u\uparrow\uparrow} \equiv D_u \cap D_{\uparrow\uparrow}$, 183
- $D_{u,\epsilon}$, subset of D_u , 184
- D_u^* , subset of D_u , 184
- $D_{u\uparrow}^*$, subset of $D_{u\uparrow}$, 184
- D_s , jumps same sign, 205, 215
- D_1 , jumps in one coord., 214
- D_+ , jumps up, 215
- D_l , piecewise-linear, 208
- $D_{s,l} \equiv D_s \cap D_l$, 208
- D_{lim} , fcts. with left and rt. lims., 243
- $D_{l,r}$, limits either left or rt., 248
- $Disc(x)$, set of disc. pts., 19, 115
- D_Q , subset of D with discs. at rationals, 25
- $d_{J_1}(x_1, x_2)$, J_1 metric, 25
- $d_{M_1}(x_1, x_2)$, M_1 metric, 25, 118
- $d_s(x_1, x_2)$, SM_1 metric on D , 118
- $d_w(x_1, x_2)$, WM_1 dist. on D , 118
- $\hat{d}(A, \Gamma_x)$, order-consist. dist., 119
- $d_p(x_1, x_2)$, product metric, 121
- $\hat{d}^*(A, A_n)$, graph subsets, 129
- $\hat{d}(A, G_x)$, order-const. dist., 131
- $d_{s,2}(x_1, x_2)$, SM_2 dist., 148
- $d_{w,2}(x_1, x_2)$, WM_2 dist., 148
- Damerджи, 90
- derivative
 - and conv. preservation, 237
 - of inverse map, 267
 - of supremum map, 243
 - of the reflection map, 259
- difference operator
 - fractional, 48
- differences, 47
- Dirac measure, 10
- discontinuity points, 115
 - jumps common sign, 136, 159
- distance
 - in-probability, 17
 - order-consistent, 119, 131
- Donsker's theorem
 - rate of convergence in, 25
- double sequences, 41
- Dudley, 6
- Dunford, 16
- Edgeworth expansion, 24
- Egoroff's theorem, 12
- Einmahl, 27
- El-Taha, 52, 54, 71, 72, 164
- equicontinuous, 2
- estimating a steady-state mean, 89
- estimation process, 74
- Ethier, 29, 40
- extending
 - conv. to product spaces
 - for SM_1 , 134
 - for SM_2 , 158
 - graphs for M' tops., 186
- FARIMA, 47
- FCLT
 - for a CTMC, 34
 - for a DTMC, 31
 - for regenerative processes, 38
 - martingale, 40
 - with weak dependence, 30
- feasible regulator
 - definition, 197
- Feller, 22, 24, 41, 44, 45, 140, 230
- Fishman, 75, 91
- fixed-point char. of ref. map, 199
- Fox, 75, 87, 91
- fractional AR integrated MA, FARIMA, 47
- fractional difference operator, 48
- function
 - oscillation, 125

- piecewise-constant, 115
- functions of sample means, 88
- fundamental matrix
 - for a CTMC, 33
 - of a DTMC, 31
- G_x , thick graph, 117
- gamma process, 100
- generalized cont.-map. thm., 20
- generalized Pollaczek-Khintchine trans-
 - form, 22, 98, 99
- Glazebrook, 87
- Gleser, 87
- Glynn, 27, 36, 38, 53, 71–95
- Gnedenko, 41
- Goldie, 81
- Govindarajulu, 87
- Granger, 48
- graph
 - extended for M' topologies, 186
 - thick, 117
 - thin, 117
- Gut, 71, 72
- Halmos, 12
- Hausdorff metric
 - on compact subsets of \mathbb{R}_+ , 246
 - on graphs for D , 144
- heavy-traffic limit
 - for nonstationary queues, 262
- heavy-traffic limits
 - for finite-capacity queues, 217
 - for queueing networks, 217
 - for stochastic fluid networks, 217
- Heidelberger, 75, 89
- Helly selection theorem, 140
- Hill estimator, 92
- Horváth, 25, 27
- Hosking, 48
- Hsu, 27
- Iglehart, 90
- in-probability distance, 17
- infinitely divisible distribution, 41
- infinitesimal generator matrix for
 - CTMC, 33
- inheritance of jumps from WM_2
 - convergence, 157
- innovation process, 47
 - heavy-tailed, 50
- instantaneous reflection map, 204
- Internet Supplement, 164, 167, 210, 220
- inverse
 - map, 183–194
 - continuity of, 184
 - conv. pres. with centering, 188
 - derivative of, 267
 - relation for cting. fcts., 55, 190
- J , max-jump fct., 157
- jackknife, 88
- Jacod, 40–42, 45, 46, 142, 178
- Jenkins, 47, 48
- joint conv. of ran. elts.
 - for sup with centering, 178
- Joyeux, 48
- Kella, 98, 218, 224
- Kelton, 75, 87, 91
- Kemeny, 31, 33
- Kennedy, 26
- Kiefer-Wolfowitz stochastic approx., 91
- Koenig, 87
- Kogan, 111
- Kolmogorov, 41
- Komlós, 27

- Kurtz, 29, 40
- $L = \lambda W$, 52, 71
- Lévy
 exponent, 42
 measure, 42
 metric, 18, 140
 process
 convergence to, 41
 decomposition, 43
 model for input, 223
 reflected, 98
 strong approx. for, 29
 without negative jumps, 98
- L_1 topology on D , 210
- $Linc(x)$, left inc. pts. of x , 248
- Laplace exponent, 99
- Lavenberg, 75, 88, 110
- Law, 75, 87, 91
- left limits, 114
- Lemoine, 88
- limiting stationary version
 criterion for a, 221–223
 of a reflected process, 218
- Lindvall, 27, 142
- linear
 fcts. of coord. fcts., 136, 159
 models, 46
 process representation, 46, 50
- Lipschitz
 function, 181
 mapping theorem, 17, 26
 property of
 multidim. ref. map, 202,
 203, 215, 217
 lin. fct. of coord. fcts., 135,
 158
- Liptser, 111
- Little's law, 52
- local uniform convergence, 124
- local-maximum function
 for M_2 top. on D , 160
- Lucantoni, 22, 39
- M/G/1 queue, 99
- M/M/1 queue, 35, 262
- M_1 metric
 on D , 118
- M'_1 top. on $D([0, \infty), \mathbb{R})$, 186
- M_2 metric
 on D , 144
- M'_2 top. on $D([0, \infty), \mathbb{R})$, 186
- M_{t_1, t_2} , local max fct., 160
- $m_s(x_1, x_2)$, SM_2 metric on D , 144
- $m_p(x_1, x_2)$, WM_2 product metric
 on D , 145
- macroscopic view of uncert., iii
- Maigret, 36
- Major, 27
- Mandelbaum, 27, 112, 235, 276
- Markov chains, 30
- martingale, 40
 difference, 40
 in Lévy pr. decomp., 43
- Massey, 71, 72, 112, 235, 276
- matrix
 norm, 200
 reflection, 197
- maximum
 norm on \mathbb{R}^k , 114
- McLeish, 92
- measurability
 of C in (D, M_1) , 164
 of $Disc(x)$, 19
 of addition on $D \times D$, 136
 of subsets of D , 184
 of the inverse map, 184
- metric
 M_1 , 118
 SM_1 , 118

- SM_2 , 145
- WM_2 , 145
- Hausdorff, 144
- Lévy, 140
- product, 145
- uniform on D , 114
- Meyn, 36
- Miller, 89
- mixture, 11
- modulus of continuity
 - over a set, 116
- modulus of continuity of BM, 28
- $M_t/M_t/1$ queue, 262
- multidimensional reflection, 233
 - counterexamples for M_1 , 217
 - as function of
 - the ref. matrix Q , 203
 - characterization of
 - by complementarity, 199
 - by fixed-point property, 199
 - continuity of
 - in M_1 , 210
 - as fct of x and Q , 216
 - definition of, 197
 - existence of, 198
 - instantaneous, 204
 - Lipschitz property
 - for $D([0, \infty), \mathbb{R}^k)$, 217
 - for uniform norm, 202
 - for M_1 , 215
 - for SJ_1 , 203
 - one-sided bounds, 202
 - properties of, 202
- multiprogrammed computer system
 - input-output devices, 110
- $N(m, \sigma^2)$, normal variable, 23
- Nadas, 87
- nested family of countable parti-
 - tions, 7
- Neuts, 39
- Neveu, 15
- non-compact domains, 142
- nonlinear centering, 237
- nonstationary queues, 262
- norm
 - matrix, 200
 - maximum on \mathbb{R}^k , 114
- number of visits to a strip, 137
- numerical transform inversion, 22,
 - 48, 100
- order
 - consistent distance, 119, 131
 - on completed graph, 117
 - total, 117
- oscillation function, 125
- parametric representation
 - M_1
 - definitions, 118
 - M_2 , 148
 - limits for, 209
 - reflection of, 204
- partition, 5
 - of a set, 7
- Philipp, 27
- piecewise
 - constant fct., 115
 - linear fct., 208
- planning queueing simulations, 73
- Poisson
 - equation, 31
 - for a CTMC, 34
 - for a DTMC, 32
 - random measure, 43
- Prabhu, 99, 100
- preservation
 - of par. rep. by reflection, 205
 - of ptwise. converg., 51

- product
 - measure, 10
 - metric, 145
 - space, 10
- Prohorov, 1–6, 139
- Prohorov metric, 2, 17, 25
- projection map, 26
- Puhalskii, 97, 105, 108, 110, 111, 186, 277

- $Q \equiv \lim_{t \downarrow 0} (P(t) - I)$, 33
- $Q \equiv P^t$, reflection matrix, 197
- queueing network, 233
- queueing networks, 217

- Révész, 27–29
- $R \equiv (\psi, \phi)$, mult. ref. map, 197
- $Rinc(x)$, rt. inc. pts. of x , 248
- r_{t_1, t_2} , restriction map, 143
- radius of a set, 8
- random
 - measure, 43
 - sum, 37, 164
 - time change, 72, 164
- range
 - thick, 118
 - thin, 117
- rates of convergence
 - for heavy-traf. limits, 26
 - in CLT, 24
 - in FCLT, 25
- reflected Lévy process, 22, 98
 - steady-state distribution, 98
- reflected process
 - limiting stationary version, 218
 - tightness of marginals, 221
- reflection
 - matrix, 197
 - norm, 200
 - of a parametric rep., 204
- reflection map, 26
 - multidimensional, *see* multidim
 - one-sided, one-dim., 181–183
 - M_2 -cont. fails, 181
 - conv. pres. with ctring., 182
 - derivative of, 259
 - Lipschitz property, 181
- reflexive space, 17
- regenerative
 - cycles, 36
 - process, 36
 - structure, 30
- regularly varying, *see* Appendix A
 - function, 52
- Reiman, 112
- Reinsel, 47, 48
- remainder processes, 37
- renewal process, 37
- renewal-reward processes, 194
- rescaling of mult. ref. map, 202
- Resnick, 92, 93
- restriction of fct., 143
- Robbins, 87
- Robbins-Monro stochastic approx., 91
- Rogers, 100
- Ruppert, 91, 92

- SM_1
 - converg. charact. of
 - main theorem, 128
 - by linear maps, 136
 - visits to strips, 138
 - metric, 118
- SM_2
 - converg. charact. of
 - main theorem, 149
 - by extrema, 160
 - by linear maps, 159
 - metric, 145

- param. rep., 148
- topology, 144
- Samorodnitsky, 47, 50, 100
- sample mean
 - functions of, 88
 - of IID random variables, 86
 - of IID random vectors, 87
 - with infinite variance, 93
- sample-path method, 22
- Sauer, 75, 88, 110
- Schrage, 75, 87
- Schwartz, 16
- segment
 - product, 117
 - standard, 117
- semimartingales, 46
- separable metric space, 1
- sequential stopping rule
 - absolute-precision, 77
 - relative-precision, 78
- service interruptions, 217
- set
 - feasible regulator, 197
 - of discontinuity points, 115
- Shiryayev, 40–42, 45, 46, 111, 142, 178
- Siegmund, 87
- signed measures, 16
- Simmons, 16
- simulation
 - application of limits to, 73
 - run length, 74
 - sequential stopping rules
 - asymptotic validity, 73
- Skorohod, 6–16, 29, 45, 121, 128, 129, 137, 144, 149, 155, 160, 161, 194
 - embedding theorem, 29
 - representation theorem, 2, 6
- SLLN and FSLLN equivalence, 53
- Smorodinskii, 111
- Snell, 31, 33
- space
 - topological
 - of sets, 246
 - topologically complete, 139
- Srivastava, 87
- Stărică, 92, 93
- stable innovations, 50
- Starr, 87
- stationary
 - process, 218
- statistical
 - regularity
 - goal to see, iii
- steady-state distribution
 - of a reflected Lévy pr., 98
- steady-state mean
 - estimating, 89
- Stidham, 52, 54, 71, 72, 164
- stochastic approximation
 - Kiefer-Wolfowitz, 91
 - Robbins-Monro, 91
- stochastic fluid networks, 217
- stochastic-process limit
 - topic of book, iii
- Stolyar, 112
- Stout, 27
- Strassen representation theorem, 17
- strengthening mode conv., 134
- strong
 - approximations, 27
 - dependence, 46
- supremum map, 54, 173–180
 - conv. pres., centering, 174
 - criterion for joint conv., 178
 - ctring in other direction, 180
 - derivative of, 243
- switching u and r in par. rep. of
 - inverse fct., 184

- Takács, 98, 100
- Taqqu, 47, 50, 100
- Teugels, 81
- theorem
 - Berry-Esseen, 24
 - Borel-Cantelli, 28
 - continuous-mapping, 17, 19
 - Donsker's, 25
 - Egoroff's, 12
 - gen. cont.-mapping, 20
 - Helly selection, 140
 - Lipschitz-mapping, 17, 26
 - Prohorov metric, 2
 - Skorohod embedding, 29
 - Skorohod representation, 2, 6
 - Strassen representation, 17
 - strong approximation, 27
- thick
 - graph, 117
 - range, 118
- thin
 - graph, 117
 - range, 117
- Thorin, 44
- tightness
 - of a reflected process, 221
- topologically complete, 139
- totally skewed Lévy motion, 43
- transform, 22
- triangular arrays, *see* double sequences
- triple of characteristics for Lévy pr., 42
- truncation function for Lévy pr., 42
- Tusnády, 27
- two-sided regulator, 217
- $u(x_1, x_2, t, \delta)$, unif. dist. fct., 124
- uniform
 - convergence of integrals, 2
 - distance functions, 124
 - metric, 114
 - metric for cdf's, 18, 24
 - norm, 16
- uniformly bounded, 2
- upper semicontinuity
 - of max. abs. jump fct., 157
 - preservation by infimum, 198
- useful functions, 194
- $v(x; A)$, modulus of cont., 116
- $v(x_1, x_2, t, \delta)$, unif. dist. fct., 125
- $v_{t_1, t_2}^{a, b}(x)$, visits to strip $[a, b]$, 137
- Venter, 91, 92
- virtual Mark. arriv. pr., *see* BMAP
- volume of confidence set, 74
- WM_1
 - conv. characteriz. of, 131
 - topology, 118
- WM_2
 - convergence
 - characterizations of, 155
 - inherit jumps from, 157
 - pres. within bnding fcts., 161
 - param. rep., 148
 - topology, 144
- $w_s(x, t, \delta)$, SM_1 oscil. fct., 125
- $w_w(x, t, \delta)$, WM_1 oscil. fct., 125
- $\bar{w}_s(x_1, x_2, t, \delta)$, SM_2 osc. fct., 125
- $\bar{w}_w(x_1, x_2, t, \delta)$, WM_2 osc. fct., 125
- $\bar{w}_s(x, \delta)$, SM_2 osc. fct., 128
- $w_w(x, \delta)$, osc. fct., 131
- Wang, 27
- weak
 - consistency
 - a counterexample for, 94
 - convergence, 1, 16
 - dependence, 30

topology, 17
weak* topology, 17
Welch, 75
Wetherill, 87
Wichura, 6
 $Y = \lambda X$, 72
 $Z \equiv (I - P + \Pi)^{-1}$, for DTMC, 31
Zhang, 27
Zolotarev, 98